

Bandit® (Model 24054-61) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

4007	Bearings & Bushings	3677P	Wheelie bar mount (1) / hardware (pink)
4607	Ball bearings (5x11x4mm) (8)	3677	Wheelie bar mount (1)/ hardware (black)
2728	Ball bearings (5x8x2.5mm) (2)	3677X 2477	Wheelie bar mount (1)/ hardware (blue) Wheelie bar mount/ 3x40 BCS (1)/ 3x30 BCS (1)/ 3x12 BCS (1) (for
4606	Ball bearings (5x8x2.5mm) (8) (for wheels only)		LED light kit installation)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	3678	Wheelie bar, assembled (black) (fits Slash, Bandit®, Rustler®,
5114 2545	Ball bearings, blue rubber sealed (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4)		Stampede® series)
1675	Bushings, self-lubricating (5x11x4mm) (14)	3678X	Wheelie bar, assembled (blue) (fits Slash, Bandit®, Rustler®,
3775	Bushings, self-lubricating (5x8x2.5mm) (12)	3678A	Stampede® series) Wheelie bar, assembled (green) (fits Slash, Bandit®, Rustler®,
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)	007074	Stampede® series)
	Body & Accessories	3678T	Wheelie bar, assembled (orange) (fits Slash, Bandit®, Rustler®,
1926	Antenna caps, vinyl (2)/ antenna spool		Stampede® series)
1726	Antenna, tube (1)/ v iny l antenna cap (1)/ wire retainer (1)	3678P	Wheelie bar, assembled (pink) (fits Slash, Bandit®, Rustler®, Stampede® series)
1834	Body clips (12) (standard size)	3678R	Wheelie bar, assembled (red) (fits Slash, Bandit®, Rustler®,
1815	Body washers (8)	007010	Stampede® series)
6716	Body washers, foam, 2mm (4)/ 3mm (4)/ 4mm (4)	9460	Wheelie bar, black (assembled)/ wheelie bar mount
2417	Body, Bandit® (front & rear) (clear, requires painting)/ window,	4976	Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)
2420	lights, grille decal sheet Body, Bandit®, ProGraphix® (replacement for the painted body.	5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/
2420	Graphics are printed, requires paint & final color application)/	E400	axles (2)/ rubber tires (2)
	decal sheet	5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
2514	Decal sheet, racing sponsors		Differential Components
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)	0000	<u> </u>
3931	Screws, 3x8mm flat-head machine (hex drive) (6)	2380	Differential, complete (assembled) (fits 1/10-scale 2WD Rustler®,
5185 1974	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)	2381X	Bandit®, Stampede®, Slash) Main diff with steel ring gear/ side cover plate/ screws (Bandit®,
4974 3677A	Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4) Wheelie bar mount (1) / hardware (green)		Stampede®, Rustler®)
3677A 3677P	Wheelie bar mount (1) / hardware (green) Wheelie bar mount (1) / hardware (pink)	2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment
3677	Wheelie bar mount (1)/ hardware (black)		shaft (1) all hardened steel
3677X	Wheelie bar mount (1)/ hardware (blue)	2388X	Planetary gear differential with steel ring gear (complete) (fits
3678	Wheelie bar, assembled (black) (fits Slash, Bandit®, Rustler®,	4047	Bandit®, Stampede®, Rustler®)
	Stampede® series)	1647	Silicone grease
3678X	Wheelie bar, assembled (blue) (fits Slash, Bandit®, Rustler®,		Driveline Components
3678A	Stampede® series) Wheelie bar, assembled (green) (fits Slash, Bandit®, Rustler®,	4628R	Differential output y okes, black (2)/ 3x5mm countersunk screws (2)/
3010A	Stampede® series)	40007	screw pin (2)
3678T	Wheelie bar, assembled (orange) (fits Slash, Bandit®, Rustler®,	4628X	Differential output yokes, hardened steel (w/ U-joints) (2)
	Stampede® series)	9450	Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)
3678P	Wheelie bar, assembled (pink) (fits Slash, Bandit®, Rustler®,	2751	Half-shaft pro-pack (internal-splined (6)/external-splined (6))
	Stampede® series)		(plastic shafts only)
3678R	Wheelie bar, assembled (red) (fits Slash, Bandit®, Rustler®, Stampede® series)	1651	Half-shafts (internal-splined (2)/external-splined (2))/ metal U-joints
4976	Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)	2652	(4)
5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/	3652	Stub axle carriers (2)
	axles (2)/ rubber tires (2)	3752 3652A	Stub axle carriers (2) (requires 5x11x4mm bearings) Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6
5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/	3032A	aluminum (blue-anodized)/ 5x11mm ball bearings (4)
	axles (2)/ rubber tires (2)	3652G	Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6
2615 2414	Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2)		aluminum (green-anodized)/ 5x11mm ball bearings (4)
2414	Wing wire	3652T	Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6
	Chassis & Attachments		aluminum (orange-anodized)/ 5x11mm ball bearings (4)
3727	Battery hold-down plate (black)/ metal posts (2)/body clips (2)	3652P	Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (pink-anodized)/ 5x11mm ball bearings (4)
3727A	Battery hold-down plate (gray)/ metal posts (2) / body clips (2)	3652X	Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6
3628	Box, receiver (sealed)/ foam pad/ 2.5x8mm CS (4)/ 3x10mm CS (2)	000EA	aluminum (red-anodized)/ 5x11mm ball bearings (4)
3735	Bumper, front/ 4x12 CCS (2) (fits 2WD Rustler® or Bandit®) (for LED light kit installation)	2754	Stub axle pins (4)
3728	Lower chassis (black) (166mm long battery compartment) (fits	2753X	Stub axles, rear (2)
	both flat and hump style battery packs)		Front Suspension & Steering
3722X	Lower chassis (black) (166mm long battery compartment) (fits	2728	Ball bearings (5x8x2.5mm) (2)
	both flat and hump style battery packs) (use only with #3725R	4606	Ball bearings (5x8x2.5mm) (8) (for wheels only)
2200	ESC mounting plate)	5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
3728A	Lower chassis (gray) (166mm long battery compartment) (fits both flat and hump style battery packs)	2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)
3722R	Lower chassis (gray) (166mm long battery compartment) (fits	2530	Bulkhead (front) (black)
!\	both flat and hump style battery packs) (use only with #3725R	2530A	Bulkhead (front) (gray)
	ESC mounting plate)	2432	Caster blocks (left & right) (30-degree)
3725R	Mounting plate, electronic speed control (for installation of XL-5/VXL	2437 1942	Front axles (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
200	into Bandit® or Rustler®)	1342	(2)
26°10	Seal kit, receiver box (includes o-ring, seals, and silicone grease)	5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)	2742	Rod ends, long (6)/ hollow ball connectors (6)
5185			
5185 3723	Upper chassis (black)	5347	Rod ends, Revo® (large) with hollow balls (12)
5185 3723 3729	Upper chassis (black)	5347 2742X	Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6)
5185 3723 3729 3723A	Upper chassis (black) Upper chassis (gray)	2742X 3744	Rod ends, short (6)/ hollow balls (6) Serv o sav er w/adapters
5185 3723 3729 3 723A 3729A	Upper chassis (black) Upper chassis (gray) Upper chassis (gray)	2742X 3744 3639	Rod ends, short (6)/ hollow balls (6) Serv o sav er w/adapters Shock tower (front)
3629 5185 3723 3729 3723A 3729A 4974 3677A	Upper chassis (black) Upper chassis (gray)	2742X 3744	Rod ends, short (6)/ hollow balls (6) Serv o sav er w/adapters

Page 2	Bandit®: TQ™ 2.4GHz Radio (Model 24054-61) Par	ts List	
3636A	Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)	3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
3636G	Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (green-anodized)/ 5x11mm ball bearings (4)	2754 3740	Stub axle pins (4) Suspension pins, 2.5x29mm (king pins) w/ e-clips (2) (strengthens
3636T	Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6		caster blocks)
3636P	aluminum (orange-anodized)/ 5x11mm ball bearings (4) Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6	2637 2537	Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw
	aluminum (pink-anodized)/ 5x11mm ball bearings (4)	2746	Washers, 3x6mm metal (12)
3636X	Steering blocks, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)	2615	Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2)
2531X 2531A	Suspension arms (front) (2) Suspension arms, black, front, heavy duty (2) (requires #3632	3791	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2)
	series caster block and #3640 screw pin set)	3795	(requires #3735 front bumper for 2WD Rustler® or Bandit®) LED light harness, rear (requires #2477 wheelie bar mount)
2531L	Suspension arms, blue, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)	3794	LED light set, complete (includes front and rear bumpers with LED
2531G	Suspension arms, green, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)		light bar, rear LED harness, & BEC Y-harness) (fits 2WD Rustler® or Bandit®)
2531T	Suspension arms, orange, front, heavy duty (2) (requires #3632	2263	Y-harness, BEC to LED light set
2531R	series caster block and #3640 screw pin set) Suspension arms, red, front, heavy duty (2) (requires #3632	1726	Motors & Electronics Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3740	series caster block and #3640 screw pin set) Suspension pins, 2.5x29mm (king pins) w/ e-clips (2)	1552	Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench
	(strengthens caster blocks)	2260 3790	BEC assembly (complete) Gear adapter, fixed
2640	Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)	2072A	Gear set (for 2070, 2075 servos)
3640	Suspension screw pin set, steel (hex drive) (requires part #2640	2252	Gear set, metal (for 2250, 2255 servos)
	for a complete suspension pin set) (Bandit®, Rustler®, Stampede®)	1275 3785	Motor, Stinger (20-turn, 540 size) Motor, Titan® 12T (12-Turn, 550 size)
2537	Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw	3351R	Motor, Velineon® 3500, brushless (assembled with 12-gauge
2532 2444	Tie bar, fiberglass (requires suspension pins, part# 2640) Turnbuckles, camber link, 47mm (67mm center to center) (front) (assembled with rod ends and hollow balls) (1 left, 1 right)	3725R	wire and gold-plated bullet connectors) Mounting plate, electronic speed control (for installation of XL-5/VXL into Bandit® or Rustler®)
2445	Turnbuckles, toe link, 55mm (75mm center to center) (2)	2254 2253	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
	(assembled with rod ends and hollow balls)	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for
3642	Shoulder screws, Ultra shocks (3x12) (6)	2074	2250, 2255 servos) Serv o case/gaskets (for 2056 and 2075 waterproof servos)
1552	Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench	2053	Serv o gears (for 2055, 2056 serv os)
4363 1834	Ball screws (3x12mm) (lower shock attachment screws) (6) Body clips (12) (standard size)	2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
3934	Body clips, heavy duty (12)	2075 2250	Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing),
3980	Glow plug wrench (universal wrench)		waterproof
3647 1747	Nuts, 4mm flanged ny lon locking (steel, serrated) (8) Nuts, 4mm ny lon locking (10)	2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
1747R 1747G	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
1747G 1747T	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)	2056 3350R	Serv o, high-torque, waterproof (blue case) Velineon® VXL-3s Brushless Power System, waterproof
1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)		(includes VXL-3s waterproof ESC, Velineon 3500 motor, and
1747A 1985	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)	3355R	speed control mounting plate (part #3725R)) Velineon® VXL-3s Electronic Speed Control, waterproof
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)	3018R	(brushless) (fwd/rev/brake) XL-5 Electronic Speed Control, waterproof (land version, low-voltage
5525R	Rod ends, heavy duty (Jato®/Slayer) (8)		detection, fwd/rev/brake)
2742 5347	Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12)		Radio System, Batteries & Chargers
2742X	Rod ends, short (6)/ hollow balls (6)	2842X 2843X	5000mAh 7.4v 2-Cell 25C LiPo Battery 5800mAh 7.4v 2-Cell 25C LiPo Battery
3739	Screw pin set (Rustler®, Bandit®, Stampede®)	2869X	7600mAh 7.4v 2-Cell 25C LiPo Battery
3229 3965	Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x8mm cap-head machine (6)	2976	AC to DC converter, 40W
2587	Screws, 3x10mm cap-head machine (6) (no washer)	2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)
2675 2578	Screws, 3x10mm roundhead self-tapping (6) Screws, 3x12mm button-head machine (hex drive) (6)	2943	Battery charge indicators (green (4), blue (4), gray (4))
2648	Screws, 3x12mm countersunk self-tapping (6)	6548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
2676	Screws, 3x12mm roundhead self-tapping (6)	2914	Battery, Power Cell AA Alkaline (4)
3186 3286	Screws, 3x12mm washerhead machine (6) Screws, 3x12mm washerhead self-tapping (6)	2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
2649	Screws, 3x15mm countersunk self-tapping (6)	2926X 2942X	Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V)
2563	Screws, 3x15mm roundhead machine (6)	2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
3187 3288	Screws, 3x15mm washerhead machine (6) Screws, 3x15mm washerhead self-tapping (6)	2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
2566	Screws, 3x20mm roundhead machine (6)	2952X 2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V) Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
2567	Screws, 3x23mm roundhead machine (6)	2951X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)
2582 2592	Screws, 3x30mm button-head machine (hex drive) (6) Screws, 3x40mm button-head machine (hex drive) (6)	2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
2592 2554	Screws, 3x40fm button-head machine (hex drive) (6)	2961X 2983	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
2558	Screws, 3x6mm roundhead machine (6)	2303	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH
3185X 3290	Screws, 3x8mm washerhead machine (large head for motor mount) (6) Screws, 3x8mm washerhead self-tapping (6)	2984	battery (1)) Battery/charger completer pack (includes #2969 2-amp NiMH
2548	Screws, 4x12mm countersunk machine (100-degree) (6)		peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH battery (1))
3167 2743	Screws, 4x15mm countersunk machine (6) Set (grub) screws, 3mm hardened (12)	2992	Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))

Page	3 Bandit®: TQ™ 2.4GHz Radio (Model 24054-61) Part	ts List	
2260	BEC assembly (complete)	3652P	Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6
2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)	20527	aluminum (pink-anodized)/ 5x11mm ball bearings (4)
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification	3652X	Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (red-anodized)/ 5x11mm ball bearings (4)
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto	2753X	Stub axles, rear (2)
2971	Battery Identification Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery	2750R 3640	Suspension arms, long (rear) Suspension screw pin set, steel (hex drive) (requires part #2640
2371	Identification	3040	for a complete suspension pin set) (Bandit®, Rustler®,
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto		Stampede®)
2970	Battery Identification Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto		Shock Oil
	Battery Identification	5031 5032	Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
2978 2072A	Fuse, charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2070, 2075 servos)	5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
2252	Gear set, metal (for 2250, 2255 servos)	5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for	5035 5036	Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
2968	Traxxas® iD® batteries) LiPo cell voltage checker/balancer (requires #2938X adapter for	5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
	Traxxas® iD® batteries)	5029 5038X	Shock oil bottle (60cc) (for mixing shock oil) Shock oil get (includes 20 yet 20 yet 40 yet 50 yet 50 yet 70 yet 8
6554X 6535	Mount, telemetry expander (fits Rustler®, Bandit®, Slash 2WD) Mount, temperature sensor (electric motors)/ wire tie/ thermal	3036X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
	pad	1667	Silicone shock oil (30 wt), 60cc
6519 6526	Receiver, micro, TQ 2.4GHz (3-channel)	5038	Spinning carousel rack
6527	Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage	0004	Shocks (Pro-level Aluminum)
6520	Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)	2664 5862	Big Bore shock cylinder (long) (1) Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum)
6521 2254	Sensor, temperature and voltage (long) Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)		(assembled with TiN shafts and springs) (front & rear) (4)
2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)	2660	Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for	2662	Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6
2074	2250, 2255 servos) Servio case/gaskets (for 2056 and 2075 waterproof servios)	2000	aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
2053	Servo gears (for 2055, 2056 servos)	2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
2075R 2075	Servo, digital high-speed, metal gear (ball bearing), waterproof	2362	Rebuild kit, Ultra shocks (for 2 shocks)
2075	Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing),	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
	waterproof	2742X	Rod ends, short (6)/ hollow balls (6)
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof	2667	Shock caps, aluminum (Big Bore Shocks) (2)
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof	1664T 2656T	Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long)
2056 6553X	Serv o, high-torque, waterproof (blue case) Telemetry expander 2.0 and GPS module 2.0, TQi radio system	1001	(2)
6550X	Telemetry expander 2.0, TQi radio system (for use only with	1664 2765	Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (X-long) (2)
	#6551X GPS module)	1765	Silicone diaphragms (4)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)	2668	Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/		Shocks)
6540	3x8mm CCS (3)/ 3x10mm CCS (3) Telemetry trigger magnet, 5X2mm (1)	5860	Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas	5859	Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum
6507D	Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas		Big Bore shocks)
6507R	Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro		Shocks (Ultra Shocks)
6516	receiver) Transmitter, TQ 2.4GHz, 2-channel (transmitter only)	3642	Attachment screws, shock (3x12mm shoulder screws) (6) Body, Ultra Shock(s) (long) (gray) (2)
6528	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-	3765A 3766A	Body, Ultra Shock(s) (XXL) (gray) (2)
	channel (transmitter only)	2362	Rebuild kit, Ultra shocks (for 2 shocks)
6529	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3- channel (transmitter only)	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
6530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-	2742X	Rod ends, short (6)/ hollow balls (6)
6511	channel (transmitter only) Traxxas Link™ Wireless Module	3767 8361	Shock caps (2)/ shock bottoms (2) Shock caps (black) (4) (assembled with hellow halls)
6537	Wire retainers, gear cover/ 3x4mm BCS (2)	3767A	Shock caps (black) (4) (assembled with hollow balls) Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)	3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
	Ready-To-Race Model	3767T	Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)
24054-6		3767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
2.00.0	and LED lights	3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
	Rear Suspension	1664T 2765T	Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (X-long) (2)
9450	Driveshaft assembly (1), left or right (fully assembled, ready to	1664	Shock shafts, steel, chrome finish (long) (2)
3638	install)/ screw pin (1) Shock tower (rear)	2765 1765	Shock shafts, steel, chrome finish (X-long) (2) Silicone diaphragms (4)
3652	Stub axle carriers (2)	3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3752	Stub axle carriers (2) (requires 5x11x4mm bearings)	3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole
3652A	Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6 aluminum (blue-anodized)/ 5x11mm ball bearings (4)	2458	(2)) Springs, front (black) (2)
3652G	Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6	2458P	Springs, front (pink) (2)
3652T	aluminum (green-anodized)/ 5x11mm ball bearings (4) Stub axle carriers, Rustler®/Stampede®/Bandit® (2), 6061-T6	2458A 2457	Springs, front (white) (2)
	aluminum (orange-anodized)/ 5x11mm ball bearings (4)	2457 2457P	Springs, rear (black) (2) Springs, rear (pink) (2)
		2457A	Springs, rear (white) (2)

Page 4	Bandit®: TQ™ 2.4GHz Radio (Model 24054-61) Part	ts List	
3760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)	3640	Suspension screw pin set, steel (hex drive) (requires part #2640 for a complete suspension pin set) (Bandit®, Rustler®,
3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)	1937	Stampede®) Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber
3760A	Ultra Shocks (gray) (long) (complete w/ spring pre-load spacers & springs) (2)	1935	links) Turnbuckles, 36mm (2)
3762A	Ultra Shocks (gray) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)	2443	Turnbuckles, camber link, 36mm (56mm center to center) (rear) (assembled with rod ends and hollow balls) (1 left, 1 right)
0700	Slipper Clutch Components	2444	Turnbuckles, camber link, 47mm (67mm center to center) (front) (assembled with rod ends and hollow balls) (1 left, 1 right)
3793 5552X	Input shaft (slipper shaft) / spring pin Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/	2445	Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)
2554	4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm cap-head machine (hex drive) (6)		Team Traxxas Items
5556	Slipper pressure plate & hub (aluminum alloy)	2514	Decal sheet, racing sponsors
	Spur Gears & Pinion Gears	6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
3790	Gear adapter, fixed	9950 9909	Official Team Traxxas® racing decal set (flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet)
2416	Gear, 16-T pinion (48-pitch) / set screw	3303	Tires & Wheels
1918	Gear, 18-T pinion (48-pitch) / set screw	3775	Bushings, self-lubricating (5x8x2.5mm) (12)
2419 2421	Gear, 19-T pinion (48-pitch) / set screw Gear, 21-T pinion (48-pitch) / set screw	3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
2423	Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw	1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
2426	Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw	1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
2431	Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw	1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
4725 4676	Gear, pinion (25-tooth) (48-pitch) / set screw	1747P 1747A	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
4676	Spur gear, 76-tooth (48-pitch) (for models with Torque-Control slipper clutch)	1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
4683	Spur gear, 83-tooth (48-pitch) (for models with Torque-Control slipper	1647	Silicone grease
4000	clutch)	2754	Stub axle pins (4)
4686	Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)	2470T	Tires & wheels, assembled (2.2" black chrome wheels, Alias® 2.2" tires) (2) (Bandit® rear, medium compound with foam
4690	Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)	2471T	inserts) Tires & wheels, assembled (2.2" black chrome wheels, Alias® ribbed 2.2" tires) (2) (Bandit® front, medium compound w/ foam
	Steering Components		inserts)
2728	Ball bearings (5x8x2.5mm) (2)	2479T	Tires & wheels, assembled (2.2" black chrome wheels,
5114 2545	Ball bearings, blue rubber sealed (5x8x2.5mm) (2) Bellcrank bushings (plastic) (5x8x2.5mm) (4)	0.4707	Anaconda® 2.2" tires with foam inserts) (2) (Bandit® front)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)	2478T 2470G	Tires & wheels, assembled (2.2" black chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit® rear)) Tires & wheels, assembled (2.2" graphite gray, satin chrome
2742	Rod ends, long (6)/ hollow ball connectors (6)		beadlock wheels, Alias® 2.2" tires) (2) (Bandit® rear, medium
5347 2742X	Rod ends, Revo® (large) with hollow balls (12) Rod ends, short (6)/ hollow balls (6)	2471G	compound with foam inserts)
3744	Serv o sav er w/adapters	247 10	Tires & wheels, assembled (2.2" graphite gray, satin chrome beadlock wheels, Alias® ribbed 2.2" tires) (2) (Bandit® front, medium
3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine)		compound with foam inserts)
3743	(2)/ draglink shoulder screws (chrome) (2) Steering bellcranks (l&r)/ draglink	2479G	Tires & wheels, assembled (2.2" graphite gray, satin chrome beadlock wheels, Anaconda® 2.2" tires with foam inserts) (2)
3743A	Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum) 5x8mm ball bearings (4)/ hardware (assembled)	2478G	(Bandit® front) Tires & wheels, assembled (2.2" graphite gray, satin chrome
3743G	Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	24700	beadlock wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit® rear)
3743T	Steering bellcranks, drag link (orange-anodized 6061-T6	2471A	Tires & wheels, assembled (Tracer 2.2" black chrome wheels,
3743P	aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/		Alias ribbed 2.2" tires) (2) (Bandit® front, medium compound w/ foam inserts)
3743X	5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/	2478A	Tires & wheels, assembled (Tracer 2.2" black chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit® rear)
6845X	5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks/ servo saver/ servo saver spring/ servo	2470R	Tires & wheels, assembled (Tracer 2.2" chrome wheels, Alias 2.2" tires) (2) (Bandit® rear, soft compound with foam inserts)
2537	spring retainer/servo horn, steering Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw	2471R	Tires & wheels, assembled (Tracer 2.2" chrome wheels, Alias ribbed 2.2" tires) (2) (Bandit® front, soft compound w/ foam
1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)	2479R	inserts) Tires & wheels, assembled (Tracer 2.2" chrome wheels,
2445	Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)	2478R	Anaconda® 2.2" tires with foam inserts) (2) (Bandit® front) Tires & wheels, assembled (Tracer 2.2" chrome wheels,
	Suspension Linkage	4740	Anaconda® 2.2" tires with foam inserts) (2) (Bandit® rear)
3642	Attachment screws, shock (3x12mm shoulder screws) (6)	4740 1771	Tires, 2.1" Pro-Trax ribbed (front) (2) Tires, 2.1" spiked (front) (2)
2441A	Camber link set for Bandit® (gray) (plastic/ non-adjustable)	1770	Tires, 2.15 spiked (rear) (2)
2441 1942	Camber link set for Bandit® (plastic/ non-adjustable) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws	2470	Tires, Alias® 2.2" (rear) (2) foam inserts (Bandit®) (soft compound)
EESED	(2) Red ands heavy duty (late@/Slaver) (8)	2471	Tires, Alias® ribbed 2.2" (wide, front) (2)/ foam inserts (Bandit®)
5525R 2742	Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6)	2478	(soft compound) Tires, Anaconda® 2.2" (rear) (2)/ foam inserts (Bandit®) (soft
5347	Rod ends, Revo® (large) with hollow balls (12)	,,0	compound)
2742X	Rod ends, short (6)/ hollow balls (6)	2479	Tires, Anaconda® 2.2" (wide, front) (2)/foam inserts (Bandit®)
3739	Screw pin set (Rustler®, Bandit®, Stampede®)	3/174	(soft compound) Tires street slicks (front) (2)
3740	Suspension pins, 2.5x29mm (king pins) w/ e-clips (2) (strengthens caster blocks)	3471 3470	Tires, street slicks (front) (2) Tires, street slicks (rear) (2)
2637	Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front	2481A	Wheels, 2.2" (black chrome) (2) (Bandit® front)
0010	suspension arm to caster block)	2480A	Wheels, 2.2" (black chrome) (2) (Bandit® rear)
2640	Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)	2481	Wheels, 2.2" (graphite gray, satin chrome beadlock) (2) (Bandit® front)

Page 5 Bandit®: TQ™ 2.4GHz Radio (Model 24054-61) Parts List

2480	Wheels, 2.2" (graphite gray, satin chrome beadlock) (2) (Bandit® rear)
2475	Wheels, front (2)
2474	Wheels, rear (2)
2473A	Wheels, Tracer 2.2" (black chrome) (2) (Bandit® front)
2472A	Wheels, Tracer 2.2" (black chrome) (2) (Bandit® rear)
2473	Wheels, Tracer 2.2" (chrome) (2) (Bandit® front)
2472	Wheels, Tracer 2.2" (chrome) (2) (Bandit® rear)
	Transmission Components
1552	Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench
4607	Ball bearings (5x11x4mm) (8)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
3792	Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit)
5478	Flat wrench, 8mm (blue-anodized aluminum)
3790	Gear adapter, fixed
3691	Gearbox halves (I&r) (black) w/ idler gear shaft
3691A	Gearbox halves (I&r) (gray) w/ idler gear shaft
5148	Grease, white lithium
3696	Idler gear, steel (30-tooth)
3793	Input shaft (slipper shaft) / spring pin
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit®,
	Stampede®, Rustler®)
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit®, Stampede®, Rustler®)
9495	Pro Series Magnum 272R™ Transmission, complete (assembled)
	(fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash)
5552X	Rebuild kit, slipper clutch (steel disc/friction pads (3)/ spring (2)/ pin/
0554	4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
3185X	Screws, 3x8mm washerhead machine (large head for motor mount) (6)
1647	Silicone grease
5556	Slipper pressure plate & hub (aluminum alloy)
3195	Top drive gear, steel (22-tooth)
3695	Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit®,
	Stampede®, Slash)
	Traxxas Tools
0.4003/	Deduce a second (alcomina con la condición)

Iraxxas Ioois	
aluminum handle)	

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8721	Speed bit handle, medium (one piece)
8720	Speed bit handle, premium, large (rubber overmold)
8722	Speed bit handle, premium, medium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm).
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,

3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/

driver handle

	Turnbuckles & Threaded Rods
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
2742	Rod ends, long (6)/ hollow ball connectors (6)
5347	Rod ends, Revo® (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
2537	Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw
1937	Turnbuckles (54mm) (2)/ 3x6x4mm aluminum spacers (rear camber links)
1935	Turnbuckles, 36mm (2)
2443	Turnbuckles, camber link, 36mm (56mm center to center) (rear) (assembled with rod ends and hollow balls) (1 left, 1 right)
2444	Turnbuckles, camber link, 47mm (67mm center to center) (front) (assembled with rod ends and hollow balls) (1 left, 1 right)
2445	Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM