

4-Tec® 2.0 Brushless AWD Chassis (Model 83124-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Bearings & Bushings		Chassis & Attachments
5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)	8327	Battery hold-down/ battery clip/ hold-down post/screw pin (for 256mm
5120A	Ball bearings, black rubber sealed (12x18x4mm) (2)	0027	wheelbase)
5116A	Ball bearings, black rubber sealed (5x11x4mm) (2)	8319	Body bumper, foam
5114A	Ball bearings, black rubber sealed (5x8x2.5mm) (2)	8324	Box, receiver (sealed)(steering servo mount)/ receiver cover/ access
5105A	Ball bearings, black rubber sealed (6x10x3mm) (2)		plug/ foam pads/ silicone grease/ 2.5x10 CS (3)
5118A	Ball bearings, black rubber sealed (8x16x5mm) (2)	8335	Bumper, front (1 each, upper & lower)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)	8336	Bumper, rear (1)/ rear body mount (1)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)	8322	Chassis
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	8321	Chassis brace (front)
5105	Ball bearings, blue rubber sealed (6x10x3mm) (2)	8323	Gear cover (rear chassis brace)
7020	Ball bearings, blue rubber sealed (8x12x3.5mm) (2)		Differential Components
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)	2000	
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)	8330	Bulkhead, front
2545	Bushings (plastic) (5x8x2.5mm) (4)	8329	Bulkhead, rear
		5381	Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
	Body & Accessories	5136X	Differential oil kit (1 each: 10K, 30K, 50K weights)
8319	Body bumper, foam	6882X	Gear set, differential (output gears (2)/ spider gears (2)/ spider gear
1834	Body Clips (12) (standard size)	0204	shaft, carrier support)
1834A	Body clips, black (12) (standard size)	8381	Housing, differential (front)
8315	Body mounts, front & rear (2)	8380	Housing, differential (rear)
8316	Body mounts, front & rear/ body mount posts/ body mount sliders	8379 5136	Housing, spool / spool shaft/ bushing Oil, differential (30K wt) (1.7 oz (50cc))
8317	Body washers, foam	6879R	Ring gear, differential/ pinion gear, differential (machined, spiral
8391	Body, Cadillac CTS-V (clear, requires painting)/ decal sheet	76 100	cut) (rear)
00044	(includes side mirrors, spoiler, & mounting hardware)	6879	Ring gear, differential/ pinion gear, differential (rear)
8391A	Body, Cadillac CTS-V, blue (painted, decals applied)	0013	
8391X	Body, Cadillac CTS-V, silver (painted, decals applied)		Driveline Components
8386	Body, Chevrolet Corvette Z06 (clear, requires painting)/ decal sheet (includes side mirrors, spoiler, & mounting hardware)	8353X	Drive cups, inner (2) (steel constant-velocity driveshafts)
8386X	Body, Chevrolet Corvette Z06, blue (painted, decals applied)	8353	Drive cups, inner (2)/ screw pins (2)
8386A	Body, Chevrolet Corvette Z06, graphite (painted, decals applied)	8355X	Driveshaft, center, aluminum (blue-anodized)
8386R	Body, Chevrolet Corvette Z06, red (painted, decais applied)	8355	Driveshaft, center, aluminum / pin
8311	Body, Ford GT (clear, requires painting)/ decal sheet (includes	8355G	Driveshaft, center, aluminum / pin, green
0011	tail lights, exhaust tips, & mounting hardware)	8355R	Driveshaft, center, aluminum / pin, red
8311X	Body, Ford GT, black (painted, decals applied)	8349	Driveshaft, center, steel/ pin
8311A	Body, Ford GT, blue (painted, decals applied)	8350	Driveshaft, front (2)
8311R	Body, Ford GT, red (painted, decals applied)	8351	Driveshaft, rear (2)
8312	Body, Ford Mustang (clear, requires painting)/ window masks/	8350X	Driveshafts, steel constant-velocity (assembled), front (2)
	decal sheet	8351X	Driveshafts, steel constant-velocity (assembled), rear (2)
8312X	Body, Ford Mustang, black (painted, decals applied)	8382	O-rings (12)
8312A	Body, Ford Mustang, grabber blue (painted, decals applied)	2754	Stub axle pins (4)
8312T	Body, Ford Mustang, orange (painted, decals applied)	8354 8356	Stub axles (front or rear) (2) Wheel hubs, hex (disk brake rotors) (4)
8336	Bumper, rear (1)/ rear body mount (1)	6330	
8393	Decal sheet, Cadillac CTS-V		Front Suspension & Steering
8387	Decal sheets, Chevrolet Corvette Z06	8330	Bulkhead, front
8392	Mirrors, side, black (left & right)/ mirror retainers (2)/ body clips	8341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)
	(4)/ o-rings (4)/ spoiler, black/ spoiler retainer (1)/ 1.6x5 BCS	8346	Camber links, steel, front (32mm) (2)
0200	(self-tapping) (3) (fits #8391 body)	8332	Caster blocks (c-hubs) (2)/ kingpin bushings (4)
8388	Mirrors, side, black (left & right)/ mirror retainers (2)/ spoiler, black/ spoiler retainer (1)/ 1.6x5 BCS (self-tapping) (3)/ 2.6x8 BCS	8334	Mounts, suspension arms (front & rear)/ hinge pin retainers (4)
	(self-tapping) (2) (fits #8386 body)	8334X	Mounts, suspension arms, aluminum (blue-anodized) (front &
8314	Tail lights (2)/ tail light mounts (4) / exhaust tip (2)/ exhaust tip		rear)/ hinge pin retainers (12)/ inserts (6)
0014	mount (1)/ 3x10 flathead screws (2)/ 3x8 BCS (2)	8334G	Mounts, suspension arms, aluminum (green-anodized) (front &
	Brake Components		rear)/ hinge pin retainers (12)/ inserts (6)
	<u>-</u>	8334R	Mounts, suspension arms, aluminum (red-anodized) (front &
8367	Brake calipers (red), front (2)/ rear (2)	1005	rear)/ hinge pin retainers (12)/ inserts (6)
8356	Wheel hubs, hex (disk brake rotors) (4)	1985 8345	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
	Center Driveline	8345 8345G	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, green-anodized (hex (1), serrated
7020	Ball bearings, blue rubber sealed (8x12x3.5mm) (2)	0343G	(1)) (1))
8330	Bulkhead, front	8345R	Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))
8329	Bulkhead, rear	8344	Servo saver/ servo saver spring/ servo horn, steering
8355X	Driveshaft, center, aluminum (blue-anodized)	8338	Shock towers, front & rear
8355	Driveshaft, center, aluminum / pin	8343	Steering bellcranks/ hardware
8355G	Driveshaft, center, aluminum / pin, green	8337	Steering block (2)
8355R	Driveshaft, center, aluminum / pin, red	2754	Stub axle pins (4)
8349	Driveshaft, center, steel/ pin	8354	Stub axles (front or rear) (2)
8381	Housing, differential (front)	8333	Suspension arms, front (left & right)
8380	Housing, differential (rear)	8340	Suspension pin set, complete (front & rear)
6879R	Ring gear, differential/ pinion gear, differential (machined, spiral	8398	Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear
	cut) (rear)		sway bars and adjustable linkage)
6879	Ring gear, differential/ pinion gear, differential (rear)	8342	Toe links, steel (34mm) (2)
		8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm
			(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
			aluminum wrench

Page 2	4-Tec® 2.0 Brushless AWD Chassis: TQi™ Traxxas	Link™ E	Enabled 2.4GHz Radio (Model 83124-4) Parts List
8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/	6512 2978	Cover plate, Traxxas® Link Bluetooth® module Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
8341R	aluminum wrench Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/	2072A 2968X	Gear set (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
	aluminum wrench Hardware	2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
1552	3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)	6560	Mount, telemetry expander (fits 4-Tec® 2.0 & 3.0)
1834A	Body clips, black (12) (standard size)	6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
4859	CS 3x10 flathead (hex drive)	2912	Power adapter, AC, USB-C (45W) (110 volt, North America only)
1633 8347	E-clips/ C-rings Nuts, 4mm flanged nylon locking, serrated (black) (10)	2916	Power cable, USB-C, 100W (high output), 5 ft. (1.5m)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)	6519 6533	Receiver, micro, TQ 2.4GHz (3-channel) Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)	6552	Seal kit, expander box (includes o-ring, seals, and silicone
3236 3215	Screws, 2.5x12mm cap-head machine (6) Screws, 2.5x6mm cap-head machine (hex drive) (6)		grease)
2577	Screws, 3x10mm button-head machine (hex drive) (6)	6526 6527	Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage
2587	Screws, 3x10mm caphead machine (6) (no washer)	6521	Sensor, temperature and voltage (long)
2551 2578	Screws, 3x10mm countersunk machine (6) (hex drive)	2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2576	Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x12mm countersunk machine (6) (hex drive)	8344	Servo saver/ servo saver spring/ servo horn, steering
2593	Screws, 3x14mm button-head machine (hex drive) (6)	2075R 2075	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof
2579	Screws, 3x15mm button-head machine (hex drive) (6)	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2553	Screws, 3x15mm countersunk machine (6) (hex drive)	6553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
2000	Motors & Electronics	6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)	6551X	Telemetry GPS module 2.0, TQi radio system (for use only with
3382	BL-2s™ Brushless Power System, waterproof (includes BL-2s™ ESC		#6550X telemetry expander)
	& BL-2s™ 3300 motor)	6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
3383	BL-2s™ Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)	6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas®
3340	Cooling fan, electronic speed control, Velineon® VXL-3s or BL- 2s™	0540	Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
2072A	Gear set (for 2070, 2075 servos)	6516 6528	Transmitter, TQ 2.4GHz, 2-channel (transmitter only) Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-
3384 3351R	Motor, BL-2s [™] 3300, brushless Motor, Velineon® 3500, brushless (assembled with 12-gauge	0020	channel (transmitter only)
8390	wire and gold-plated bullet connectors) Plate, motor	6529	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)	6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4- channel (transmitter only)
8345 8345G	Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, green-anodized (hex (1), serrated	6511	Traxxas® Link Bluetooth® module
00400	(1))		Rear Suspension
8345R	(1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))	8329	Rear Suspension Bulkhead, rear
8345R 8344	(1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver/ servo saver spring/ servo horn, steering	8341	Bulkhead, rear Camber link/toe link set (plastic/ non-adjustable) (front & rear)
8345R	(1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver/ servo saver spring/ servo horn, steering Servo, digital high-speed, metal gear (ball bearing), waterproof	8341 8348	Bulkhead, rear Camber link/toe link set (plastic/ non-adjustable) (front & rear) Camber links, steel, rear (28mm) (2)
8345R 8344 2075R 2075 2075X	(1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver/ servo saver spring/ servo horn, steering Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof	8341	Bulkhead, rear Camber link/toe link set (plastic/ non-adjustable) (front & rear)
8345R 8344 2075R 2075	(1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver/ servo saver spring/ servo horn, steering Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Velineon® VXL-3s Brushless Power System, waterproof	8341 8348 8352 8380 8334	Bulkhead, rear Camber link/toe link set (plastic/ non-adjustable) (front & rear) Camber links, steel, rear (28mm) (2) Carriers, stub axle (left & right) Housing, differential (rear) Mounts, suspension arms (front & rear)/ hinge pin retainers (4)
8345R 8344 2075R 2075 2075X	(1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver/ servo saver spring/ servo horn, steering Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and	8341 8348 8352 8380	Bulkhead, rear Camber link/toe link set (plastic/ non-adjustable) (front & rear) Camber links, steel, rear (28mm) (2) Carriers, stub axle (left & right) Housing, differential (rear) Mounts, suspension arms (front & rear)/ hinge pin retainers (4) Mounts, suspension arms, aluminum (blue-anodized) (front &
8345R 8344 2075R 2075 2075X	(1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver/ servo saver spring/ servo horn, steering Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725))	8341 8348 8352 8380 8334	Bulkhead, rear Camber link/toe link set (plastic/ non-adjustable) (front & rear) Camber links, steel, rear (28mm) (2) Carriers, stub axle (left & right) Housing, differential (rear) Mounts, suspension arms (front & rear)/ hinge pin retainers (4)
8345R 8344 2075R 2075 2075X	(1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver/ servo saver spring/ servo horn, steering Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and	8341 8348 8352 8380 8334 8334X	Bulkhead, rear Camber link/toe link set (plastic/ non-adjustable) (front & rear) Camber links, steel, rear (28mm) (2) Carriers, stub axle (left & right) Housing, differential (rear) Mounts, suspension arms (front & rear)/ hinge pin retainers (4) Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
8345R 8344 2075R 2075 2075X 3350R 2827X 2827X	(1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver/ servo saver spring/ servo horn, steering Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725)) Pation System, Pation & Charges 3000mah 7.4v 2-Cell LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery	8341 8348 8352 8380 8334 8334X	Bulkhead, rear Camber link/toe link set (plastic/ non-adjustable) (front & rear) Camber links, steel, rear (28mm) (2) Carriers, stub axle (left & right) Housing, differential (rear) Mounts, suspension arms (front & rear)/ hinge pin retainers (4) Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (red-anodized) (front &
8345R 8344 2075R 2075 2075X 3350R 2827X 2842X 2842X 2843X	(1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver servo saver spring/ servo horn, steering Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725)) Ratio System, Batteries & Charges 3000mah 7.4v 2-Cell LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5800mah 7.4v 2-Cell 25C LiPo Battery	8341 8348 8352 8380 8334 8334X	Bulkhead, rear Camber link/toe link set (plastic/ non-adjustable) (front & rear) Camber links, steel, rear (28mm) (2) Carriers, stub axle (left & right) Housing, differential (rear) Mounts, suspension arms (front & rear)/ hinge pin retainers (4) Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6)
8345R 8344 2075R 2075 2075X 3350R 2827X 2827X	(1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver/ servo saver spring/ servo horn, steering Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725)) Pation System, Pation & Charges 3000mah 7.4v 2-Cell LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery	8341 8348 8352 8380 8334 8334X 8334G 8334R 1985 8338	Bulkhead, rear Camber link/toe link set (plastic/ non-adjustable) (front & rear) Camber links, steel, rear (28mm) (2) Carriers, stub axle (left & right) Housing, differential (rear) Mounts, suspension arms (front & rear)/ hinge pin retainers (4) Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Shock towers, front & rear
8345R 8344 2075R 2075 3075X 3350R 2827X 2842X 2842X 2843X 2869X 2914 2976	(1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver/ servo saver spring/ servo horn, steering Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725)) Fatio System, Batteries & Granges 3000mah 7.4v 2-Cell LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5800mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery AA 4PK AC to DC adapter	8341 8348 8352 8380 8334 8334X 8334G 8334G 8334R 1985 8338 2754	Bulkhead, rear Camber link/toe link set (plastic/ non-adjustable) (front & rear) Camber links, steel, rear (28mm) (2) Carriers, stub axle (left & right) Housing, differential (rear) Mounts, suspension arms (front & rear)/ hinge pin retainers (4) Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Shock towers, front & rear Stub axle pins (4)
8345R 8344 2075R 2075 2075X 3350R 2827X 2842X 2843X 2869X 2914	(1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver/ servo saver spring/ servo horn, steering Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725)) **Ratio System** Patterns** 3000mah 7.4v 2-Cell LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5800mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery AA 4PK AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD®	8341 8348 8352 8380 8334 8334X 8334G 8334R 1985 8338	Bulkhead, rear Camber link/toe link set (plastic/ non-adjustable) (front & rear) Camber links, steel, rear (28mm) (2) Carriers, stub axle (left & right) Housing, differential (rear) Mounts, suspension arms (front & rear)/ hinge pin retainers (4) Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Shock towers, front & rear
8345R 8344 2075R 2075S 2075X 3350R 2827X 2842X 2843X 2869X 2914 2976 2938X	(1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver servo saver spring/ servo horn, steering Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725))	8341 8348 8352 8380 8334 8334X 8334G 8334G 8334R 1985 8338 2754 8354 8354 8354 8360	Bulkhead, rear Camber link/toe link set (plastic/ non-adjustable) (front & rear) Camber links, steel, rear (28mm) (2) Carriers, stub axle (left & right) Housing, differential (rear) Mounts, suspension arms (front & rear)/ hinge pin retainers (4) Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Shock towers, front & rear Stub axle pins (4) Stub axles (front or rear) (2) Suspension arms, rear (left & right) Suspension pin set, complete (front & rear)
8345R 8344 2075R 2075 3075X 3350R 2827X 2842X 2842X 2843X 2869X 2914 2976	(1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver/ servo saver spring/ servo horn, steering Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725)) **Ratio System** Patterns** 3000mah 7.4v 2-Cell LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5800mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery AA 4PK AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD®	8341 8348 8352 8380 8334 8334X 8334G 8334R 1985 8338 2754 8354 8354 8354 8354 8354 8354 8354 8354 8354 8354	Bulkhead, rear Camber link/toe link set (plastic/ non-adjustable) (front & rear) Camber links, steel, rear (28mm) (2) Carriers, stub axle (left & right) Housing, differential (rear) Mounts, suspension arms (front & rear)/ hinge pin retainers (4) Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Shock towers, front & rear Stub axle pins (4) Stub axles (front or rear) (2) Suspension pin set, complete (front & rear) Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear sway bars and adjustable linkage)
8345R 8344 2075R 2075 2075X 3350R 2827X 2842X 2842X 2843X 2869X 2914 2976 2938X 2943 6548	(1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver/ servo saver spring/ servo horn, steering Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725)) FRITO SYSTOTIL, BRITOTICS & GRATUGES 3000mah 7.4v 2-Cell LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5800mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery AA 4PK AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)	8341 8348 8352 8380 8334 8334X 8334G 8334G 8334R 1985 8338 2754 8354 8354 8354 8360	Bulkhead, rear Camber link/toe link set (plastic/ non-adjustable) (front & rear) Camber links, steel, rear (28mm) (2) Carriers, stub axle (left & right) Housing, differential (rear) Mounts, suspension arms (front & rear)/ hinge pin retainers (4) Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Shock towers, front & rear Stub axle pins (4) Stub axles (front or rear) (2) Suspension arms, rear (left & right) Suspension pin set, complete (front & rear) Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear sway bars and adjustable linkage) Turnbuckles, aluminum (blue-anodized), camber links, 32mm
8345R 8344 2075R 2075S 2075X 3350R 2827X 2842X 2842X 2843X 2969X 2976 2938X 2943 6548 2923X 2940X	(1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver/ servo saver spring/ servo horn, steering Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725)) **Ratio System**, Patterns** 3000mah 7.4v 2-Cell LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 500mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery AA 4PK AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)	8341 8348 8352 8380 8334 8334X 8334G 8334R 1985 8338 2754 8354 8354 8354 8354 8354 8354 8354 8354 8354 8354	Bulkhead, rear Camber link/toe link set (plastic/ non-adjustable) (front & rear) Camber links, steel, rear (28mm) (2) Carriers, stub axle (left & right) Housing, differential (rear) Mounts, suspension arms (front & rear)/ hinge pin retainers (4) Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Shock towers, front & rear Stub axle pins (4) Stub axles (front or rear) (2) Suspension pin set, complete (front & rear) Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear sway bars and adjustable linkage)
8345R 8344 2075R 2075S 2075X 3350R 2827X 2842X 2843X 2869X 2914 2976 2938X 2943 6548 2923X 2940X 2950X	(1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver/ servo saver spring/ servo horn, steering Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725)) ***Ref	8341 8348 8352 8380 8334 8334X 8334G 8334R 1985 8338 2754 8354 8354 8354 8354 8354 8354 8354 8354 8354 8354	Bulkhead, rear Camber link/toe link set (plastic/ non-adjustable) (front & rear) Camber links, steel, rear (28mm) (2) Carriers, stub axle (left & right) Housing, differential (rear) Mounts, suspension arms (front & rear)/ hinge pin retainers (4) Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Shock towers, front & rear Stub axle pins (4) Stub axles (front or rear) (2) Suspension arms, rear (left & right) Suspension pin set, complete (front & rear) Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear sway bars and adjustable linkage) Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench Turnbuckles, aluminum (green-anodized), camber links, 32mm
8345R 8344 2075R 2075S 2075X 3350R 2827X 2842X 2842X 2843X 2969X 2976 2938X 2943 6548 2923X 2940X	(1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver/ servo saver spring/ servo horn, steering Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725)) **Ratio System**, Patterns** 3000mah 7.4v 2-Cell LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 500mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery AA 4PK AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)	8341 8348 8352 8380 8334 8334X 8334G 8334G 8334R 1985 8338 2754 8354 8354 8354 8354 8340 8398	Bulkhead, rear Camber link/toe link set (plastic/ non-adjustable) (front & rear) Camber links, steel, rear (28mm) (2) Carriers, stub axle (left & right) Housing, differential (rear) Mounts, suspension arms (front & rear)/ hinge pin retainers (4) Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Shock towers, front & rear Stub axle pins (4) Stub axles (front or rear) (2) Suspension arms, rear (left & right) Suspension pin set, complete (front & rear) Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear sway bars and adjustable linkage) Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
8345R 83444 2075R 2075 Z 2075X 3350R 2827X 2842X 2842X 2843X 29914 2976 2938X 2943 6548 2923X 2940X 2950X 2960X 2260	(1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver/ servo saver spring/ servo horn, steering Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725)) FRITO System, Briteries & Grarger 3000mah 7.4v 2-Cell LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery AA 4PK AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)	8341 8348 8352 8380 8334 8334X 8334G 8334G 8334R 1985 8338 2754 8354 8354 8354 8354 8340 8398	Bulkhead, rear Camber link/toe link set (plastic/ non-adjustable) (front & rear) Camber links, steel, rear (28mm) (2) Carriers, stub axle (left & right) Housing, differential (rear) Mounts, suspension arms (front & rear)/ hinge pin retainers (4) Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Shock towers, front & rear Stub axle pins (4) Stub axles (front or rear) (2) Suspension arms, rear (left & right) Suspension pin set, complete (front & rear) Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear sway bars and adjustable linkage) Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench Turnbuckles, aluminum (green-anodized), camber links, 32mm
8345R 8344 2075R 2075S 2075X 3350R 2827X 2842X 2842X 2843X 2869X 2914 2976 2938X 2943 6548 2923X 2940X 2950X 2960X 2260	(1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver/ servo saver spring/ servo horn, steering Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725)) Fatio System, Batterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725) 3000mah 7.4v 2-Cell LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5800mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery AA 4PK AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V) Battery, Series 4 Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 6 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 7 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 8 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 9 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 9 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 9 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 9 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)	8341 8348 8352 8380 8334 8334X 8334G 8334G 8334G 1985 8338 2754 8354 8354 8354 8354 8340 8398 8341X	Bulkhead, rear Camber link/toe link set (plastic/ non-adjustable) (front & rear) Camber links, steel, rear (28mm) (2) Carriers, stub axle (left & right) Housing, differential (rear) Mounts, suspension arms (front & rear)/ hinge pin retainers (4) Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Shock towers, front & rear Stub axle pins (4) Stub axles (front or rear) (2) Suspension arms, rear (left & right) Suspension pin set, complete (front & rear) Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear sway bars and adjustable linkage) Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
8345R 83444 2075R 2075 Z 2075X 3350R 2827X 2842X 2842X 2843X 29914 2976 2938X 2943 6548 2923X 2940X 2950X 2960X 2260	(1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver/ servo saver spring/ servo horn, steering Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725)) FRITO System, Briteries & Grarger 3000mah 7.4v 2-Cell LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery AA 4PK AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)	8341 8348 8352 8380 8334 8334X 8334G 8334G 8334G 1985 8338 2754 8354 8354 8354 8354 8340 8398 8341X	Bulkhead, rear Camber link/toe link set (plastic/ non-adjustable) (front & rear) Camber links, steel, rear (28mm) (2) Carriers, stub axle (left & right) Housing, differential (rear) Mounts, suspension arms (front & rear)/ hinge pin retainers (4) Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Shock towers, front & rear Stub axle pins (4) Stub axles (front or rear) (2) Suspension arms, rear (left & right) Suspension pin set, complete (front & rear) Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear sway bars and adjustable linkage) Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8345R 8344 2075R 2075S 2075X 3350R 2827X 2842X 2843X 2843X 2943 2976 2938X 2943 6548 2923X 2940X 2950X 2960X 2260 2975	(1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver/ servo saver spring/ servo horn, steering Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725)) **PILITO SYSTEM** 3000mah 7.4v 2-Cell LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5800mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery AA 4PK AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V) Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) BeC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification	8341 8348 8352 8380 8334 8334X 8334G 8334G 8334G 8334G 8334G 8334 8334 8354 8354 8354 8354 8354 8341 8341 8341 8341 8341 8341 8341 8341 8341 8341 8341 8341 8341	Bulkhead, rear Camber link/toe link set (plastic/ non-adjustable) (front & rear) Camber links, steel, rear (28mm) (2) Carriers, stub axle (left & right) Housing, differential (rear) Mounts, suspension arms (front & rear)/ hinge pin retainers (4) Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Shock towers, front & rear Stub axle pins (4) Stub axles (front or rear) (2) Suspension arms, rear (left & right) Suspension pin set, complete (front & rear) Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear sway bars and adjustable linkage) Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8345R 8344 2075R 2075S 2075X 3350R 2827X 2842X 2842X 2843X 2869X 2914 2976 2938X 2943 6548 2923X 2940X 2950X 2960X 2260	(1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver/ servo saver spring/ servo horn, steering Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725)) Fatio System, Batteries & Grant Grant 3000mah 7.4v 2-Cell Lipo Battery 5000mah 7.4v 2-Cell 25C Lipo Battery 5000mah 7.4v 2-Cell 25C Lipo Battery 7600mah 7.4v 2-Cell 25C Lipo Battery AA 4PK AC to DC adapter Adapter, Traxxas® iD® Lipo battery (adapts Traxxas® iD® batteries to separate balance ports) Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V) Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) BEC assembly (complete) (12.6 volts (3s Lipo) maximum input voltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto	8341 8348 8352 8380 8334 8334X 8334G 8334G 8334G 8334G 8334R 1985 8338 2754 8354 8354 8354 8341 8341 8341G 8341R	Bulkhead, rear Camber link/toe link set (plastic/ non-adjustable) (front & rear) Camber links, steel, rear (28mm) (2) Carriers, stub axle (left & right) Housing, differential (rear) Mounts, suspension arms (front & rear)/ hinge pin retainers (4) Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Shock towers, front & rear Stub axle pins (4) Stub axles (front or rear) (2) Suspension arms, rear (left & right) Suspension pin set, complete (front & rear) Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear sway bars and adjustable linkage) Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench Sinck (0) Sinck (0) wt, 200 cSt, 60cc) (silicone)
8345R 8344 2075R 2075S 2075X 3350R 2827X 2842X 2843X 2843X 2943 2976 2938X 2943 6548 2923X 2940X 2950X 2960X 2260 2975	(1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver/ servo saver spring/ servo horn, steering Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725)) **PILITO SYSTEM** 3000mah 7.4v 2-Cell LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5800mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery AA 4PK AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V) Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) BeC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification	8341 8348 8352 8380 8334 8334X 8334G 8334G 8334G 8334G 8334G 8334 8334 8354 8354 8354 8354 8354 8341 8341 8341 8341 8341 8341 8341 8341 8341 8341 8341 8341 8341	Bulkhead, rear Camber link/toe link set (plastic/ non-adjustable) (front & rear) Camber links, steel, rear (28mm) (2) Carriers, stub axle (left & right) Housing, differential (rear) Mounts, suspension arms (front & rear)/ hinge pin retainers (4) Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Shock towers, front & rear Stub axle pins (4) Stub axles (front or rear) (2) Suspension arms, rear (left & right) Suspension pin set, complete (front & rear) Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear sway bars and adjustable linkage) Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
8345R 8344 2075R 2075Z 2075X 3350R 2827X 2842X 2843X 2943 2976 2938X 2914 2976 2938X 2943 6548 2923X 2940X 2950X 2960X 2260 2975 2972	(1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver/ servo saver spring/ servo horn, steering Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725)) **Ratio System** 3000mah 7.4v 2-Cell LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5800mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery A4 4PK AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) Battery charge indicators, green (4), grey (4), blue (4) Battery charge indicators, green (4), grey (4), blue (4) Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V) Battery, Series 4 Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification	8341 8348 8352 8380 8334 8334X 8334G 8334R 1985 8338 2754 8354 8354 8341 8340 8398 8341X 8341G 8341R	Bulkhead, rear Camber link/toe link set (plastic/ non-adjustable) (front & rear) Camber links, steel, rear (28mm) (2) Carriers, stub axle (left & right) Housing, differential (rear) Mounts, suspension arms (front & rear)/ hinge pin retainers (4) Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Shock towers, front & rear Stub axle pins (4) Stub axles (front or rear) (2) Suspension pin set, complete (front & rear) Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear sway bars and adjustable linkage) Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench Sinck (0 wt, 20 cst, 60cc) (silicone) Oil, shock (20 wt, 200 cst, 60cc) (silicone) Oil, shock (50 wt, 600 cst, 60cc) (silicone) Oil, shock (50 wt, 600 cst, 60cc) (silicone)
8345R 83444 2075R 2075SR 2075X 3350R 2827X 2842X 2842X 2843X 2869X 2914 2976 2938X 2943 6548 2923X 2940X 2950X 2960X 2260 2975 2972	(1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver/ servo saver spring/ servo horn, steering Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725)) **Particle** Section** 3000mah 7.4v 2-Cell LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5800mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery A4 PK AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V) Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) Bet assembly (complete) (12.6 volts (3s LiPo) maximum input voltage) Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto	8341 8348 8352 8380 8334 8334X 8334G 8334R 1985 8338 2754 8354 8354 8354 8340 8398 8341X 8341G 8341R	Bulkhead, rear Camber link/toe link set (plastic/ non-adjustable) (front & rear) Camber links, steel, rear (28mm) (2) Carriers, stub axle (left & right) Housing, differential (rear) Mounts, suspension arms (front & rear)/ hinge pin retainers (4) Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Shock towers, front & rear Stub axle pins (4) Stub axles (front or rear) (2) Suspension arms, rear (left & right) Suspension pin set, complete (front & rear) Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear sway bars and adjustable linkage) Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench Singl Uil Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (50 wt, 500 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
8345R 8344 2075R 2075Z 2075X 3350R 2827X 2842X 2843X 2943 2976 2938X 2914 2976 2938X 2943 6548 2923X 2940X 2950X 2960X 2260 2975 2972	(1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver/ servo saver spring/ servo horn, steering Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon® 3500 motor, and speed control mounting plate (part #3725)) **Ratio System** 3000mah 7.4v 2-Cell LiPo Battery 5000mah 7.4v 2-Cell 25C LiPo Battery 5800mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery A4 4PK AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) Battery charge indicators, green (4), grey (4), blue (4) Battery charge indicators, green (4), grey (4), blue (4) Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V) Battery, Series 4 Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 5 Power Cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification	8341 8348 8352 8380 8334 8334X 8334G 8334R 1985 8338 2754 8354 8354 8341 8340 8398 8341X 8341G 8341R	Bulkhead, rear Camber link/toe link set (plastic/ non-adjustable) (front & rear) Camber links, steel, rear (28mm) (2) Carriers, stub axle (left & right) Housing, differential (rear) Mounts, suspension arms (front & rear)/ hinge pin retainers (4) Mounts, suspension arms, aluminum (blue-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Shock towers, front & rear Stub axle pins (4) Stub axles (front or rear) (2) Suspension pin set, complete (front & rear) Sway bar kit, 4-Tec® 2.0 (front and rear) (includes front and rear sway bars and adjustable linkage) Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench Sinck (0 wt, 20 cst, 60cc) (silicone) Oil, shock (20 wt, 200 cst, 60cc) (silicone) Oil, shock (50 wt, 600 cst, 60cc) (silicone) Oil, shock (50 wt, 600 cst, 60cc) (silicone)

Page 3	4-Tec® 2.0 Brushless	AWD Chassis: TQi™	Traxxas Link™ Ena	bled 2.4GHz Radio	(Model 83124-4) Parts List
--------	----------------------	-------------------	-------------------	-------------------	----------------	--------------

	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)		Suspension Linkage
6038	Spinning carousel rack	8341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)
-	, ,	8346	Camber links, steel, front (32mm) (2)
	Shocks (Pro-level Aluminum)	8348	Camber links, steel, rear (28mm) (2)
658	Big-bore shocks (short) (hard-anodized & PTFE-coated T-6	5347	Rod ends, Revo® (large) with hollow balls (12)
042	aluminum)(assembled with TiN shafts) with springs (f/r) (2)	8342	Toe links, steel (34mm) (2)
942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)	8341X	Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
742X	Rod ends, short (6)/ hollow balls (6)		aluminum wrench
361	Shock caps (black) (4) (assembled with hollow balls)	8341G	Turnbuckles, aluminum (green-anodized), camber links, 32mm
1667 1262	Shock caps, aluminum (2) (Big Bore Shocks)		(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench
262 261T	Shock shaft, hard chrome (32mm) (rear) (2) Shock shaft, hardend steel, Titanium Nitride coated (29mm)	8341R	Turnbuckles, aluminum (red-anodized), camber links, 32mm
	(front) (2)	••••	(front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/
261	Shock shafts chrome (29mm)(2)		aluminum wrench
765 668	Silicone diaphragms (4) Spring retainers, upper & lower (2)/ spring pre-load spacers:		Team Traxxas Items
000	1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore	9916	Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)
	Shocks)	2514	Decal sheet, racing sponsors
	Shocks (Ultra Shocks)	9917	Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, 8
7044		9950	similar) Official Team Traxxas® racing decal set(flag logo/ 6-color)
764A 942	Body, Ultra Shock(s) (short) (gray) (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws	9909	Traxxas® racing banner, red & black (3x7 feet)
942	(2)	3303	
742X	Rod ends, short (6)/ hollow balls (6)		Tires & Wheels
767	Shock caps (2)/ shock bottoms (2)	8378	Tires & wheels, assembled, glued (split-spoke black chrome
361	Shock caps (black) (4) (assembled with hollow balls)		wheels, 1.9" Drift tires) (front and rear)
362	Shock rebuild kit (for 2 shocks)	8375	Tires & wheels, assembled, glued (split-spoke black chrome
262	Shock shaft, hard chrome (32mm) (rear) (2)		wheels, 1.9" Response tires, foam inserts) (front (2), rear (extra
261T	Shock shaft, hardend steel, Titanium Nitride coated (29mm)	8373	wide) (2)) (VXL rated) Tires & wheels, assembled, glued (split-spoke black wheels, 1.9"
	(front) (2)	0373	Response tires) (front) (2)
261	Shock shafts chrome (29mm)(2)	8374	Tires & wheels, assembled, glued (split-spoke black wheels, 1.9"
262T	Shock shafts, hardened steel, titanium nitride coated (32mm) (2)	007 1	Response tires) (extra wide, rear) (2)
765 768	Silicone diaphragms (4) Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole	8376G	Tires & wheels, assembled, glued (split-spoke green wheels, 1.
	(2))	8377G	Drift tires) (front) Tires & wheels, assembled, glued (split-spoke green wheels, 1.
362X	Spring, shock (blue) (2)	03//0	Drift tires) (rear)
362G	Spring, shock (green) (2)	8374G	Tires & wheels, assembled, glued (split-spoke green wheels, 1.
362P	Spring, shock (pink) (2)		Response tires) VXL Rated (extra wide, rear) (2)
366	Spring, shock (red) (2.8 rate, white stripe) (2)	8373G	Tires & wheels, assembled, glued (split-spoke green wheels, 1.
365	Spring, shock (red) (3.325 rate, orange stripe) (2)		Response tires) VXL Rated (front) (2)
362	Spring, shock (red) (3.7 rate) (2)	8376A	Tires & wheels, assembled, glued (split-spoke orange wheels,
363	Spring, shock (red) (4.075 rate, green stripe) (2)	00774	1.9" Drift tires) (front)
364 360	Spring, shock (red) (4.4 rate, black stripe) (2) Ultra Shocks (grey) (short) (includes spring pre-load spacers) (2)	8377A	Tires & wheels, assembled, glued (split-spoke orange wheels, 1.9" Drift tires) (rear)
300		8374A	Tires & wheels, assembled, glued (split-spoke orange wheels,
	Spur Gears & Pinion Gears		1.9" Response tires) VXL Rated (extra wide, rear) (2)
323	Gear cover (rear chassis brace)	8373A	Tires & wheels, assembled, glued (split-spoke orange wheels,
	Gear, 19-T pinion (48-pitch) / set screw		1.9" Response tires) VXL Rated (front) (2)
421	Gear, 21-T pinion (48-pitch) / set screw	8370	Tires, Response 1.9" Touring (extra wide, rear)/ foam inserts (2) (fits
421 422	Gear, 21-T pinion (48-pitch) / set screw Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw		Tires, Response 1.9" Touring (extra wide, rear)/ foam inserts (2) (fits #8372 wide wheel)
421 422 423	Gear, 21-T pinion (48-pitch) / set screw Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw	8369	Tires, Response 1.9" Touring (extra wide, rear)/ foam inserts (2) (fit: #8372 wide wheel) Tires, Response 1.9" Touring (front) (2)/ foam inserts (2)
421 422 423 424	Gear, 21-T pinion (48-pitch) / set screw Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 24-T pinion (48-p) (fits 3mm shaft)/ set screw	8369 8371	Tires, Response 1.9" Touring (extra wide, rear)/ foam inserts (2) (fit #8372 wide wheel) Tires, Response 1.9" Touring (front) (2)/ foam inserts (2) Wheels, 1.9" split-spoke (black chrome) (front) (2)
421 422 423 424 426	Gear, 21-T pinion (48-pitch) / set screw Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 24-T pinion (48-p) (fits 3mm shaft)/ set screw Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw	8369	Tires, Response 1.9" Touring (extra wide, rear)/ foam inserts (2) (fit #8372 wide wheel) Tires, Response 1.9" Touring (front) (2)/ foam inserts (2) Wheels, 1.9" split-spoke (black chrome) (front) (2) Wheels, 1.9" split-spoke (black chrome) (wide, rear) (2)
421 422 423 424 426 728	Gear, 21-T pinion (48-pitch) / set screw Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 24-T pinion (48-p) (fits 3mm shaft)/ set screw Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw	8369 8371	Tires, Response 1.9" Touring (extra wide, rear)/ foam inserts (2) (fit #8372 wide wheel) Tires, Response 1.9" Touring (front) (2)/ foam inserts (2) Wheels, 1.9" split-spoke (black chrome) (front) (2)
421 422 423 424 426 728 429	Gear, 21-T pinion (48-pitch) / set screw Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 24-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 29-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 29-T pinion (48-pitch) (fits 3mm shaft)/ set screw	8369 8371	Tires, Response 1.9" Touring (extra wide, rear)/ foam inserts (2) (fit #8372 wide wheel) Tires, Response 1.9" Touring (front) (2)/ foam inserts (2) Wheels, 1.9" split-spoke (black chrome) (front) (2) Wheels, 1.9" split-spoke (black chrome) (wide, rear) (2)
421 422 423 424 426 728 429 431	Gear, 21-T pinion (48-pitch) / set screw Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 24-T pinion (48-p) (fits 3mm shaft)/ set screw Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw	8369 8371 8372 3433X 3433	Tires, Response 1.9" Touring (extra wide, rear)/ foam inserts (2) (fit #8372 wide wheel) Tires, Response 1.9" Touring (front) (2)/ foam inserts (2) Wheels, 1.9" split-spoke (black chrome) (front) (2) Wheels, 1.9" split-spoke (black chrome) (wide, rear) (2) TANKES 100 S Body reamer (aluminum handle) Body reamer (plastic handle)
421 422 423 424 426 728 429 431 725	Gear, 21-T pinion (48-pitch) / set screw Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 24-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 29-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, pinion (25-tooth) (48-pitch) / set screw	8369 8371 8372 3433X 3433 3436	Tires, Response 1.9" Touring (extra wide, rear)/ foam inserts (2) (fit #8372 wide wheel) Tires, Response 1.9" Touring (front) (2)/ foam inserts (2) Wheels, 1.9" split-spoke (black chrome) (front) (2) Wheels, 1.9" split-spoke (black chrome) (wide, rear) (2) Transfer 100 s Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer
421 422 423 424 426 728 429 431 725 358	Gear, 21-T pinion (48-pitch) / set screw Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 24-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 29-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw	8369 8371 8372 3433X 3433 3436 3432	Tires, Response 1.9" Touring (extra wide, rear)/ foam inserts (2) (fit #8372 wide wheel) Tires, Response 1.9" Touring (front) (2)/ foam inserts (2) Wheels, 1.9" split-spoke (black chrome) (front) (2) Wheels, 1.9" split-spoke (black chrome) (wide, rear) (2) Trankes 100 s Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip
421 422 423 424 426 728 429 431 725 358 359	Gear, 21-T pinion (48-pitch) / set screw Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 24-T pinion (48-p) (fits 3mm shaft)/ set screw Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 29-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, pinion (25-tooth) (48-pitch) / set screw Spur gear, 55-tooth	8369 8371 8372 3433X 3433 3436 3432 3431	Tires, Response 1.9" Touring (extra wide, rear)/ foam inserts (2) (fit #8372 wide wheel) Tires, Response 1.9" Touring (front) (2)/ foam inserts (2) Wheels, 1.9" split-spoke (black chrome) (front) (2) Wheels, 1.9" split-spoke (black chrome) (wide, rear) (2) Thirds 100 S Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip
421 422 423 424 426 728 429 431 725 358 359	Gear, 21-T pinion (48-pitch) / set screw Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 24-T pinion (48-p) (fits 3mm shaft)/ set screw Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 29-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 21-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 29-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, pinion (25-tooth) (48-pitch) / set screw Spur gear, 55-tooth Spur gear, 62-tooth	8369 8371 8372 3433X 3433 3436 3432	Tires, Response 1.9" Touring (extra wide, rear)/ foam inserts (2) (fit #8372 wide wheel) Tires, Response 1.9" Touring (front) (2)/ foam inserts (2) Wheels, 1.9" split-spoke (black chrome) (front) (2) Wheels, 1.9" split-spoke (black chrome) (wide, rear) (2) Thirds IDD S Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes
421 422 423 424 426 728 429 431 725 358 359	Gear, 21-T pinion (48-pitch) / set screw Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 24-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 29-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, pinion (25-tooth) (48-pitch) / set screw Spur gear, 55-tooth Spur gear, 70-tooth Spur gear, 70-tooth Spur gear, 72 tooth (48 pitch)	8369 8371 8372 3433X 3433 3436 3432 3431	Tires, Response 1.9" Touring (extra wide, rear)/ foam inserts (2) (fit #8372 wide wheel) Tires, Response 1.9" Touring (front) (2)/ foam inserts (2) Wheels, 1.9" split-spoke (black chrome) (front) (2) Wheels, 1.9" split-spoke (black chrome) (wide, rear) (2) Thirds 100 S Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight:
421 422 423 424 426 7728 429 431 725 358 359 357 368	Gear, 21-T pinion (48-pitch) / set screw Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 24-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 29-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, pinion (25-tooth) (48-pitch) / set screw Spur gear, 55-tooth Spur gear, 70-tooth Spur gear, 72 tooth (48 pitch) Signify Company Signify Comp	8369 8371 8372 3433X 3433 3436 3432 3431	Tires, Response 1.9" Touring (extra wide, rear)/ foam inserts (2) (fit #8372 wide wheel) Tires, Response 1.9" Touring (front) (2)/ foam inserts (2) Wheels, 1.9" split-spoke (black chrome) (front) (2) Wheels, 1.9" split-spoke (black chrome) (wide, rear) (2) T(1) (18 TOOS Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm
421 422 423 424 426 728 429 431 725 3358 3359 3357 368	Gear, 21-T pinion (48-pitch) / set screw Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 24-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 29-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, pinion (25-tooth) (48-pitch) / set screw Spur gear, 55-tooth Spur gear, 70-tooth Spur gear, 70-tooth Spur gear, 72 tooth (48 pitch) Signify Composite Camber link/toe link set (plastic/ non-adjustable) (front & rear)	8369 8371 8372 3433X 3433 3436 3432 3431 8712	Tires, Response 1.9" Touring (extra wide, rear)/ foam inserts (2) (fit #8372 wide wheel) Tires, Response 1.9" Touring (front) (2)/ foam inserts (2) Wheels, 1.9" split-spoke (black chrome) (front) (2) Wheels, 1.9" split-spoke (black chrome) (wide, rear) (2) TRINGS TOOLS Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm and 8.0mm), 1/4" drive
421 422 423 424 426 728 429 431 725 3358 3359 3357 368	Gear, 21-T pinion (48-pitch) / set screw Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 24-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 29-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 29-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, pinion (25-tooth) (48-pitch) / set screw Spur gear, 55-tooth Spur gear, 52-tooth Spur gear, 70-tooth Spur gear, 70-tooth Spur gear, 72 tooth (48 pitch) Camber link/toe link set (plastic/ non-adjustable) (front & rear) Rod ends, Revo® (large) with hollow balls (12)	8369 8371 8372 3433X 3433 3436 3432 3431	Tires, Response 1.9" Touring (extra wide, rear)/ foam inserts (2) (fit #8372 wide wheel) Tires, Response 1.9" Touring (front) (2)/ foam inserts (2) Wheels, 1.9" split-spoke (black chrome) (front) (2) Wheels, 1.9" split-spoke (black chrome) (wide, rear) (2) T(1) (18 TOOS Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,
421 422 423 424 426 728 429 431 725 3359 3357 368	Gear, 21-T pinion (48-pitch) / set screw Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 24-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 29-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, pinion (25-tooth) (48-pitch) / set screw Spur gear, 55-tooth Spur gear, 55-tooth Spur gear, 70-tooth Spur gear, 72 tooth (48 pitch) Signify Pointon Camber link/toe link set (plastic/ non-adjustable) (front & rear) Rod ends, Revo® (large) with hollow balls (12) Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1))	8369 8371 8372 3433X 3433 3436 3432 3431 8712	Tires, Response 1.9" Touring (extra wide, rear)/ foam inserts (2) (fit #8372 wide wheel) Tires, Response 1.9" Touring (front) (2)/ foam inserts (2) Wheels, 1.9" split-spoke (black chrome) (front) (2) Wheels, 1.9" split-spoke (black chrome) (wide, rear) (2) ITANKES IDD S Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm and 8.0mm), 1/4" drive Speed bit handle, large (overmolded)
421 422 423 424 426 728 429 431 725 3359 3357 368	Gear, 21-T pinion (48-pitch) / set screw Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 24-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 29-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 29-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, pinion (25-tooth) (48-pitch) / set screw Spur gear, 55-tooth Spur gear, 52-tooth Spur gear, 70-tooth Spur gear, 70-tooth Spur gear, 72 tooth (48 pitch) Camber link/toe link set (plastic/ non-adjustable) (front & rear) Rod ends, Revo® (large) with hollow balls (12)	8369 8371 8372 3433X 3433 3436 3432 3431 8712	Tires, Response 1.9" Touring (extra wide, rear)/ foam inserts (2) (fit #8372 wide wheel) Tires, Response 1.9" Touring (front) (2)/ foam inserts (2) Wheels, 1.9" split-spoke (black chrome) (front) (2) Wheels, 1.9" split-spoke (black chrome) (wide, rear) (2) ITOURS IOO S Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece)
421 422 423 424 426 7728 429 431 7725 3358 3359 3368 341 347 345 345 345	Gear, 21-T pinion (48-pitch) / set screw Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 24-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 29-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 29-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, pinion (25-tooth) (48-pitch) / set screw Spur gear, 55-tooth Spur gear, 55-tooth Spur gear, 70-tooth Spur gear, 72 tooth (48 pitch) Signify Follows Camber link/toe link set (plastic/ non-adjustable) (front & rear) Rod ends, Revo® (large) with hollow balls (12) Servo saver nuts, aluminum, blue-anodized (hex (1), serrated	8369 8371 8372 3433X 3433 3436 3432 3431 8712 8720 8721 8722	Tires, Response 1.9" Touring (extra wide, rear)/ foam inserts (2) (fit #8372 wide wheel) Tires, Response 1.9" Touring (front) (2)/ foam inserts (2) Wheels, 1.9" split-spoke (black chrome) (front) (2) Wheels, 1.9" split-spoke (black chrome) (wide, rear) (2) Trankes 100 s Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight:
421 422 423 424 426 426 429 431 725 358 359 357 368 341 347 345 345G	Gear, 21-T pinion (48-pitch) / set screw Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 24-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 29-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, pinion (25-tooth) (48-pitch) / set screw Spur gear, 55-tooth Spur gear, 62-tooth Spur gear, 70-tooth Spur gear, 70-tooth Spur gear, 72 tooth (48 pitch) Camber link/toe link set (plastic/ non-adjustable) (front & rear) Rod ends, Revo® (large) with hollow balls (12) Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1))	8369 8371 8372 3433X 3433 3436 3432 3431 8712 8720 8721 8722	Tires, Response 1.9" Touring (extra wide, rear)/ foam inserts (2) (fit: #8372 wide wheel) Tires, Response 1.9" Touring (front) (2)/ foam inserts (2) Wheels, 1.9" split-spoke (black chrome) (front) (2) Wheels, 1.9" split-spoke (black chrome) (wide, rear) (2) TENTES TOO S Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm,
421 422 423 424 426 728 429 431 725 3358 359 357 368 341 347 345 345G	Gear, 21-T pinion (48-pitch) / set screw Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 24-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 29-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 29-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, pinion (25-tooth) (48-pitch) / set screw Spur gear, 55-tooth Spur gear, 55-tooth Spur gear, 70-tooth Spur gear, 70-tooth Spur gear, 72 tooth (48 pitch) Scrept Gear, 70-tooth Spur gear, 72 tooth (48 pitch) Camber link/toe link set (plastic/ non-adjustable) (front & rear) Rod ends, Revo® (large) with hollow balls (12) Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1))	8369 8371 8372 3433X 3433 3436 3432 3431 8712 8720 8721 8722	Tires, Response 1.9" Touring (extra wide, rear)/ foam inserts (2) (fit #8372 wide wheel) Tires, Response 1.9" Touring (front) (2)/ foam inserts (2) Wheels, 1.9" split-spoke (black chrome) (front) (2) Wheels, 1.9" split-spoke (black chrome) (wide, rear) (2) Transfer Ioo S Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm
421 422 423 424 426 728 429 431 725 3358 3359 3357 368 341 347 345 345G	Gear, 21-T pinion (48-pitch) / set screw Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 24-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 29-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, pinion (25-tooth) (48-pitch) / set screw Spur gear, 55-tooth Spur gear, 55-tooth Spur gear, 70-tooth Spur gear, 70-tooth Spur gear, 72 tooth (48 pitch) Scrept Gear, 20-T pinion (48-pitch) Camber link/toe link set (plastic/ non-adjustable) (front & rear) Rod ends, Revo® (large) with hollow balls (12) Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver/ servo saver spring/ servo horn, steering	8369 8371 8372 3433X 3433 3436 3432 3431 8712 8720 8721 8722 8710	Tires, Response 1.9" Touring (extra wide, rear)/ foam inserts (2) (fit: #8372 wide wheel) Tires, Response 1.9" Touring (front) (2)/ foam inserts (2) Wheels, 1.9" split-spoke (black chrome) (front) (2) Wheels, 1.9" split-spoke (black chrome) (wide, rear) (2) TANCES IODS Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
421 422 423 424 426 728 429 431 725 3359 357 368 341 347 345 345 345 345 345 345 345 344 343 342	Gear, 21-T pinion (48-pitch) / set screw Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 24-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 29-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, pinion (25-tooth) (48-pitch) / set screw Spur gear, 55-tooth Spur gear, 52-tooth Spur gear, 70-tooth Spur gear, 70-tooth Spur gear, 72 tooth (48 pitch) SIGNITIF FOILIDIES Camber link/toe link set (plastic/ non-adjustable) (front & rear) Rod ends, Revo® (large) with hollow balls (12) Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver servo saver spring/ servo horn, steering Steering bellcranks/ hardware Toe links, steel (34mm) (2) Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/	8369 8371 8372 3433X 3433 3436 3432 3431 8712 8720 8721 8722	Tires, Response 1.9" Touring (extra wide, rear)/ foam inserts (2) (fit #8372 wide wheel) Tires, Response 1.9" Touring (front) (2)/ foam inserts (2) Wheels, 1.9" split-spoke (black chrome) (front) (2) Wheels, 1.9" split-spoke (black chrome) (wide, rear) (2) ITOURS IOO S Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm
421 422 423 424 426 426 429 431 725 358 359 357 368 341 347 345 345G 345R 344 343 343 342 341X	Gear, 21-T pinion (48-pitch) / set screw Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 24-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 29-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, pinion (25-tooth) (48-pitch) / set screw Spur gear, 55-tooth Spur gear, 52-tooth Spur gear, 70-tooth Spur gear, 70-tooth Spur gear, 72 tooth (48 pitch) Camber link/toe link set (plastic/ non-adjustable) (front & rear) Rod ends, Revo® (large) with hollow balls (12) Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, green-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver servo saver spring/ servo horn, steering Steering bellcranks/ hardware Toe links, steel (34mm) (2) Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench	8369 8371 8372 3433X 3433 3436 3432 3431 8712 8720 8721 8722 8710	Tires, Response 1.9" Touring (extra wide, rear)/ foam inserts (2) (fit #8372 wide wheel) Tires, Response 1.9" Touring (front) (2)/ foam inserts (2) Wheels, 1.9" split-spoke (black chrome) (front) (2) Wheels, 1.9" split-spoke (black chrome) (wide, rear) (2) TRINGS TOOLS Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers
421 422 423 424 426 7728 429 431 725 3358 3359 337 368 341 347 345 345 345 345 345 341 343 343 344	Gear, 21-T pinion (48-pitch) / set screw Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 24-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 29-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 29-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, pinion (25-tooth) (48-pitch) / set screw Spur gear, 55-tooth Spur gear, 70-tooth Spur gear, 70-tooth Spur gear, 72 tooth (48 pitch) Camber link/toe link set (plastic/ non-adjustable) (front & rear) Rod ends, Revo® (large) with hollow balls (12) Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver links, aluminum, red-anodized (hex (1), serrated (1)) Servo saver/ servo saver spring/ servo horn, steering Steering bellcranks/ hardware Toe links, steel (34mm) (2) Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench Turnbuckles, aluminum (green-anodized), camber links, 32mm	8369 8371 8372 3433X 3433 3436 3432 3431 8712 8720 8721 8722 8710	Tires, Response 1.9" Touring (extra wide, rear)/ foam inserts (2) (fit #8372 wide wheel) Tires, Response 1.9" Touring (front) (2)/ foam inserts (2) Wheels, 1.9" split-spoke (black chrome) (front) (2) Wheels, 1.9" split-spoke (black chrome) (wide, rear) (2) ITANAS IOIS Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 5.5mm, 7.0mm 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end; 2.0mm, travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,
421 422 423 424 426 7728 429 431 725 3358 3359 337 368 341 347 345 345 345 345 345 341 343 343 344	Gear, 21-T pinion (48-pitch) / set screw Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 24-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 29-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 29-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, pinion (25-tooth) (48-pitch) / set screw Spur gear, 55-tooth Spur gear, 52-tooth Spur gear, 70-tooth Spur gear, 72 tooth (48 pitch) SCAPILLY POINTIES Camber link/toe link set (plastic/ non-adjustable) (front & rear) Rod ends, Revo® (large) with hollow balls (12) Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver/ servo saver spring/ servo horn, steering Steering bellcranks/ hardware Toe links, steel (34mm) (2) Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/	8369 8371 8372 3433X 3433 3436 3432 3431 8712 8720 8721 8722 8710	Tires, Response 1.9" Touring (extra wide, rear)/ foam inserts (2) (fit #8372 wide wheel) Tires, Response 1.9" Touring (front) (2)/ foam inserts (2) Wheels, 1.9" split-spoke (black chrome) (front) (2) Wheels, 1.9" split-spoke (black chrome) (wide, rear) (2) ITANCES TOOLS Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, medium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm
419 421 422 423 424 423 424 426 728 429 431 7725 358 359 357 368 341 347 345 345 345 345 345 341 347 341 341 341 341	Gear, 21-T pinion (48-pitch) / set screw Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 24-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 29-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 29-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw Gear, pinion (25-tooth) (48-pitch) / set screw Spur gear, 55-tooth Spur gear, 70-tooth Spur gear, 70-tooth Spur gear, 72 tooth (48 pitch) Camber link/toe link set (plastic/ non-adjustable) (front & rear) Rod ends, Revo® (large) with hollow balls (12) Servo saver nuts, aluminum, blue-anodized (hex (1), serrated (1)) Servo saver nuts, aluminum, red-anodized (hex (1), serrated (1)) Servo saver links, aluminum, red-anodized (hex (1), serrated (1)) Servo saver/ servo saver spring/ servo horn, steering Steering bellcranks/ hardware Toe links, steel (34mm) (2) Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/ aluminum wrench Turnbuckles, aluminum (green-anodized), camber links, 32mm	8369 8371 8372 3433X 3433 3436 3432 3431 8712 8720 8721 8722 8710	Tires, Response 1.9" Touring (extra wide, rear)/ foam inserts (2) (fit #8372 wide wheel) Tires, Response 1.9" Touring (front) (2)/ foam inserts (2) Wheels, 1.9" split-spoke (black chrome) (front) (2) Wheels, 1.9" split-spoke (black chrome) (wide, rear) (2) ITOURS IOOS Body reamer (aluminum handle) Body reamer (plastic handle) Cap, body reamer Scissors, curved tip Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 5.5mm, 7.0mm 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive

Page 4 4-Tec® 2.0 Brushless AWD Chassis: TQi™ Traxxas Link™ Enabled 2.4GHz Radio (Model 83124-4) Parts List

8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)
	Turnbuckles & Threaded Rods
8341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)
8341	Camber link/toe link set (plastic/ non-adjustable) (front & rear)
8346	Camber links, steel, front (32mm) (2)
8346	Camber links, steel, front (32mm) (2)
8348	Camber links, steel, rear (28mm) (2)
8348	Camber links, steel, rear (28mm) (2)
5347	Rod ends, Revo® (large) with hollow balls (12)
5349	Rod ends, small, with hollow balls (6) (for Revo® steering linkage)
8342	Toe links, steel (34mm) (2)
0040	T 15 1 1 (04) (0)

Turnbuckles, aluminum (blue-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/

Turnbuckles, aluminum (green-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/

Turnbuckles, aluminum (red-anodized), camber links, 32mm (front) (2)/ camber links, 28mm (rear) (2)/ toe links, 34mm (2)/

Toe links, steel (34mm) (2)

aluminum wrench

aluminum wrench

aluminum wrench

8342

8341X

8341G

8341R

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM