



# 1/16 E-Revo® VXL (Model 71076-8) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

## Bearings & Bushings

- 5124 **Ball bearings, blue rubber sealed (4x7x2.5mm) (2)**
- 7019 Ball bearings, blue rubber sealed (4x8x3mm) (2)
- 7020 Ball bearings, blue rubber sealed (8x12x3.5mm) (2)
- 5114 **Ball bearings, blue rubber shield (5x8x2.5mm) (2)**

## Body & Accessories

- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 1834 Body Clips (12) (standard size)
- 7015 Body mounts, front & rear/ body mount posts, front & rear
- 4915 Body washers, foam adhesive (10)
- 6716 **Body Washers, Foam, 2mm/3mm/4mm**
- 7111 **Body, 1/16 E-Revo (clear, requires painting)/ grille and lights decal sheet**
- 2514 Decal sheet, racing sponsors
- 7113 Decal sheets, 1/16 E-Revo VXL
- 9950 Official Team Traxxas® racing decal set(flag logo/ 6-color)
- 7121 Wing mount/ hardware (1/16 E-Revo)
- 7122 Wing, 1/16 E-Revo (black)/ decal sheet
- 7122G **Wing, 1/16 E-Revo (Exo-carbon finish)/ decal sheet**
- 7123 **Wing, 1/16 E-Revo (white)/ decal sheet**

## Bumpers & Skidplates

- 7135 Bumpers, front (1)/ rear (1)
- 7037 Skidplate set, front (1)/ rear (1)/ transmission (1) (black)/ Guards, steering servo (2) / cover plate, steering servo (1)

## Chassis & Attachments

- 7015 Body mounts, front & rear/ body mount posts, front & rear
- 7023 Bulkhead tie bars, front & rear (blue-anodized aluminum)/ 2.5x6 CS (1)
- 7030X Bulkhead, front (left & right halves)/ 3x10mm BCS (4)/ 2.5x23mm CS (1)
- 7029X Bulkhead, rear (left & right halves)/ 3x10mm BCS (4)/ 2.5x23mm CS (1)
- 7022 Chassis
- 7026 Door, battery compartment (1)/ vents, battery compartment (1 pair) (fits right or left side)
- 7185A **LED light kit, 1/16 E-Revo® (includes power supply, front & rear bumpers, light harness (4 clear, 4 red), wire ties)**
- 7186 **LED lights, light harness (4 clear, 4 red)/ bumpers, front & rear/ wire ties (3) (requires power supply #7286)**
- 7286A **LED lights, power supply (regulated, 3V, 0.5-amp)/ power tap connector (with cable)/ 2.6x8 BCS (2)**
- 7025 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
- 7037 Skidplate set, front (1)/ rear (1)/ transmission (1) (black)/ Guards, steering servo (2) / cover plate, steering servo (1)
- 7043 Steering arm (upper & lower)/ steering link/ servo horn/ servo saver/ servo saver spring/ servo horn mount/ ball stud (2)/ shock mounts, front & rear/ 2.5x18mm CS (4)
- 7184 **Wheelie bar, assembled**
- 7121 Wing mount/ hardware (1/16 E-Revo)

## Differential Components

- 7019 Ball bearings, blue rubber sealed (4x8x3mm) (2)
- 7020 Ball bearings, blue rubber sealed (8x12x3.5mm) (2)
- 7080 Cover plates, differential (front or rear)/ gaskets (2)/ o-rings (2)/ 2x14mm BCS (3)
- 7078 Differential assembly, complete
- 7014 **Differential kit, center (complete for 1/16 E-Revo, 1/16 Slash)**
- 7381 **Differential locker, (2)**
- 5136X **Differential oil kit (1 each: 10K, 30K, 50K weights)**
- 7082 Gear set, differential (output gears (2)/ spider gears (3))/ differential output shafts (2)/ 1.5x6mm pin (3)/ 1.5x8mm pin (2)
- 5130 **Oil, differential (100K wt) (0.7 oz (20cc))**
- 5135 **Oil, differential (10K wt) (1.7 oz (50cc))**
- 5136 **Oil, differential (30K wt) (1.7 oz (50cc))**
- 5137 **Oil, differential (50K wt) (1.7 oz (50cc))**
- 7014X **Rebuild kit, center differential (1/16 E-Revo/Slash) (includes o-rings and diff gear covers)**
- 7079 Ring gear, differential/ pinion gear, differential

## Driveline Components

- 7034 Axle carriers, left & right (2 each)
- 7052 **Drive cups, inner (2) 1/16 E-Revo/Slash (steel constant-velocity driveshafts)**

- 7151 Driveshaft assembly (1) left or right (fully assembled, ready to install)/ 3x10mm screw pin (1)
- 7151X **Driveshaft, 1/16 E-Revo (steel constant-velocity) (assembled) (4)**
- 7153 **Driveshaft, steel constant-velocity, 1/16 E-Revo (shaft only, 68mm)/ drive cup pin (1)**
- 7250R **Driveshafts, center (steel constant-velocity) front (1), rear (1) (fully assembled)**
- 7056 Half shafts, center front (1), center rear (1) (internal splined half shafts (2)/external splined half shaft (2))/ metal u-joints (4)
- 7150 Half shafts, left or right (internal splined half shaft (2)/external splined half shaft (2))/ metal u-joints (4)
- 7055 **Rebuild kit (for 1/16 E-Revo/Slash steel constant-velocity driveshafts) (includes pins, o-rings, stub axles for driveshafts assemblies)**
- 7054 Stub axle, steel (2)/ yokes (2) (assembled)
- 7154 Wheel hubs, hex (4)/ axle pins (1.5x8mm) (4)
- 7154X **Wheel hubs, hex, aluminum (4) (blue-anodized)**
- 7057 Yokes, differential and transmission (2)/ 3x10mm screw pin (2)

## Front Suspension

- 7033X **Aluminum caps, pivot ball (threaded aluminum, hard-anodized, PTFE-coated (8)/ hex wrench, 5mm**
- 7034 Axle carriers, left & right (2 each)
- 7023 Bulkhead tie bars, front & rear (blue-anodized aluminum)/ 2.5x6 CS (1)
- 7030X Bulkhead, front (left & right halves)/ 3x10mm BCS (4)/ 2.5x23mm CS (1)
- 7028 Hollow balls (20)
- 7028X **Hollow balls, steel (machined) (22)**
- 7033 Pivot balls (4)/ pivot ball caps (4)
- 7118G **Push rod (molded composite) (green) (4)/ hollow balls (8)**
- 7118 Push rod (molded composite) (red) (4)/ hollow balls (8)
- 7118X **Push rods, aluminum (red-anodized) (4) (assembled with rod ends)**
- 7155 Rocker arm post, steel (4)
- 7158 Rocker arm set, progressive-2/ 4x7x2.5mm PB (8)
- 2523 Screws, 2.5x10 countersunk machine (hex drive) (6)
- 7043 Steering arm (upper & lower)/ steering link/ servo horn/ servo saver/ servo saver spring/ servo horn mount/ ball stud (2)/ shock mounts, front & rear/ 2.5x18mm CS (4)
- 7131 Suspension arm set, front (includes upper right & left and lower right & left arms)
- 7021 Suspension pin set (front or rear), 2x46mm (2), 2x14mm (4)

## Hardware

- 5124 **Ball bearings, blue rubber sealed (4x7x2.5mm) (2)**
- 7019 Ball bearings, blue rubber sealed (4x8x3mm) (2)
- 7020 Ball bearings, blue rubber sealed (8x12x3.5mm) (2)
- 5114 **Ball bearings, blue rubber shield (5x8x2.5mm) (2)**
- 5123 Bellcrank bushings (plastic) (4x7x2.5mm) (4)
- 1834 Body Clips (12) (standard size)
- 2545 Bushings (plastic) (5x8x2.5mm) (4)
- 5150 E-clips, 1.5mm (24)
- 5477 Flat wrench, 5mm (blue anodized aluminum)
- 7028 Hollow balls (20)
- 7028X **Hollow balls, steel (machined) (22)**
- 2745 Nuts, 3mm nylon locking (12)
- 1747P **Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)**
- 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
- 1747R **Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)**
- 1747G **Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)**
- 1747T **Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)**
- 1747A **Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)**
- 7155 Rocker arm post, steel (4)
- 7059 **Rod ends (8)/ hollow balls (8) (fits 1/16 and 1/18 accessory suspension links)**
- 2523 Screws, 2.5x10 countersunk machine (hex drive) (6)
- 3229 Screws, 2.5x10mm cap-head machine (hex drive) (6)
- 2526 Screws, 2.5x12 countersunk machine (hex drive) (6)
- 3236 Screws, 2.5x12mm cap-head machine (6)
- 3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
- 3965 Screws, 2.5x8mm cap-head machine (6)
- 2577 Screws, 3x10mm button-head machine (hex drive) (6)
- 3159 Screws, 3x10mm caphead machine (hex drive) (6)/ lockwashers (6)/ hex wrench
- 2578 Screws, 3x12mm button-head machine (hex drive) (6)

**Page 2 1/16 E-Revo® VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 71076-8) Parts List**

2579 Screws, 3x15mm button-head machine (hex drive) (6)  
 2575 Screws, 3x6mm button-head machine (hex drive) (6)  
 2576 Screws, 3x8mm button-head machine (hex drive) (6)  
 2743 Set (grub) screws, 3mm hardened (12)

**LED Lights**

6549 Connector, power tap (with voltage sensor plug)/ wire tie/ 2.6x8 BCS (2)  
 7185A LED light kit, 1/16 E-Revo® (includes power supply, front & rear bumpers, light harness (4 clear, 4 red), wire ties)  
 7186 LED lights, light harness (4 clear, 4 red)/ bumpers, front & rear/ wire ties (3) (requires power supply #7286)  
 7286A LED lights, power supply (regulated, 3V, 0.5-amp)/ power tap connector (with cable)/ 2.6x8 BCS (2)

**Motors & Electronics**

2082A Gear set (for 2080A waterproof micro servo)  
 2082R Gear set, metal (for 2080R waterproof micro servo)  
 2082X Gear set, metal (for 2080X waterproof micro servo)  
 3374 Heat sink, Velineon® 380 brushless motor, aluminum (blue-anodized)  
 7060 Motor mount, finned aluminum  
 3371 Motor, Velineon® Mini Maxx® 380, brushless (assembled with 16-gauge wire and gold-plated connectors)  
 3372 Rebuild kit, Velineon® 380 (4x9x4mm ball bearings (2), 2x6mm CCS (with threadlock) (2), front shims (2))  
 3373 Rotor, Velineon® 380 motor  
 2081A Servo case/ gaskets (for 2080A micro waterproof servo)  
 2081X Servo case/ gaskets (for 2080X metal gear, micro, waterproof servo)  
 2080A Servo, micro, waterproof  
 2080R Servo, micro, waterproof, metal gear  
 2080X Servo, micro, waterproof, metal gear  
 3370 Velineon® VXL-3m Brushless Power System, waterproof (includes waterproof VXL-3m ESC and Velineon® 380 motor)  
 3375 VXL-3m Electronic Speed Control, waterproof (brushless)

**Radio System, Batteries & Chargers**

2823X 1400mah 11.1v 3-Cell 25C LiPo Battery  
 2820X 2200mah 7.4v 2-Cell 25C LiPo Battery  
 2827X 3000mah 7.4v 2-Cell LiPo Battery  
 2976 AC to DC adapter  
 2938X Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)  
 2943 Battery charge indicators, green (4), grey (4), blue (4)  
 6548 Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)  
 2914 Battery, Power Cell AA Alkaline (4)  
 2925X Battery, Series 1 Power Cell, 1200mAh (NiMH, 6-C flat, 7.2V, 2/3A)  
 2985-2S Battery/charger completer pack (includes #2985 USB-C NiMH/LiPo iD® charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Ba  
 2974 Charger, D/C, 2 amp (5 - 7 cell, 6.0 - 8.4 volt, NiMH)  
 2972 Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification  
 2973 Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification  
 2970 Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification  
 2981 Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification  
 2985 Charger, EZ-Peak® USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification  
 2949 Charger, USB-C, 20W (5 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®)  
 2978 Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)  
 2082A Gear set (for 2080A waterproof micro servo)  
 2082R Gear set, metal (for 2080R waterproof micro servo)  
 2082X Gear set, metal (for 2080X waterproof micro servo)  
 3374 Heat sink, Velineon® 380 brushless motor, aluminum (blue-anodized)  
 2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)  
 2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)  
 6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad  
 2912 Power adapter, AC, USB-C (45W)  
 2916 Power cable, USB-C, 100W (high output)  
 6533 Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)  
 6522 Sensor, RPM (short)/ 3x4mm BCS (1)/ 3x4 GS (1)  
 6523 Sensor, temperature and voltage (short)  
 2081A Servo case/ gaskets (for 2080A micro waterproof servo)

2081X Servo case/ gaskets (for 2080X metal gear, micro, waterproof servo)  
 2080A Servo, micro, waterproof  
 2080R Servo, micro, waterproof, metal gear  
 2080X Servo, micro, waterproof, metal gear  
 6540 Telemetry trigger magnet, 5X2mm (1)  
 6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)  
 6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)  
 6528 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)  
 6529 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)  
 6530 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)  
 6511 Traxxas® Link Bluetooth® module  
 3375 VXL-3m Electronic Speed Control, waterproof (brushless)  
 3064X Wire harness, parallel battery connection (compatible with Traxxas® High Current Connector, NiMH only)  
 3063X Wire harness, series battery connection (compatible with Traxxas® High Current Connector, NiMH only)

**Ready-To-Race Model**

71076-8 E-Revo® VXL: 1/16-Scale 4WD Brushless Monster Truck with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)®

**Rear Suspension**

7033X Aluminum caps, pivot ball (threaded aluminum, hard-anodized, PTFE-coated (8)/ hex wrench, 5mm  
 7034 Axle carriers, left & right (2 each)  
 7023 Bulkhead tie bars, front & rear (blue-anodized aluminum)/ 2.5x6 CS (1)  
 7029X Bulkhead, rear (left & right halves)/ 3x10mm BCS (4)/ 2.5x23mm CS (1)  
 7028 Hollow balls (20)  
 7028X Hollow balls, steel (machined) (22)  
 7033 Pivot balls (4)/ pivot ball caps (4)  
 7118G Push rod (molded composite) (green) (4)/ hollow balls (8)  
 7118 Push rod (molded composite) (red) (4)/ hollow balls (8)  
 7118X Push rods, aluminum (red-anodized) (4) (assembled with rod ends)  
 7155 Rocker arm post, steel (4)  
 7158 Rocker arm set, progressive-2/ 4x7x2.5mm PB (8)  
 2523 Screws, 2.5x10 countersunk machine (hex drive) (6)  
 7043 Steering arm (upper & lower)/ steering link/ servo horn/ servo saver/ servo saver spring/ servo horn mount/ ball stud (2)/ shock mounts, front & rear/ 2.5x18mm CS (4)  
 7132 Suspension arm set, rear (includes upper right & left and lower right & left arms)  
 7132R Suspension arm set, rear, extended wheelbase (lengthens wheelbase 10mm) (includes upper right & left and lower right & left arms)  
 7021 Suspension pin set (front or rear), 2x46mm (2), 2x14mm (4)  
 7138G Toe link, front & rear (molded composite) (green) (4)/ hollow balls (8)  
 7138 Toe link, front & rear (molded composite) (red) (4)/ hollow balls (8)  
 7138X Toe links, aluminum (red-anodized) (4) (assembled with rod ends and threaded inserts)

**Shock Oil**

5031 Oil, shock (20 wt, 200 cSt, 60cc) (silicone)  
 5032 Oil, shock (30 wt, 350 cSt, 60cc) (silicone)  
 5033 Oil, shock (40 wt, 500 cSt, 60cc) (silicone)  
 5034 Oil, shock (50 wt, 600 cSt, 60cc) (silicone)  
 5035 Oil, shock (60 wt, 700 cSt, 60cc) (silicone)  
 5036 Oil, shock (70 wt, 900 cSt, 60cc) (silicone)  
 5037 Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)  
 5029 Shock oil bottle (60cc) (for mixing shock oil)  
 5038X Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)  
 5038 Spinning carousel rack

**Shocks (GTR)**

7066 Body, GTR shock (molded composite) (2)  
 7065 Caps and spring retainers, GTR shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)  
 7028 Hollow balls (20)  
 7062 Rebuild kit, GTR composite shocks (x-rings, bladders, pistons, e-clips, shock rod ends, hollow balls) (renews 2 shocks)  
 7063 Shaft, GTR shock (2)  
 7063T Shaft, GTR shock (TiN-coated) (4)

**Page 3 1/16 E-Revo® VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 71076-8) Parts List**

- 7061 Shocks, GTR composite, 1/16 E-Revo/Slash (assembled, without springs) (2)
- 7061X Shocks, GTR hard anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (4)**

**Slipper Clutch Components**

- 7152 Slipper clutch, complete (includes slipper clutch hub, clutch pad, spring, 3.0mm NL, 1.5x6mm pin)

**Springs**

- 7145 Spring, shock (GTR) (1.76 rate, orange) (1 pair)
- 7146 Spring, shock (GTR) (1.92 rate, green) (1 pair)
- 7147 Spring, shock (GTR) (2.06 rate, tan) (1 pair)
- 7148 Spring, shock (GTR) (2.22 rate, black) (1 pair)

**Spur Gears & Pinion Gears**

- 2416 Gear, 16-T pinion (48-pitch) / set screw
- 1918 Gear, 18-T pinion (48-pitch) / set screw
- 2419 Gear, 19-T pinion (48-pitch) / set screw
- 2423 Gear, 23-T pinion (48-pitch) (fits 3mm shaft) / set screw
- 2426 Gear, 26-T pinion (48-pitch) (fits 3mm shaft) / set screw
- 4728 Gear, 28-T pinion (48-pitch) (fits 3mm shaft) / set screw
- 2431 Gear, 31-T pinion (48-pitch) (fits 3mm shaft) / set screw
- 4725 Gear, pinion (25-tooth) (48-pitch) / set screw
- 7045R Spur gear, 45-tooth
- 7046R Spur gear, 50-tooth
- 7047R Spur gear, 55-tooth

**Steering Components**

- 5114 Ball bearings, blue rubber shield (5x8x2.5mm) (2)
- 2545 Bushings (plastic) (5x8x2.5mm) (4)
- 7043 Steering arm (upper & lower) / steering link / servo horn / servo saver / servo saver spring / servo horn mount / ball stud (2) / shock mounts, front & rear / 2.5x18mm CS (4)
- 7138G Toe link, front & rear (molded composite) (green) (4) / hollow balls (8)
- 7138 Toe link, front & rear (molded composite) (red) (4) / hollow balls (8)
- 7138X Toe links, aluminum (red-anodized) (4) (assembled with rod ends and threaded inserts)

**Suspension Linkage**

- 7028 Hollow balls (20)
- 7118G Push rod (molded composite) (green) (4) / hollow balls (8)
- 7118 Push rod (molded composite) (red) (4) / hollow balls (8)
- 7118X Push rods, aluminum (red-anodized) (4) (assembled with rod ends)
- 7021 Suspension pin set (front or rear), 2x46mm (2), 2x14mm (4)
- 7138G Toe link, front & rear (molded composite) (green) (4) / hollow balls (8)
- 7138 Toe link, front & rear (molded composite) (red) (4) / hollow balls (8)
- 7138X Toe links, aluminum (red-anodized) (4) (assembled with rod ends and threaded inserts)

**Tires & Wheels**

- 7174A Tires & wheels, assembled, glued (Gemini black chrome wheels, Talon tires, foam inserts) (2)
- 7175 Tires & wheels, assembled, glued (white dished 2.2" wheels, Response Pro 2.2" tires, foam inserts) (2)
- 7173 Tires, Response Pro 2.2" (soft-compound, narrow profile, short knobby design) / foam inserts (2)
- 7170 Tires, Talon / foam inserts (2)
- 7154 Wheel hubs, hex (4) / axle pins (1.5x8mm) (4)
- 7154X Wheel hubs, hex, aluminum (4) (blue-anodized)
- 7171 Wheels, dished 2.2" (white) (2)
- 7172A Wheels, Gemini (black chrome) (2)

**Transmission Components**

- 7077R Cover, gear / motor mount hinge post / 3x10mm CS with split and flat washers (1) / 3x8mm BCS (1)
- 7014 Differential kit, center (complete for 1/16 E-Revo, 1/16 Slash)
- 7093 Gear set, transmission (includes 18T, 25T input gears, 13T idler gear (steel), 35T output gear, M3x13.75 screw pin)
- 7091 Gearbox halves, front & rear
- 7092 Input shaft / output shaft
- 7090 Plate, motor
- 7014X Rebuild kit, center differential (1/16 E-Revo/Slash) (includes o-rings and diff gear covers)
- 7152 Slipper clutch, complete (includes slipper clutch hub, clutch pad, spring, 3.0mm NL, 1.5x6mm pin)
- 7096 Transmission, complete (fits 1/16-scale VXL models)

**Traxxas Tools**

- 3433X Body reamer (aluminum handle)
- 3433 Body reamer (plastic handle)
- 3436 Cap, body reamer

- 3432 Scissors, curved tip
- 3431 Scissors, straight tip
- 8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
- 8720 Speed bit handle, large (overmolded)
- 8721 Speed bit handle, medium (one piece)
- 8722 Speed bit handle, premium (rubber overmold)
- 8710 Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
- 8711 Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
- 8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
- 8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
- 8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
- 8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8714 Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
- 2748R Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench / 4-way wrench / 8mm & 4mm wrench / U-joint wrench)
- 3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers / 2mm, 3mm, and 4mm slotted screwdrivers / #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers / 4mm and 8mm wrenches / driver handle)

**Turnbuckles & Threaded Rods**

- 7028 Hollow balls (20)
- 7118G Push rod (molded composite) (green) (4) / hollow balls (8)
- 7118 Push rod (molded composite) (red) (4) / hollow balls (8)
- 7118X Push rods, aluminum (red-anodized) (4) (assembled with rod ends)
- 7138G Toe link, front & rear (molded composite) (green) (4) / hollow balls (8)
- 7138 Toe link, front & rear (molded composite) (red) (4) / hollow balls (8)
- 7138X Toe links, aluminum (red-anodized) (4) (assembled with rod ends and threaded inserts)

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

**TRAXXAS.COM**