

4-Tec® Drift Nissan® 240SX (Model 105247-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

| | Bearings & Bushings | 10539-GRN | Shock tower, rear, 6061-T6 aluminum (green-anodized)/ 3x15mm BCS (with threadlock) (2)/ 3x10mm BCS (with |
|--------------------------|--|-------------------------|---|
| 5120A | Ball bearings, black rubber sealed (12x18x4mm) (2) | | threadlock) (2) |
| 5116A | Ball bearings, black rubber sealed (5x11x4mm) (2) | 10539-ORNG | Shock tower, rear, 6061-T6 aluminum (orange-anodized)/ |
| 105A | Ball bearings, black rubber sealed (6x10x3mm) (2) | | 3x15mm BCS (with threadlock) (2)/ 3x10mm BCS (with |
| 5119 | Ball bearings, blue rubber sealed (10x15x4mm) (2) | | threadlock) (2) |
| 120 | Ball bearings, blue rubber sealed (12x18x4mm) (2) | 10539-RED | Shock tower, rear, 6061-T6 aluminum (red-anodized)/ 3x15mi |
| 116 | Ball bearings, blue rubber sealed (5x11x4mm) (2) | 10522 | BCS (with threadlock) (2)/ 3x10mm BCS (with threadlock) (2) |
| 105 | Ball bearings, blue rubber sealed (6x10x3mm) (2) | 10532 | Splitter, front |
| 5118 | Ball bearings, blue rubber sealed (8x16x5mm) (2) | | Differential Components |
| 5114 | Ball bearings, blue rubber shield (5x8x2.5mm) (2) | 5381 | Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ |
| | Body & Accessories | | 6x10x0.5 TW |
| 0522 | Body mount, rear/ 3x8mm FCS (1) (for clipless body mounting) (fits | 5136X | Differential oil kit (1 each: 10K, 30K, 50K weights) |
| | #10515 body) | 8353X | Drive cups, inner (2) (steel constant-velocity driveshafts) |
| 0515 | Body, Nissan® 240SX (clear, trimmed, requires painting)/ decal | 8353 | Drive cups, inner (2)/ screw pins (2) |
| | sheet (includes side mirrors, spoiler, grilles, hardware, & | 8379 | Housing, spool / spool shaft/ bushing |
| 0515-BLK | clipless mounting) | 10579 | Ring gear, differential/ pinion gear, differential |
| 0313-BLK | Body, Nissan® 240SX, complete (black) (painted, decals applied) (includes side mirrors, spoiler, grilles, & clipless mounting) | | Driveline Components |
| 0515-RED | Body, Nissan® 240SX, complete (red) (painted, decals applied) | 10554 | Axles (front) (2) |
| 0010-INED | (includes side mirrors, spoiler, grilles, & clipless mounting) | 8353X | Drive cups, inner (2) (steel constant-velocity driveshafts) |
| 0523 | Latch, body mount, front (for clipless body mounting) (fits #10515 | 8353 | Drive cups, inner (2)/ screw pins (2) |
| | body) | 8351 | Driveshaft, rear (2) |
| 0519 | Mirrors, side, black (left & right)/ mirror retainers (2)/ spoiler, black/ | 8351X | Driveshafts, steel constant-velocity (assembled), rear (2) |
| | bumper inserts (left & right)/ 3x10mm BCS (8)/ 2.5x10mm BCS (2) | 2754 | Stub axle pins (4) |
| | (fits #10515 body) | 8354 | Stub axles (front or rear) (2) |
| | Brake Components | 10556 | Wheel hubs, hex, wide (disc brake rotors) (4) |
| 3367 | Brake calipers (red), front (2)/ rear (2) | | Front Suspension & Steering |
| 0556 | Wheel hubs, hex, wide (disc brake rotors) (4) | 10551 | |
| 0000 | | 10554 8330 | Axles (front) (2) |
| | Chassis & Attachments | 10581 | Bulkhead, front Bulkhead, front (upper) (2WD) |
| 327-BLUE | Battery hold-down, 6061-T6 aluminum (blue-anodized) | 8334 | Mounts, suspension arms (front & rear)/ hinge pin retainers (4) |
| 327-GRAY | Battery hold-down, 6061-T6 aluminum (gray-anodized) | 8334X | Mounts, suspension arms, aluminum (blue-anodized) (front |
| 327-GRN | Battery hold-down, 6061-T6 aluminum (green-anodized) | 00047 | rear)/ hinge pin retainers (12)/ inserts (6) |
| 327-ORNG | Battery hold-down, 6061-T6 aluminum (orange-anodized) | 8334G | Mounts, suspension arms, aluminum (green-anodized) (fron |
| 3327-RED | Battery hold-down, 6061-T6 aluminum (red-anodized) | | rear)/ hinge pin retainers (12)/ inserts (6) |
| 3327 | Battery hold-down/ battery clip/ hold-down post/screw pin (for 256mm wheelbase) | 8334R | Mounts, suspension arms, aluminum (red-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) |
| 9314 | Body mount, rear (for clipless body mounting) | 1985 | PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) |
| 10518 | Body mounts, front & rear/ body mount posts/ body mount | 10538 | Shock tower, front & rear |
| 3324 | sliders Box, receiver (sealed)(steering servo mount)/ receiver cover/ access | 10538-BLUE | Shock tower, front, 6061-T6 aluminum (blue-anodized)/ 3x15 BCS (with threadlock) (2) |
| 8628 | plug/ foam pads/ silicone grease/ 2.5x10 CS (3) Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) | 10538-GRAY | Shock tower, front, 6061-T6 aluminum (gray-anodized)/ 3x15 BCS (with threadlock) (2) |
| 3330 | Bulkhead, front | 10538-GRN | Shock tower, front, 6061-T6 aluminum (green-anodized)/ |
| 10581 | Bulkhead, front (upper) (2WD) | 10000-01114 | 3x15mm BCS (with threadlock) (2) |
| 3329 | Bulkhead, rear | 10538-ORNG | Shock tower, front, 6061-T6 aluminum (orange-anodized)/ |
| 10536 | Bumper, front (1 each, upper, lower, & foam) | | 3x15mm BCS (with threadlock) (2) |
| 3322 | Chassis | 10538-RED | Shock tower, front, 6061-T6 aluminum (red-anodized)/ 3x15m |
| 321 | Chassis brace (front) | | BCS (with threadlock) (2) |
| 3321-BLUE | Chassis brace, front, 6061-T6 aluminum (blue-anodized) | 10543-BLUE | Steering bellcranks, drag link (blue-anodized 6061-T6 |
| | Chassis brace, front, 6061-T6 aluminum (gray-anodized) | | aluminum)/ 5x8x2.5mm ball bearings (2)/ 6x10x3mm ball |
| 321-GRN | Chassis brace, front, 6061-T6 aluminum (green-anodized) | | bearings (2)/ 3x11mm SS (with threadlock) (2)/ 3x18mm BCS |
| 321-ORNG | Chassis brace, front, 6061-T6 aluminum (orange-anodized) | 40540 ODAY | (with threadlock) (2)/ 3x15mm BCS (with threadlock) (2) |
| 321-RED | Chassis brace, front, 6061-T6 aluminum (red-anodized) | 10543-GRAY | |
| 3323 | Gear cover (rear chassis brace) | | aluminum)/ 5x8x2.5mm ball bearings (2)/ 6x10x3mm ball bearings (2)/ 3x11mm SS (with threadlock) (2)/ 3x18mm BCS |
| 380 | Housing, differential (rear) | | (with threadlock) (2)/ 3x15mm BCS (with threadlock) (2) |
| 3390 | Plate, motor | 10543-GRN | Steering bellcranks, drag link (green-anodized 6061-T6 |
| 0538 0538-BLUE | Shock tower, front & rear Shock tower, front, 6061-T6 aluminum (blue-anodized)/ 3x15mm | | aluminum)/ 5x8x2.5mm ball bearings (2)/ 6x10x3mm ball bearings (2)/ 3x11mm SS (with threadlock) (2)/ 3x18mm BCS |
| 0538-GRAY | BCS (with threadlock) (2) Shock tower, front, 6061-T6 aluminum (gray-anodized)/ 3x15mm BCS (with threadlock) (2) | 10543-ORNG | (with threadlock) (2)/ 3x15mm BCS (with threadlock) (2) Steering bellcranks, drag link (orange-anodized 6061-T6 |
| 0538-GRN | Shock tower, front, 6061-T6 aluminum (green-anodized)/ 3x15mm BCS (with threadlock) (2) | | aluminum)/ 5x8x2.5mm ball bearings (2)/ 6x10x3mm ball bearings (2)/ 3x11mm SS (with threadlock) (2)/ 3x18mm BCS |
| 0538-ORNG | Shock tower, front, 6061-T6 aluminum (orange-anodized)/ 3x15mm BCS (with threadlock) (2) | 10543-RED | (with threadlock) (2)/ 3x15mm BCS (with threadlock) (2) Steering bellcranks, drag link (red-anodized 6061-T6 |
| 0538-RED | Shock tower, front, 6061-T6 aluminum (red-anodized)/ 3x15mm BCS (with threadlock) (2) | | aluminum)/ 5x8x2.5mm ball bearings (2)/ 6x10x3mm ball bearings (2)/ 3x11mm SS (with threadlock) (2)/ 3x18mm BCS |
| 0539-BLUE | Shock tower, rear, 6061-T6 aluminum (blue-anodized)/ 3x15mm BCS (with threadlock) (2)/ 3x10mm BCS (with threadlock) (2) | 10543 | (with threadlock) (2)/ 3x15mm BCS (with threadlock) (2) Steering bellcranks/ hardware |
| 10539-GRAY | Shock tower, rear, 6061-T6 aluminum (gray-anodized)/ 3x15mm BCS (with threadlock) (2)/ 3x10mm BCS (with threadlock) (2) | 10537-BLK 10537-BLUE | Steering blocks (left & right) Steering blocks, 6061-T6 aluminum (blue-anodized), left & ri 3x12mm BCS (with threadlock) (4)/ 3x18mm BCS (with |

| 10537-GRAY | Steering blocks, 6061-T6 aluminum (gray-anodized), left & right/ | | Radio System, Batteries & Chargers |
|----------------|--|----------|--|
| | 3x12mm BCS (with threadlock) (4)/ 3x18mm BCS (with threadlock) (2)/ 2.5x6mm BCS (with threadlock) (2) | 2922X | 3000mAh 7.2V 6-cell flat NiMH Battery, Power Cell |
| 10537-GRN | Steering blocks, 6061-T6 aluminum (green-anodized), left & | 2827X | 3000mah 7.4v 2-Cell LiPo Battery |
| 10337 -GKN | right/ 3x12mm BCS (with threadlock) (4)/ 3x18mm BCS (with | 2923X | 3000mAh 8.4V 7-cell flat NiMH Battery, Power Cell |
| | threadlock) (2)/ 2.5x6mm BCS (with threadlock) (2) | 2942X | 3300mAh 7.2V 6-cell flat NiMH Battery, Series 3 Power Cell |
| 10537-ORNG | Steering blocks, 6061-T6 aluminum (orange-anodized), left & | 2940X | 3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell |
| | right/ 3x12mm BCS (with threadlock) (4)/ 3x18mm BCS (with | 2952X | 4200mAh 7.2V 6-cell flat NiMH Battery, Series 4 Power Cell |
| | threadlock) (2)/ 2.5x6mm BCS (with threadlock) (2) | 2950X | 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell |
| 10537-RED | Steering blocks, 6061-T6 aluminum (red-anodized), left & right/ | 2842X | 5000mah 7.4v 2-Cell 25C LiPo Battery |
| | 3x12mm BCS (with threadlock) (4)/ 3x18mm BCS (with | 2960X | 5000mAh 8.4V 7-cell flat NiMH Battery, Series 5 Power Cell |
| 10524 | threadlock) (2)/ 2.5x6mm BCS (with threadlock) (2) | 2844R | 5200mAh 7.4v 2-cell 35C LiPo Battery |
| 10524 | Steering conversion kit, high angle (includes replacement servo horn, steering blocks, & wheel hubs) | 2843X | 5800mah 7.4v 2-Cell 25C LiPo Battery |
| 2754 | Stub axle pins (4) | 2869X | 7600mah 7.4v 2-Cell 25C LiPo Battery |
| 10534-GRN | Suspenion arms, lower, front, 6061-T6 aluminum (green- | 2976 | AC to DC adapter |
| 10004-01111 | anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2) | 2938X | Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® |
| 10534-RED | Suspenion arms, lower, front, 6061-T6 aluminum (red-anodized) | 2943 | batteries to separate balance ports) Battery charge indicators, green (4), grey (4), blue (4) |
| | (left & right)/ 2.5x5mm BCS (with threadlock) (2) | 6548 | Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 |
| 10533-RED | Suspenion arms, upper, front, 6061-T6 aluminum (red- | 0340 | transmitter) |
| | anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2) | 2914 | Battery, Power Cell AA Alkaline (4) |
| 10535 | Suspension arm, front (lower left) | 2983 | Battery/charger completer pack (includes #2969 2-amp NiMH |
| 10534 | Suspension arm, front (lower right) | | peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell |
| 10533 | Suspension arm, front, upper (left or right) | | NiMH iD® battery (1)) |
| 10534-BLUE | Suspension arms, lower, front, 6061-T6 aluminum (blue- | 2992 | Battery/charger completer pack (includes #2970 iD® charger |
| 40504 ODAY | anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2) | | (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1)) |
| 10534-GRAY | Suspension arms, lower, front, 6061-T6 aluminum (gray- anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2) | 2970-2SR | Battery/Charger completer pack (includes #2970 iD® charger |
| 10534_OPNG | S Suspension arms, lower, front, 6061-T6 aluminum (orange- | 0004 | (1), #2844R 5200mAh 7.4V 2-cell 35C LiPo ID® Battery (1)) |
| 10334-OKNO | anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2) | 2991 | Battery/charger completer pack (includes #2972 Dual iD |
| 10533-BLUE | Suspension arms, upper, front, 6061-T6 aluminum (blue- | | charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery (2)) |
| | anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2) | 2985-2S | Battery/charger completer pack (includes #2985 charger (1), |
| 10533-GRAY | Suspension arms, upper, front, 6061-T6 aluminum (gray- | 2303-23 | #2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1)) |
| | anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2) | 2969 | Charger, AC, 2 amp NiMH peak detecting (5-7 cell, 6.0-8.4 volt, |
| 10533-GRN | Suspension arms, upper, front, 6061-T6 aluminum (green- | | NiMH only) |
| | anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2) | 2975 | Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) |
| 10533-ORNG | Suspension arms, upper, front, 6061-T6 aluminum (orange- | 2972 | Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery |
| 22.42 | anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2) | | Identification |
| 8340 | Suspension pin set, complete (front & rear) | 2973 | Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto |
| 10542 | Toe links, steel (36mm) (2) | | Battery Identification |
| | Hardware | 2970 | Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery |
| 4859 | CS 3x10 flathead (hex drive) | 2004 | Identification |
| 8347 | Nuts, 4mm flanged nylon locking, serrated (black) (10) | 2981 | Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification |
| 1985 | PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) | 2985 | Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto |
| 3229 | Screws, 2.5x10mm cap-head machine (hex drive) (6) | 2303 | Battery Identification |
| 3236 | Screws, 2.5x12mm cap-head machine (6) | 2982 | Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) |
| 3215 | Screws, 2.5x6mm cap-head machine (hex drive) (6) | 6525 | Communication link, telemetry expander |
| 2577 | Screws, 3x10mm button-head machine (hex drive) (6) | 6512 | Cover plate, Traxxas® Link Bluetooth® module |
| 2587 | Screws, 3x10mm caphead machine (6) (no washer) | 2971 | EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto |
| 2551 | Screws, 3x10mm countersunk machine (6) (hex drive) | | Battery Identification and Bluetooth® |
| 2578 | Screws, 3x12mm button-head machine (hex drive) (6) | 2978 | Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) |
| 2552 | Screws, 3x12mm countersunk machine (6) (hex drive) | 2968X | LiPo cell voltage checker/balancer (includes #2938X adapter for |
| 2593 | Screws, 3x14mm button-head machine (hex drive) (6) | | Traxxas® iD® batteries) |
| 2579 | Screws, 3x15mm button-head machine (hex drive) (6) | 2968 | LiPo cell voltage checker/balancer (requires #2938X adapter for |
| 2553 | Screws, 3x15mm countersunk machine (6) (hex drive) | 0500 | Traxxas® iD® batteries) |
| 2575 | Screws, 3x6mm button-head machine (hex drive) (6) | 6560 | Mount, telemetry expander (fits 4-Tec® 2.0 & 3.0) |
| 3931 10556 | Screws, 3x8mm flat-head machine (hex drive) (6) Wheel hubs, hex, wide (disc brake rotors) (4) | 6535 | Mount, temperature sensor (electric motors)/ wire tie/ thermal pad |
| 10000 | | 2912 | Power adapter, AC, USB-C (45W) (110 volt, North America only) |
| | LED Lights | 2912 | Power cable, USB-C, 100W (high output), 5 ft. (1.5m) |
| 10590-BLUE | LED light set, blue, complete (underbody) (fits 4-Tec® 2.0 or 4- | 6533X | Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel) |
| | Tec® Drift) | 6552 | Seal kit, expander box (includes o-ring, seals, and silicone |
| 10590-GRN | LED light set, green, complete (underbody) (fits 4-Tec® 2.0 or 4- | | grease) |
| | Tec® Drift) | 6521 | Sensor, temperature and voltage (long) |
| 10590-RED | LED light set, red, complete (underbody) (fits 4-Tec® 2.0 or 4- | 6553X | Telemetry Expander 2.0 and GPS module 2.0, TQi radio system |
| 40500 14" !- | Tec® Drift) | 6550X | Telemetry expander 2.0, TQi radio system (for use only with |
| 10590-WHT | LED light set, white, complete (underbody) (fits 4-Tec® 2.0 or 4- | | #6551X GPS module) |
| | Tec® Drift) | 6551X | Telemetry GPS module 2.0, TQi radio system (for use only with |
| | Motors & Electronics | | #6550X telemetry expander) |
| 3382 | BL-2s™ Brushless Power System, waterproof (includes BL- | 6507A | TQi 2.4 GHz High Output radio system, 4-channel with |
| | 2s™ ESC & BL-2s™ 3300 motor) | | Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5- |
| 2072A | Gear set (for 2070, 2075 servos) | GEOOD. | ch micro receiver) |
| 10530 | Motor, Titan® Drift 550, (21-turns/ 14 volts) (1) | 6529R | Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2- |
| 2074 | Servo case/gaskets (for 2056 and 2075 waterproof servos) | 6530X | channel (with brake button) (transmitter only) Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4- |
| 2075R | Servo, digital high-speed, metal gear (ball bearing), waterproof | 3330A | channel (transmitter only) |
| 2075 | Servo, digital high-torque (ball bearing), waterproof | 6511 | Traxxas® Link Bluetooth® module |
| 2075X 3350R | Servo, digital high-torque, metal gear (ball bearing), waterproof Velineon® VXL-3s Brushless Power System, waterproof | | Ready-To-Race Model |
| 33308 | VEHILLEDING VALUES DITUSTIESS POWER SYSTEM WATERDROOT | | |
| 000010 | | | |
| 000011 | (includes VXL-3s waterproof ESC , Velineon® 3500 motor, and | 105247-4 | 4-Tec® Drift Nissan® 240SX: 1/10 Scale RWD Drift Car with TQi™ |
| | (includes VXL-3s waterproof ESC , Velineon® 3500 motor, and speed control mounting plate (part #3725)) | 105247-4 | 4-Tec® Drift Nissan® 240SX: 1/10 Scale RWD Drift Car with TQi™ Radio System, Traxxas Link™ Wireless Module, & Traxxas Stability |
| 3018R | (includes VXL-3s waterproof ESC , Velineon® 3500 motor, and | 105247-4 | 4-Tec® Drift Nissan® 240SX: 1/10 Scale RWD Drift Car with TQi™ |

| | · | | · |
|-------------|--|----------------|---|
| | Rear Suspension | | Shocks (Ultra Shocks) |
| 8329 | Bulkhead, rear | 1942 | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball |
| 8348 | Camber links, steel, rear (28mm) (2) | 1012 | screws (2) |
| 8352 | Carriers, stub axle (left & right) | 2742X | Rod ends, short (6)/ hollow balls (6) |
| | Carriers, stub axle, 6061-T6 aluminum (blue-anodized), (left & | 8361 | Shock caps (black) (4) (assembled with hollow balls) |
| | right)/ 3x12mm BCS (with threadlock) (2)/ 2.5x6mm BCS (with | 2362 | Shock rebuild kit (for 2 shocks) |
| | threadlock) (2) | 8360 | Ultra Shocks (grey) (short) (includes spring pre-load spacers) (2) |
| 8352X-GRAY | Carriers, stub axle, 6061-T6 aluminum (gray-anodized), left & | | Springs |
| | right/ 3x12mm BCS (with threadlock) (2)/ 2.5x6mm BCS (with | 40500 | |
| | threadlock) (2) | 10560 | Spring, shock (1.057 rate) (2) |
| 8352X-GRN | Carriers, stub axle, 6061-T6 aluminum (green-anodized) (left & | 8362X 8362G | Spring, shock (blue) (2) |
| | right)/ 3x12mm BCS (with threadlock) (2)/ 2.5x6mm BCS (with threadlock) (2) | 8362P | Spring, shock (green) (2) Spring, shock (pink) (2) |
| 8352Y-ORNG | Carriers, stub axle, 6061-T6 aluminum (orange-anodized) (left & | 8366 | Spring, shock (red) (2.8 rate, white stripe) (2) |
| OOOZX-OTHIC | right)/ 3x12mm BCS (with threadlock) (2)/ 2.5x6mm BCS (with | 8365 | Spring, shock (red) (3.325 rate, orange stripe) (2) |
| | threadlock) (2) | 8362 | Spring, shock (red) (3.7 rate) (2) |
| 8352X-RED | Carriers, stub axle, 6061-T6 aluminum (red-anodized), (left & | 8363 | Spring, shock (red) (4.075 rate, green stripe) (2) |
| | right)/ 3x12mm BCS (with threadlock) (2)/ 2.5x6mm BCS (with | 8364 | Spring, shock (red) (4.4 rate, black stripe) (2) |
| | threadlock) (2) | | Spur Gears & Pinion Gears |
| 8380 | Housing, differential (rear) | | - |
| 8334 | Mounts, suspension arms (front & rear)/ hinge pin retainers (4) | 2728 | Ball bearings (5x8x2.5mm) (2) |
| 8334X | Mounts, suspension arms, aluminum (blue-anodized) (front & | 1918 | Gear, 18-T pinion (48-pitch) / set screw |
| 02240 | rear)/ hinge pin retainers (12)/ inserts (6) | 2419 | Gear, 19-T pinion (48-pitch) / set screw |
| 8334G | Mounts, suspension arms, aluminum (green-anodized) (front & rear)/ hinge pin retainers (12)/ inserts (6) | 2421 | Gear, 21-T pinion (48-pitch) / set screw |
| 8334R | Mounts, suspension arms, aluminum (red-anodized) (front & | 2422 | Gear, 22-T pinion (48-p) (fits 3mm shaft)/ set screw |
| 000411 | rear)/ hinge pin retainers (12)/ inserts (6) | 2423 2424 | Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw |
| 1985 | PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) | 2426 | Gear, 24-T pinion (48-p) (fits 3mm shaft)/ set screw Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw |
| 10538 | Shock tower, front & rear | 4728 | Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw |
| | Shock tower, rear, 6061-T6 aluminum (blue-anodized)/ 3x15mm | 4725 | Gear, pinion (25-tooth) (48-pitch) / set screw |
| | BCS (with threadlock) (2)/ 3x10mm BCS (with threadlock) (2) | 8359 | Spur gear, 62-tooth |
| 10539-GRAY | Shock tower, rear, 6061-T6 aluminum (gray-anodized)/ 3x15mm | 8357 | Spur gear, 70-tooth |
| | BCS (with threadlock) (2)/ 3x10mm BCS (with threadlock) (2) | 8368 | Spur gear, 72 tooth (48 pitch) |
| 10539-GRN | Shock tower, rear, 6061-T6 aluminum (green-anodized)/ | | |
| | 3x15mm BCS (with threadlock) (2)/ 3x10mm BCS (with | | Steering Components |
| 40520 ODNO | threadlock) (2) | 10543-BLUE | Steering bellcranks, drag link (blue-anodized 6061-T6 |
| 10539-URNG | Shock tower, rear, 6061-T6 aluminum (orange-anodized)/ 3x15mm BCS (with threadlock) (2)/ 3x10mm BCS (with | | aluminum)/ 5x8x2.5mm ball bearings (2)/ 6x10x3mm ball bearings (2)/ 3x11mm SS (with threadlock) (2)/ 3x18mm BCS |
| | threadlock) (2) | | (with threadlock) (2)/ 3x15mm BCS (with threadlock) (2) |
| 10539-RED | Shock tower, rear, 6061-T6 aluminum (red-anodized)/ 3x15mm | 10543-GRAY | Steering bellcranks, drag link (gray-anodized 6061-T6 |
| | BCS (with threadlock) (2)/ 3x10mm BCS (with threadlock) (2) | | aluminum)/ 5x8x2.5mm ball bearings (2)/ 6x10x3mm ball |
| 2754 | Stub axle pins (4) | | bearings (2)/ 3x11mm SS (with threadlock) (2)/ 3x18mm BCS |
| 8354 | Stub axles (front or rear) (2) | | (with threadlock) (2)/ 3x15mm BCS (with threadlock) (2) |
| 8331 | Suspension arms, rear (left & right) | 10543-GRN | Steering bellcranks, drag link (green-anodized 6061-T6 |
| 8340 | Suspension pin set, complete (front & rear) | | aluminum)/ 5x8x2.5mm ball bearings (2)/ 6x10x3mm ball |
| | Shock Oil | | bearings (2)/ 3x11mm SS (with threadlock) (2)/ 3x18mm BCS |
| 5031 | Oil, shock (20 wt, 200 cSt, 60cc) (silicone) | 105/3_OPNG | (with threadlock) (2)/ 3x15mm BCS (with threadlock) (2) Steering bellcranks, drag link (orange-anodized 6061-T6 |
| 5032 | Oil, shock (30 wt, 350 cSt, 60cc) (silicone) | 10040-011110 | aluminum)/ 5x8x2.5mm ball bearings (2)/ 6x10x3mm ball |
| 5033 | Oil, shock (40 wt, 500 cSt, 60cc) (silicone) | | bearings (2)/ 3x11mm SS (with threadlock) (2)/ 3x18mm BCS |
| 5034 | Oil, shock (50 wt, 600 cSt, 60cc) (silicone) | | (with threadlock) (2)/ 3x15mm BCS (with threadlock) (2) |
| 5035 | Oil, shock (60 wt, 700 cSt, 60cc) (silicone) | 10543-RED | Steering bellcranks, drag link (red-anodized 6061-T6 |
| 5036 | Oil, shock (70 wt, 900 cSt, 60cc) (silicone) | | aluminum)/ 5x8x2.5mm ball bearings (2)/ 6x10x3mm ball |
| 5037 | Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) | | bearings (2)/ 3x11mm SS (with threadlock) (2)/ 3x18mm BCS |
| 5029 | Shock oil bottle (60cc) (for mixing shock oil) | 10510 | (with threadlock) (2)/ 3x15mm BCS (with threadlock) (2) |
| 5038X | Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & | 10543 | Steering bellcranks/ hardware |
| | 80 wt premium shock oils with spinning carousel rack) | 10542 | Toe links, steel (36mm) (2) |
| 5038 | Spinning carousel rack | | Suspension Linkage |
| | Shocks (Pro-level Aluminum) | 8348 | Camber links, steel, rear (28mm) (2) |
| 2658 | Big-bore shocks (short) (hard-anodized & PTFE-coated T-6 | 10534-GRN | Suspenion arms, lower, front, 6061-T6 aluminum (green- |
| | aluminum)(assembled with TiN shafts) with springs (f/r) (2) | | anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2) |
| 2669 | Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting | 10534-RED | Suspenion arms, lower, front, 6061-T6 aluminum (red-anodized) |
| | bushings & washers (2) (Big Bore Shocks) | 40522 DED | (left & right)/ 2.5x5mm BCS (with threadlock) (2) |
| 1942 | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball | 10533-RED | Suspenion arms, upper, front, 6061-T6 aluminum (red- anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2) |
| | screws (2) | 10535 | Suspension arm, front (lower left) |
| 2742X | Rod ends, short (6)/ hollow balls (6) | 10534 | Suspension arm, front (lower right) |
| 8361 | Shock caps (black) (4) (assembled with hollow balls) | 10533 | Suspension arm, front, upper (left or right) |
| 2667 | Shock caps, aluminum (2) (Big Bore Shocks) | | Suspension arms, lower, front, 6061-T6 aluminum (blue- |
| 4262 | Shock shaft, hard chrome (32mm) (rear) (2) | | anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2) |
| 4261T | Shock shaft, hardend steel, Titanium Nitride coated (29mm) (front) (2) | 10534-GRAY | Suspension arms, lower, front, 6061-T6 aluminum (gray- |
| 4262T | Shock shafts, hardened steel, titanium nitride coated (32mm) | | anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2) |
| 72021 | (2) | 10534-ORNG | Suspension arms, lower, front, 6061-T6 aluminum (orange- |
| 1765 | Silicone diaphragms (4) | | anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2) |
| 2668 | Spring retainers, upper & lower (2)/ spring pre-load spacers: | 10533-BLUE | Suspension arms, upper, front, 6061-T6 aluminum (blue- |
| | 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore | 40E22 ODAY | anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2) |
| | Shocks) | 10000-GRAY | Suspension arms, upper, front, 6061-T6 aluminum (gray- anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2) |
| | | 10533-GRN | Suspension arms, upper, front, 6061-T6 aluminum (green- |
| | | | anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2) |
| | | 10533-ORNG | Suspension arms, upper, front, 6061-T6 aluminum (orange- |
| | | | anodized) (left & right)/ 2.5x5mm BCS (with threadlock) (2) |
| | | 10542 | Toe links, steel (36mm) (2) |
| | | | |

Page 4 4-Tec® Drift Nissan® 240SX: TQi™ Radio, Traxxas Link™ Wireless Module, & TSM® (Model 105247-4) Parts List

| | Team Traxxas Items | 2748R | |
|----------------|--|-------|--|
| 0046 | | | |
| 9916 2514 | Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar) | | |
| 9917 | Decal sheet, racing sponsors Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar) | | |
| 9950 | similar) Official Team Traxxas® racing decal set(flag logo/ 6-color) | | |
| 9909 | Traxxas® racing banner, red & black (3x7 feet) | | |
| 3303 | | | |
| | Tires & Wheels | | |
| 10574 | Tires & wheels, assembled (six spoke graphite gray wheels | | |
| 10575 | w/chrome rim, 1.9" Drift tires (1 dot, hard, rough surfaces)) (front) (2) | | |
| 10575 | Tires & wheels, assembled (six spoke graphite gray wheels w/chrome rim, 1.9" Drift tires (1 dot, hard, rough surfaces)) (wide, rear) (2) | | |
| 10577 | Tires & wheels, assembled (six spoke graphite gray wheels w/chrome rim, 1.9" Drift tires (2 dots, soft, smooth surfaces)) (front) (2) | | |
| 10576 | Tires & wheels, assembled (six spoke graphite gray wheels w/chrome rim, 1.9" Drift tires (2 dots, soft, smooth surfaces)) (wide, rear) (2) | | |
| 8378 | Tires & wheels, assembled, glued (split-spoke black chrome wheels, 1.9" Drift tires) (front and rear) | | |
| 8376G | Tires & wheels, assembled, glued (split-spoke green wheels, 1.9" Drift tires) (front) | | |
| 8377G | Tires & wheels, assembled, glued (split-spoke green wheels, 1.9" Drift tires) (rear) | | |
| 8376A | Tires & wheels, assembled, glued (split-spoke orange wheels, 1.9" Drift tires) (front) | | |
| 8377A | Tires & wheels, assembled, glued (split-spoke orange wheels, 1.9" Drift tires) (rear) | | |
| 10573 | Tires, 1.9" Drift (1 dot, hard, rough surfaces) (rear) (2)/ rubber inserts (2) | | |
| 10570 | Tires, 1.9" Drift (1 dot, hard, rough surfaces)) (front) (2)/ rubber inserts (2) | | |
| 10578 | Tires, 1.9" Drift (2 dots, soft, smooth surfaces)) (front) (2)/ rubber inserts (2) | | |
| 10580 | Tires, 1.9" Drift (2 dots, soft, smooth surfaces)) (rear) (2)/ rubber inserts (2) | | |
| 10571 10572 | Wheels, 1.9" six spoke (graphite gray w/chrome rim) (front) (2) Wheels, 1.9" six spoke (graphite gray w/chrome rim) (wide, rear) (2) | | |
| 10372 | | | |
| | Traxxas Tools | | |
| 3433X | Body reamer (aluminum handle) | | |
| 3433 | Body reamer (plastic handle) | | |
| 3436 3425 | Cap, body reamer Rubber pit mat, 16x24x0.28 | | |
| 3425 | Rubber pit mat, 36x20 | | |
| 3432 | Scissors, curved tip | | |
| 3431 | Scissors, straight tip | | |
| 8712 | Speed Bit Essentials Set, hex and nut driver, 7-piece, includes | | |
| | premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, | | |
| 8720 | and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) | | |
| 8721 | Speed bit handle, medium (one piece) | | |
| 8722 | Speed bit handle, premium (rubber overmold) | | |
| 8710 | Speed Bit Master Set, hex and nut driver, 13-piece, includes | | |
| | premium handle (medium), travel pouch, hex drivers (straight: | | |
| | 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, | | |
| | 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, | | |
| 0744 | 8.0mm), 1/4" drive | | |
| 8711 | Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 15 mm, 20 mm, 25 mm, 30 mm), ball pod; 20 mm | | |
| | (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive | | |
| 8719 | Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, | | |
| 8716 | 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" | | |
| 8716X | drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, | | |
| 8715 | 3.0mm) 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, | | |
| 8715X | 2.5mm), 1/4" drive Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, | | |
| | | | |
| 8714 | 2.5mm, 3.0mm), 1/4" drive Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 | | |

Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)

Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

If you have questions or need technical assistance, call Traxxas at:

1 -888-TRAXXAS (1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM