



Rustler® 4X4 (Model 67064-61) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

- 4607 **Ball bearings (5x11x4mm) (8)**
- 4612 **Ball bearings (10x15x4mm) (2)**
- 2728 **Ball bearings (5x8x2.5mm) (2)**
- 5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5114 Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
- 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
- 5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 6720 Body mounts, front & rear/ 3x12mm CS (4)/ 3x12mm shoulder screw (2)/ 3x10mm flat-head machine screw (8)/ 3x12mm BCS (1)
- 6710 **Body reinforcement set (fits #6717 body)**
- 6719 Body support/ 3x12mm CS (4)
- 6717 **Body, Rustler® 4X4 (clear, requires painting)/ window, grille, lights decal sheet**
- 6717A **Body, Rustler® 4X4 VXL, blue/ window, grille, lights decal sheet (assembled with front & rear body mounts and rear body support for clipless mounting)**
- 6717G **Body, Rustler® 4X4 VXL, green/ window, grille, lights decal sheet (assembled with front & rear body mounts and rear body support for clipless mounting)**
- 6717T **Body, Rustler® 4X4 VXL, orange/ window, grille, lights decal sheet (assembled with front & rear body mounts and rear body support for clipless mounting)**
- 6717P **Body, Rustler® 4X4 VXL, pink/ window, grille, lights decal sheet (assembled with front & rear body mounts and rear body support for clipless mounting)**
- 6717R **Body, Rustler® 4X4 VXL, red/ window, grille, lights decal sheet (assembled with front & rear body mounts and rear body support for clipless mounting)**
- 6718X Body, Rustler® 4X4, blue/ window, grille, lights decal sheet (assembled with front & rear body mounts and rear body support for clipless mounting)
- 6718 Body, Rustler® 4X4, red/ window, grille, lights decal sheet (assembled with front & rear body mounts and rear body support for clipless mounting)
- 6717X **Body, Rustler® 4X4, silver/ window, grille, lights decal sheet (assembled with front & rear body mounts and rear body support for clipless mounting)**
- 2514 Decal sheet, racing sponsors
- 9950 Official Team Traxxas® racing decal set (flag logo/ 6-color)
- 6728X **Skid plate, roof (body) (blue)/ 3x12mm CS (4)**
- 6728G **Skid plate, roof (body) (green)/ 3x12 CS (4)**
- 6728T **Skid plate, roof (body) (orange)/ 3x12 CS (4)**
- 6728R **Skid plate, roof (body) (red)/ 3x12mm CS (4)**
- 6728A **Skid plate, roof (body) (white)/ 3x12 CS (4)**
- 6728 Skid plate, roof (body) / 3x12mm CS (4)
- 6721 Wing, Rustler® 4X4 (black)/ 3x8 FCS (3)
- 6721X **Wing, Rustler® 4X4 (blue)/ 3x8 FCS (3)**
- 6721G **Wing, Rustler® 4X4 (green)/ 3x8 FCS (3)**
- 6721T **Wing, Rustler® 4X4 (orange)/ 3x8 FCS (3)**
- 6721R **Wing, Rustler® 4X4 (red)/ 3x8 FCS (3)**
- 6721A **Wing, Rustler® 4X4 (white)/ 3x8 FCS (3)**

Center Driveline

- 5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
- 6893G **Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)**
- 6893X **Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/ 10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft)**
- 6741 Cover, center driveshaft (clear)
- 7477 Cover, gear/ wire retainer
- 6814 Differential kit, center (complete)
- 6888 Drive hub, center, rear (1)/ 4x3 GS (1)
- 6888X Drive hub, front, hardened steel (1)/ screw pin (1)

- 6765 Driveshaft, center, 6061-T6 aluminum (blue-anodized) (189mm)
- 6765G Driveshaft, center, 6061-T6 aluminum (green-anodized) (189mm)
- 6765A Driveshaft, center, 6061-T6 aluminum (orange-anodized) (189mm)
- 6765R Driveshaft, center, 6061-T6 aluminum (red-anodized) (189mm)
- 6767 Driveshaft, center, plastic, (black)/ screw pin
- 6883 **Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)**
- 5148 Grease, white lithium
- 6884 **Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)**
- 6893 Input shaft (slipper shaft)/ bearing adapter (1)/ pin (1)
- 7460A Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
- 7460R **Motor mount, 6061-T6 aluminum (blue-anodized)**
- 7490 Plate, motor
- 7490G **Plate, motor, green**
- 7490A **Plate, motor, orange**
- 7490R **Plate, motor, red**
- 5352R Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
- 5352X **Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))**
- 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
- 2575 Screws, 3x6mm button-head machine (hex drive) (6)
- 2554 Screws, 3x6mm cap-head machine (hex drive) (6)
- 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
- 1647 Silicone grease
- 6878 Slipper clutch, complete
- 5556 **Slipper pressure plate & hub (aluminum alloy)**
- 5351 Slipper pressure plate and hub (alloy)

Chassis & Attachments

- 6726X Battery hold-down (3)/ battery clip/ hold-down post/ screw pin/ pivot post screw (fits #6723R chassis with 162mm long battery compartment)
- 6724 Box, receiver (sealed)/ foam pad/ 2.5x8mm CS (4)/ 3x10mm CS (2)
- 6791 Bumper, front (assembled, LED lights installed) (fits 4WD Rustler®)
- 6736X **Bumper, front/ bumper support (fits 4WD Rustler®) (for LED light kit installation)**
- 6737X Bumper, rear/ bumper mount (fits 4WD Rustler®) (for LED light kit installation)
- 6723R Chassis (162mm long battery compartment) (fits flat style battery packs) (use only with #7430R front bulkhead & #6726X battery hold-down)
- 6730X **Chassis brace kit, blue (fits Rustler® 4X4 or Slash 4X4 models equipped with Low-CG chassis)**
- 6730G **Chassis brace kit, green (fits Rustler® 4X4 or Slash 4X4 models equipped with Low-CG chassis)**
- 6730A **Chassis brace kit, orange (fits Rustler® 4X4 or Slash 4X4 models equipped with Low-CG chassis)**
- 6730R **Chassis brace kit, red (fits Rustler® 4X4 or Slash 4X4 models equipped with Low-CG chassis)**
- 6776 **Wheelie bar**

Differential Components

- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
- 5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)
- 5381 Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
- 6780 **Differential kit, center (complete)**
- 5136X **Differential oil kit (50cc of 1 each: 10K, 30K, 50K weights)**
- 6783 **Gear set, center differential (output gears (2)/ spider gears (4)/ spider gear shaft (2))**
- 6882X Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support)
- 6781 **Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5mm PTFE-coated washers (2)/ 2.5x8 CCS (4)**
- 6881 Housings, differential, front
- 6880 Housings, differential, rear
- 6782 **Output gears, center differential, hardened steel (2)**
- 5379X **Ring gear, differential/ pinion gear, differential**
- 6778 Ring gear, differential/ pinion gear, differential (12/47 ratio) (front)
- 6779 Ring gear, differential/ pinion gear, differential (12/47 ratio) (rear)

Page 2 Rustler® 4X4: TQ™ 2.4GHz Radio (Model 67064-61) Parts List

5379R	Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front)
6879R	Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)
6879	Ring gear, differential/ pinion gear, differential (rear)
3965	Screws, 2.5x8mm cap-head machine (6)
1647	Silicone grease

Driveline Components

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
9059X	Cross pin (2)/ drive pin (2) (repairs 1 axle shaft)
6758	Differential output shaft (for steel constant-velocity driveshafts) (2)
9057X	Differential output shafts, steel-splined constant-velocity (2)
6828A	Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft)
6851A	Driveshaft assembly, front, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
6852A	Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
6765	Driveshaft, center, 6061-T6 aluminum (blue-anodized) (189mm)
6765G	Driveshaft, center, 6061-T6 aluminum (green-anodized) (189mm)
6765A	Driveshaft, center, 6061-T6 aluminum (orange-anodized) (189mm)
6765R	Driveshaft, center, 6061-T6 aluminum (red-anodized) (189mm)
6767	Driveshaft, center, plastic, (black)/ screw pin
6851R	Driveshafts, front, steel-spline constant-velocity (complete assembly) (2)
9051X	Driveshafts, front, steel-spline constant-velocity (complete assembly) (2)
6852R	Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)
9052X	Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)
9055X	Half shaft, external splined (steel-spline constant velocity) (1)
6750	Half shaft, external splined (steel-spline constant-velocity) (1)
9056X	Half shaft, internal splined (steel-spline constant velocity) (1)
6751	Half shaft, internal splined (steel-spline constant-velocity) (1)
9058X	Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft)
6757	Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)
6854A	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
6853A	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
6754	Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1)
9054X	Stub axle, front, steel-splined constant velocity (1)
6753	Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1)
9053X	Stub axle, rear, steel-splined constant velocity (1)

Front Suspension & Steering

2728	Ball bearings (5x8x2.5mm) (2)
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
6823	Bulkhead tie bars, front & rear, aluminum (blue-anodized)
6823G	Bulkhead tie bars, front & rear, aluminum (green-anodized)
6823R	Bulkhead tie bars, front & rear, aluminum (red-anodized)
7430R	Bulkhead, front (for use only with #6723R chassis)
3641A	Camber link set (plastic / non-adjustable) (front & rear) (gray)
3641	Camber link set (plastic/ non-adjustable) (front & rear) (black)
3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
6832X	Caster blocks (c-hubs), 6061-T6 aluminum (blue-anodized), left & right
6832G	Caster blocks (c-hubs), 6061-T6 aluminum (green-anodized), left & right
6832A	Caster blocks (c-hubs), 6061-T6 aluminum (orange-anodized), left & right
6832R	Caster blocks (c-hubs), 6061-T6 aluminum (red-anodized), left & right
6832	Caster blocks (c-hubs), left & right
6845A	Drag link, machined 6061-T6 aluminum (blue-anodized)

6845G	Drag link, machined 6061-T6 aluminum (green-anodized)
6845T	Drag link, machined 6061-T6 aluminum (orange-anodized)
6845R	Drag link, machined 6061-T6 aluminum (red-anodized)
6851A	Driveshaft assembly, front, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
6851R	Driveshafts, front, steel-spline constant-velocity (complete assembly) (2)
7438	Linkage, steering
2742	Rod ends, long (6)/ hollow ball connectors (6)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
6739	Shock tower, front
6739X	Shock tower, front, 7075-T6 aluminum (blue-anodized) (1)/ body mount bracket (1)
6739G	Shock tower, front, 7075-T6 aluminum (green-anodized) (1)/ body mount bracket (1)
6739R	Shock tower, front, 7075-T6 aluminum (red-anodized) (1)/ body mount bracket (1)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
6837X	Steering blocks, 6061-T6 aluminum (blue-anodized), left & right
6837G	Steering blocks, 6061-T6 aluminum (green-anodized), left & right
6837A	Steering blocks, 6061-T6 aluminum (orange-anodized), left & right
6837R	Steering blocks, 6061-T6 aluminum (red-anodized), left & right
6837	Steering blocks, left & right
6854A	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
6754	Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1)
6732	Suspension arm guards, front (2)/ guard spacers (2)/ hollow balls (2)/ 3X16mm BCS (8)
3655P	Suspension arms, blue, front/rear (left & right), heavy duty (2)
3655R	Suspension arms, front/rear (left & right), heavy duty (2)
3655G	Suspension arms, green, front/rear (left & right), heavy duty (2)
3655T	Suspension arms, orange, front/rear (left & right), heavy duty (2)
3655L	Suspension arms, red, front/rear (left & right), heavy duty (2)
3655A	Suspension arms, white, front/rear (left & right), heavy duty (2)
6834	Suspension pin set, complete (front and rear)
6898	Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)
6742	Toe link, front & rear (molded composite) (2)/ hollow balls (4) (87mm center to center)
6742X	Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)
6742G	Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)
6742R	Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)

Hardware

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
3642	Attachment screws, shock (3x12mm shoulder screws) (6)
1552	Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench
3935	Body clip (mounting clip), angled, 90-degrees (10)
3935A	Body clip (mounting clip), angled, 90-degrees (black) (10)
3934	Body clips, heavy duty (12)
1589	Double-sided adhesive tape (25mm x 25mm) (2)
2586	Screws, 3x15mm cap-head machine (hex drive) (6)
2745	Nuts, 3mm nylon locking (12)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747	Nuts, 4mm nylon locking (10)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
5525	Rod ends (12)/ hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3347	Screws, 2.5x5mm button-head machine (hex drive) (6)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
3965	Screws, 2.5x8mm cap-head machine (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive) (6)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
2583	Screws, 3x18mm button-head machine (hex drive) (6)
2580	Screws, 3x20mm button-head machine (hex drive) (6)

Page 3 Rustler® 4X4: TQ™ 2.4GHz Radio (Model 67064-61) Parts List

2591	Screws, 3x23mm button-head machine (hex drive) (6)	6548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
2582	Screws, 3x30mm button-head machine (hex drive) (6)	2914	Battery, Power Cell AA Alkaline (4)
2592	Screws, 3x40mm button-head machine (hex drive) (6)	2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
2575	Screws, 3x6mm button-head machine (hex drive) (6)	2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2554	Screws, 3x6mm cap-head machine (hex drive) (6)	2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
2534	Screws, 3x6mm countersunk machine (6) (hex drive)	2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)	2992	Battery/charger complete pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))
2576	Screws, 3x8mm button-head machine (hex drive) (6)	2260	BEC assembly (complete)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)	2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
3937	Screws, 4x12mm button-head machine (hex drive) (6)	2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification
2542	Screws, 4x12mm countersunk machine (hex drive) (6)	2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification
2546	Screws, 4x15mm countersunk machine (hex drive) (6)	2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
2743	Set (grub) screws, 3mm hardened (12)	2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)	2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification
2754	Stub axle pins (4)	6525	Communication link, telemetry expander
2746	Washers, 3x6mm metal (12)	2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)

LED Lights

6588	Accessory power supply (regulated, 3V, 3 amp)/ power tap connector (with cable)/ 3x10 BCS (2)/ 2.6x8 BCS (2)	2972A	Gear set (for 2070, 2075 servos)
6797	Bumper, front (with LED lights) (replacement for #6736 front bumper)	2252	Gear set, metal (for 2250, 2255 servos)
6541X	Connector, power tap (with cable)/ 2.6x8 BCS (2) (use #6549 power tap for telemetry voltage)	2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
5893	LED light harness, rear (requires #5838, 6737X, or 6836X rear bumper)	2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6795	LED light set, complete (includes bumper with LED lights, roof skid plate with LED lights, 3-volt accessory power supply, and power tap connector (with cable)) (fits #6717 body)	6562	Mount, telemetry expander (requires #6730 chassis brace kit)
6793	LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 4WD Rustler®)	6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6796	Skid plate, roof (body) (with LED lights) (fits #6717 body)	6519	Receiver, micro, TQ 2.4GHz (3-channel)
2263	Y-harness, BEC to LED light set	3932	Screws, 3x6mm flat-head machine (hex drive) (6)

Motors & Electronics

1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
2260	BEC assembly (complete)	6526	Sensor, auto-detectable, temperature
6790	Gear adapter, fixed, Rustler® 4X4	6527	Sensor, auto-detectable, voltage
2072A	Gear set (for 2070, 2075 servos)	6520	Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)
2252	Gear set, metal (for 2250, 2255 servos)	6521	Sensor, temperature and voltage (long)
7460A	Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)	2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
7460R	Motor mount, 6061-T6 aluminum (blue-anodized)	2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
3785	Motor, Titan® 12T (12-Turn, 550 size)	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
3351R	Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)	2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
7490	Plate, motor	2053	Servo gears (for 2055, 2056 servos)
7490G	Plate, motor, green	2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
7490A	Plate, motor, orange	2075	Servo, digital high-torque (ball bearing), waterproof
7490R	Plate, motor, red	2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
3347	Screws, 2.5x5mm button-head machine (hex drive) (6)	2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
3932	Screws, 3x6mm flat-head machine (hex drive) (6)	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)	2056	Servo, high-torque, waterproof (blue case)
2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)	6553X	Telemetry expander 2.0 and GPS module 2.0, TQi radio system
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)	6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)	6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
2053	Servo gears (for 2055, 2056 servos)	6539	Telemetry trigger magnet holder, center differential/ magnet, 5x2mm (1)/ 3x8mm BCS (3) (for use with #6814 center differential)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof	6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
2075	Servo, digital high-torque (ball bearing), waterproof	6540	Telemetry trigger magnet, 5X2mm (1)
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof	6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof	6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof	6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
2056	Servo, high-torque, waterproof (blue case)	6528	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only)
3350R	Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725R))	6529	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)
3355R	Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)	6530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)	6511	Traxxas Link™ Wireless Module

Radio System, Batteries & Chargers

2842X	5000mAh 7.4v 2-Cell 25C LiPo Battery
2843X	5800mAh 7.4v 2-Cell 25C LiPo Battery
2869X	7600mAh 7.4v 2-Cell 25C LiPo Battery
2976	AC to DC converter, 40W
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)
2943	Battery charge indicators (green (4), blue (4), gray (4))

Ready-To-Race Model

67064-61	Rustler® 4X4: 1/10-scale 4WD Stadium Truck with TQ™ 2.4GHz radio system
----------	---

Rear Suspension

6823	Bulkhead tie bars, front & rear, aluminum (blue-anodized)
6823G	Bulkhead tie bars, front & rear, aluminum (green-anodized)
6823R	Bulkhead tie bars, front & rear, aluminum (red-anodized)
7429	Bulkhead, rear
3641A	Camber link set (plastic / non-adjustable) (front & rear) (gray)
3641	Camber link set (plastic/ non-adjustable) (front & rear) (black)
3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644G	Camber links, rear (TUBES green-anodized 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
1952X	Carriers, stub axle (blue-anodized 6061-T6 aluminum) (rear) (2)
1952G	Carriers, stub axle (green-anodized 6061-T6 aluminum) (rear) (2)
1952T	Carriers, stub axle (orange-anodized 6061-T6 aluminum) (rear) (2)
1952	Carriers, stub axle (rear) (2)
1952A	Carriers, stub axle (red-anodized 6061-T6 aluminum) (rear) (2)
6852A	Driv eshaft assembly, rear, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
6852R	Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
6738	Shock tower, rear
6738X	Shock tower, rear, 7075-T6 aluminum (blue-anodized) (1)/ body mount bracket (1)
6738G	Shock tower, rear, 7075-T6 aluminum (green-anodized) (1)/ body mount bracket (1)
6738R	Shock tower, rear, 7075-T6 aluminum (red-anodized) (1)/ body mount bracket (1)
6853A	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
3655P	Suspension arms, blue, front/rear (left & right), heavy duty (2)
3655R	Suspension arms, front/rear (left & right), heavy duty (2)
3655G	Suspension arms, green, front/rear (left & right), heavy duty (2)
3655T	Suspension arms, orange, front/rear (left & right), heavy duty (2)
3655L	Suspension arms, red, front/rear (left & right), heavy duty (2)
3655A	Suspension arms, white, front/rear (left & right), heavy duty (2)
6834	Suspension pin set, complete (front and rear)
6898	Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)

Shock Oil

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	Shock oil bottle (60cc) (for mixing shock oil)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
1667	Silicone shock oil (30 wt), 60cc
5038	Spinning carousel rack

Shocks (GTR)

7466X	Body, GTR long (hard-anodized, PTFE-coated aluminum) (1)
7466	Body, GTR long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)
7466G	Body, GTR long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)
7466A	Body, GTR long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)
7467X	Body, GTR xx-long (hard-anodized, PTFE-coated aluminum) (1)
7467	Body, GTR xx-long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)
7467G	Body, GTR xx-long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)
7467A	Body, GTR xx-long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)
7468X	Caps & spring retainers, GTR shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
7468	Caps and spring retainers, GTR long/xx-long shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
5475	Multi-tool (plastic)
5158	Nuts, 2.5mm nylon locking (12)

7463	Rebuild kit, GTR long/xx-long shocks (x-rings, bladders, pistons, piston nuts, shock rod ends, hollow balls) (renews 2 shocks)
5469	Rod ends (GTR shocks) (6)
7464T	Shaft, GTR long, TiN-coated (2)
74641	Shocks, GTR long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7461G	Shocks, GTR long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7461X	Shocks, GTR long hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)
7462	Shocks, GTR xx-long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7462G	Shocks, GTR xx-long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7462X	Shocks, GTR xx-long hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)
8459	Spring retainers, lower (captured) (4)/ 2.5x10 CS (4)
7440	Spring, shock, white (GTR long) (0.623 rate orange) (1 pair)
7441	Spring, shock, white (GTR long) (0.653 rate green) (1 pair)
7444	Spring, shock, white (GTR long) (0.767 rate black) (1 pair)
7445	Spring, shock, white (GTR long) (0.810 rate pink) (1 pair)
7448	Spring, shock, white (GTR long) (0.892 rate blue) (1 pair)
7442	Spring, shock, white (GTR xx-long) (0.711 rate orange) (1 pair)
7443	Spring, shock, white (GTR xx-long) (0.762 rate green) (1 pair)
7446	Spring, shock, white (GTR xx-long) (0.874 rate black) (1 pair)
7447	Spring, shock, white (GTR xx-long) (0.884 rate pink) (1 pair)
7449	Spring, shock, white (GTR xx-long) (1.004 rate blue) (1 pair)

Shocks (Pro-level Aluminum)

2664	Big Bore shock cylinder (long) (1)
5862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
2660	Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)
2662	Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
2362	Rebuild kit, Ultra shocks (for 2 shocks)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
2667	Shock caps, aluminum (Big Bore Shocks) (2)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
1664	Shock shafts, steel, chrome finish (long) (2)
2656	Shock shafts, steel, chrome finish (xx-long) (2)
1765	Silicone diaphragms (4)
2668	Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
6863	Springs, front (progressive, +10% rate, pink) (2)
6864	Springs, front (progressive, +20% rate, blue) (2)
6862	Springs, front (progressive, -10% rate, green) (2)
6861	Springs, front (progressive, -20% rate, orange) (2)
6857	Springs, front (white) (progressive rate) (2)
6867	Springs, rear (progressive, +10% rate, pink) (2)
6868	Springs, rear (progressive, +20% rate, blue) (2)
6866	Springs, rear (progressive, -10% rate, green) (2)
6865	Springs, rear (progressive, -20% rate, orange) (2)
6858	Springs, rear (white) (progressive rate) (2)

Shocks (Ultra Shocks)

3642	Attachment screws, shock (3x12mm shoulder screws) (6)
3765A	Body , Ultra Shock(s) (long) (gray) (2)
3766A	Body , Ultra Shock(s) (XXL) (gray) (2)
5475	Multi-tool (plastic)
2362	Rebuild kit, Ultra shocks (for 2 shocks)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
3767	Shock caps (2)/ shock bottoms (2)
8361	Shock caps (black) (4) (assembled with hollow balls)
3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
3767T	Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)
3767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)

Page 5 Rustler® 4X4: TQ™ 2.4GHz Radio (Model 67064-61) Parts List

2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
1765	Silicone diaphragms (4)
3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
3759	Springs, front (2)
6863	Springs, front (progressive, +10% rate, pink) (2)
6864	Springs, front (progressive, +20% rate, blue) (2)
6862	Springs, front (progressive, -10% rate, green) (2)
6861	Springs, front (progressive, -20% rate, orange) (2)
6857	Springs, front (white) (progressive rate) (2)
6867	Springs, rear (progressive, +10% rate, pink) (2)
6868	Springs, rear (progressive, +20% rate, blue) (2)
6866	Springs, rear (progressive, -10% rate, green) (2)
6865	Springs, rear (progressive, -20% rate, orange) (2)
3757X	Springs, rear (white) (2)
6858	Springs, rear (white) (progressive rate) (2)
3760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
3760A	Ultra Shocks (gray) (long) (complete w/ spring pre-load spacers & springs) (2)
3762A	Ultra Shocks (gray) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

Slipper Clutch Components

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
6893G	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)
6893X	Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft)
6888	Drive hub, center, rear (1)/ 4x3 GS (1)
6883	Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)
6884	Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)
6893	Input shaft (slipper shaft)/ bearing adapter (1)/pin (1)
5352R	Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5352X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm cap-head machine (hex drive) (6)
6878	Slipper clutch, complete
5556	Slipper pressure plate & hub (aluminum alloy)
5351	Slipper pressure plate and hub (alloy)

Spur Gears & Pinion Gears

7477	Cover, gear/ wire retainer
6790	Gear adapter, fixed, Rustler® 4X4
6746	Gear, 10-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
6747	Gear, 11-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
3942X	Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3943X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3944X	Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3945X	Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3946X	Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3947X	Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3949X	Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3950X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3952X	Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
6745	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
6842	Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch)
6842R	Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)

6843	Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch)
6843R	Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)
3956	Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch)
3956R	Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (requires #6814 center differential)
3956X	Spur gear, steel, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (requires #6780 center differential)

Steering Components

1552	Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench
2728	Ball bearings (5x8x2.5mm) (2)
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
6845A	Drag link, machined 6061-T6 aluminum (blue-anodized)
6845G	Drag link, machined 6061-T6 aluminum (green-anodized)
6845T	Drag link, machined 6061-T6 aluminum (orange-anodized)
6845R	Drag link, machined 6061-T6 aluminum (red-anodized)
7438	Linkage, steering
2742X	Rod ends, short (6)/ hollow balls (6)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
6742	Toe link, front & rear (molded composite) (2)/ hollow balls (4) (87mm center to center)
6742X	Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)
6742G	Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)
6742R	Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4)/ aluminum wrench (1)
2746	Washers, 3x6mm metal (12)

Suspension Linkage

3641A	Camber link set (plastic / non-adjustable) (front & rear) (gray)
3641	Camber link set (plastic/ non-adjustable) (front & rear) (black)
3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644G	Camber links, rear (TUBES green-anodized 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
5525	Rod ends (12)/ hollow balls (12)
3739	Screw pin set (Rustler®, Bandit®, Stampede®)
6834	Suspension pin set, complete (front and rear)
2537	Threaded rods (20/25/44mm 1 ea.) (1) 12mm set screw
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
5539	Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

Team Traxxas Items

2514	Decal sheet, racing sponsors
6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
1647	Silicone grease
2754	Stub axle pins (4)

Page 6 Rustler® 4X4: TQ™ 2.4GHz Radio (Model 67064-61) Parts List

- 4175 Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (nitro rear/ 4WD electric front/rear) (2) (TSM rated)
- 3669A Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Talon tires, foam inserts) (front/rear, Stampede 4x4) (2)
- 3669 Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Talon tires, foam inserts) (front/rear, Stampede 4x4) (2)
- 6773G Tires & wheels, assembled, glued (2.8") (RXT 4X4 green wheels, Talon Extreme tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
- 6775X Tires & wheels, assembled, glued (2.8") (RXT black & chrome wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
- 6773X Tires & wheels, assembled, glued (2.8") (RXT black chrome wheels, Talon Extreme tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
- 6775 Tires & wheels, assembled, glued (2.8") (RXT black wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
- 6773 Tires & wheels, assembled, glued (2.8") (RXT black wheels, Talon Extreme tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
- 6775G Tires & wheels, assembled, glued (2.8") (RXT green wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
- 6775A Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Anaconda tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
- 6773A Tires & wheels, assembled, glued (2.8") (RXT orange wheels, Talon Extreme tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
- 6773R Tires & wheels, assembled, glued (2.8") (RXT satin chrome wheels, Talon Extreme tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
- 6792 Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (4WD electric front/rear, 2WD electric front only) (2) (TSM rated)
- 6771 Tires and wheels, assembled, glued 2.8" (All-Star chrome wheels, Maxx® tires, foam inserts) (2)
- 6770 Tires, Maxx® 2.8" (2) foam inserts (2)
- 3671 Tires, Talon 2.8" (2) foam inserts (2)
- 6769 Tires, Talon EXT 2.8" (2) foam inserts (2)
- 1654 Wheel hubs, hex (rear) (2) stub axle pins (2)
- 1654X Wheel hubs, hex (blue-anodized, lightweight aluminum) (2) axle pins (2)
- 6856X Wheel hubs, splined, 17mm, short (4) wheel nuts, splined, 17mm (4) (blue-anodized) hub retainer M4 X 0.7 (4) axle pin (4) wrench, 5mm
- 5353 Wheel nuts, splined, 17mm (blue-anodized) (4)
- 5480X Wheel wrench, splined, 17mm
- 5576A Wheels, All-Star 2.8" (black chrome) (front/rear, Stampede 4x4) (2)
- 5576 Wheels, All-Star 2.8" (chrome) (Stampede 4x4 front or rear) (2)
- 6772 Wheels, RXT 2.8" (black) (2)
- 5572 Wheels, Twin-Spoke 2.8" (chrome) (front/rear, Stampede 4x4) (2)

- 8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
- 8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 2748R Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
- 3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle)

Turnbuckles & Threaded Rods

- 3643X Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2) rod ends (4) aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
- 3643G Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2) rod ends (4) aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
- 3643R Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2) rod ends (4) aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
- 3644X Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2) rod ends (4) aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
- 3644G Camber links, rear (TUBES green-anodized 7075-T6 aluminum, stronger than titanium) (73mm) (2) rod ends (4) aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
- 3644R Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2) rod ends (4) aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
- 5525 Rod ends (12) hollow balls (12)
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 5539 Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail support@Traxxas.com

TRAXXAS.COM

Traxxas Tools

- 3433X Body reamer (aluminum handle)
- 3433 Body reamer (plastic handle)
- 3436 Cap, body reamer
- 3432 Scissors, curved tip
- 3431 Scissors, straight tip
- 8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
- 8721 Speed bit handle, medium (one piece)
- 8720 Speed bit handle, premium, large (rubber overmold)
- 8722 Speed bit handle, premium, medium (rubber overmold)
- 8710 Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),
- 8711 Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
- 8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive