



# TRX-4® 1972 Chevrolet® Blazer® High Trail Edition™(Model 92086-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

## Axle Components

|              |  |
|--------------|--|
| 8241         | Axle housing, front  |
| 8242         | Axle housing, intermediate (TRX-6™) or rear (TRX-4®)   |
| 8227         | Axle mount set (complete) (front & rear) (for suspension links)  |
| 8228         | Axle shaft, front (left)/ drive pin/ cross pin   |
| 8229         | Axle shaft, front (right)/ drive pin/ cross pin  |
| <b>8060</b>  | <b>Axle shaft, front, heavy duty (left &amp; right) (requires #8064 front portal drive input gear)</b>                           |
| <b>8062</b>  | <b>Axle shaft, front, heavy duty (left &amp; right)/ portal drive input gear, front (machined) (2) (assembled)</b>               |
| 8230         | Axle shaft, rear (left)  |
| 8231         | Axle shaft, rear (right)   |
| <b>8063</b>  | <b>Axle shaft, rear, heavy duty (left &amp; right) (requires #8065 rear portal drive input gear)</b>                             |
| <b>8061</b>  | <b>Axle shaft, rear, heavy duty (left &amp; right)/ portal drive input gear, rear (machined) (2) (assembled)</b>                 |
| 8147         | Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit)   |
| 8148         | Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit)  |
| 8233         | Cross pin (2)/ drive pin (2) (to rebuild front axle shafts)  |
| 8256         | Portal drive axle mount, rear (left & right)   |
| <b>8256X</b> | <b>Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized) (left and right)/ 2.5x16 CS (4)</b>                           |
| <b>8256A</b> | <b>Portal drive axle mount, rear, 6061-T6 aluminum (charcoal gray-anodized) (left and right)/ 2.5x16 CS (4)</b>                  |
| <b>8256G</b> | <b>Portal drive axle mount, rear, 6061-T6 aluminum (green-anodized) (left and right)/ 2.5x16 CS (4)</b>                          |
| <b>8256R</b> | <b>Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized) (left and right)/ 2.5x16 CS (4)</b>                            |
| 8252         | Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6)   |
| 8253         | Portal drive housing, inner, rear (left or right) (2)  |
| 8251         | Portal drive housing, outer (front or rear) (2)  |
| <b>8064</b>  | <b>Portal drive input gear, front (machined) (left or right) (requires #8060 front axle shaft)</b>                               |
| 8257         | Portal drive input gear, front/ drive pin/ cross pin   |
| 8259         | Portal drive input gear, rear  |
| <b>8065</b>  | <b>Portal drive input gear, rear (machined) (left or right) (requires #8063 rear axle)</b>                                       |
| 8258         | Portal drive output gear, front or rear  |
| <b>8252X</b> | <b>Portal housings, inner (front), 6061-T6 aluminum (blue-anodized) (2)/ 3x12 BCS (2)</b>  |
| <b>8252A</b> | <b>Portal housings, inner (front), 6061-T6 aluminum (charcoal gray-anodized) (2)/ 3x12 BCS (2)</b>                               |
| <b>8252G</b> | <b>Portal housings, inner (front), 6061-T6 aluminum (green-anodized) (2)/ 3x12 BCS (2)</b>                                       |
| <b>8252R</b> | <b>Portal housings, inner (front), 6061-T6 aluminum (red-anodized) (2)/ 3x12 BCS (2)</b>   |
| <b>8253X</b> | <b>Portal housings, inner (rear), 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (2)</b>  |
| <b>8253A</b> | <b>Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (2)</b>                               |
| <b>8253G</b> | <b>Portal housings, inner (rear), 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (2)</b>                                       |
| <b>8253R</b> | <b>Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (2)</b>   |
| <b>8251X</b> | <b>Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12)</b>  |
| <b>8251A</b> | <b>Portal housings, outer, 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (12)</b>                                     |
| <b>8251G</b> | <b>Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12)</b>   |
| <b>8251R</b> | <b>Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12)</b>   |
| 8255A        | Stub axle, extended thread (portal drive) (2)  |
| <b>8267</b>  | <b>Weight, portal housing, brass (2) (34 grams)/ 2.5x8 CS (6) (requires #8251X, 8251R, 8251A, or 8251G outer portal housing)</b> |

## Bearings & Bushings

|       |  |
|-------|--|
| 5119A | Ball bearings, black rubber sealed (10x15x4mm) (2) |
| 5120A | Ball bearings, black rubber sealed (12x18x4mm) (2) |
| 5104A | Ball bearings, black rubber sealed (4x10x4mm) (2)  |
| 5115A | Ball bearings, black rubber sealed (5x10x4mm) (2)  |
| 5116A | Ball bearings, black rubber sealed (5x11x4mm) (2)  |
| 5114A | Ball bearings, black rubber sealed (5x8x2.5mm) (2) |
| 5117A | Ball bearings, black rubber sealed (6x12x4mm) (2)  |

|       |   |
|-------|---|
| 5180A | Ball bearings, black rubber sealed (6x13x5mm) (2) |
| 5103A | Ball bearings, black rubber sealed (7x14x5mm) (2) |

## Body (1969 Chevrolet® Blazer)

|                 |  |
|-----------------|--|
| <b>9112</b>     | <b>Body, Chevrolet Blazer (1969 - 1970) (clear, requires painting) (includes grille, side mirrors, door handles, windshield wipers, decals, window masks)</b>  |
| <b>9133</b>     | <b>Body, Chevrolet Blazer (1969) (clear, requires painting)/ decals/ window masks</b>  |
| <b>9131</b>     | <b>Body, Chevrolet Blazer (1969) (clear, requires painting)/ decals/ window masks (includes grille, side mirrors, door handles, windshield wipers, clipless mounting, hardware) (requires #8072X inner fenders)</b>                                |
| <b>9131-BLK</b> | <b>Body, Chevrolet Blazer (1969), complete, black (painted) (includes grille, side mirrors, door handles, windshield wipers, front &amp; rear bumpers, clipless mounting) (requires #8072X inner fenders)</b>                                      |
| <b>9112X</b>    | <b>Body, Chevrolet Blazer (1969), complete, black (painted) (includes grille, side mirrors, door handles, windshield wipers, front &amp; rear bumpers, decals)</b>   |
| <b>9125</b>     | <b>Bumper pads/ bumper guards (chrome)/ 2.5x12 BCS (4)/ 2.7mm drill bit (fits #9126 or #9127 front bumpers)</b>  |
| <b>9127</b>     | <b>Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)</b>  |
| <b>9124</b>     | <b>Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)</b>   |
| <b>9113</b>     | <b>Decal sheets, Chevrolet Blazer (1969 - 1972)</b>  |
| <b>6593</b>     | <b>Distribution block, Pro Scale® Advanced Lighting Control System</b>   |
| <b>9115</b>     | <b>Door handles, left, right, and rear/ retainers (3)/ windshield wipers, left &amp; right/ retainer (1)/ fuel cap/ fuel flange/ fuel cap mount/ 1.6x5 BCS (self-tapping) (7)/ 2.6x8 BCS (1)</b>   |
| <b>9123</b>     | <b>Grille, Chevrolet Blazer (1969 - 1970)/ grille retainers (5)/ headlight housing (2)/ headlight lens (2)/ turn signal lens (2)/ hood emblem/ hood emblem mount/ 2.6x8 BCS (5)/ 2.5x6 BCS (4)/ 1.6x5 BCS (self-tapping) (2) (fits #9112 body)</b> |
| <b>8091</b>     | <b>Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Chevrolet Blazer (1969 &amp; 1972) (includes mount, reverse lights and turn signal harnesses, hardware)</b>   |
| <b>8090</b>     | <b>LED light set, complete with power supply (contains headlights, tail lights, side marker lights, &amp; distribution block) (fits #9111 or 9112 body)</b>  |
| <b>9116</b>     | <b>Marker light housing (4)/ marker light mount (4)/ marker light lens (red (2), amber (2))/ reverse lens (left &amp; right)/ 1.6x5 BCS (self-tapping) (8)</b>   |
| <b>9121</b>     | <b>Mirrors, side, chrome (left &amp; right)/ o-rings (4)/ body clips (4) (fits #9112 body)</b>   |
| <b>6592</b>     | <b>Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware)</b>  |
| <b>6591</b>     | <b>Pro Scale® Advanced Lighting Control System (includes power module &amp; distribution block)</b>  |
| <b>8090X</b>    | <b>Pro Scale® LED light set, TRX-4® Chevrolet Blazer (1969 &amp; 1972), complete with power module (contains headlights, tail lights, side marker lights, &amp; distribution block) (fits #9111 or 9112 body)</b>                                  |
| <b>6594</b>     | <b>Receiver communication cable, Pro Scale® Advanced Lighting Control System</b>   |
| <b>9122</b>     | <b>Tail light housing, black (2)/ lens (2)/ retainers (left &amp; right)/ 2.6x8 BCS (self-tapping) (4)</b>   |

## Body (1972 Chevrolet® Blazer)

|                  |  |
|------------------|--|
| <b>9128</b>      | <b>Body cage/ body mounts (front &amp; rear)/ body mount latch (2)/ 3x8mm BCS (15) (fits #9111 or 9112 bodies)</b>   |
| <b>9111</b>      | <b>Body, Chevrolet Blazer (1972) (clear, requires painting) (includes grille, side mirrors, side trim, door handles, windshield wipers, decals, window masks)</b>  |
| <b>9130</b>      | <b>Body, Chevrolet Blazer (1972) (clear, requires painting)/ decals/ window masks (includes grille, side mirrors, door handles, windshield wipers, clipless mounting, hardware) (requires #8072X inner fenders)</b>      |
| <b>9132</b>      | <b>Body, Chevrolet Blazer (1972) (clear, requires painting)/ decals/ window masks (requires #8072X inner fenders)</b>  |
| <b>9130-BLWT</b> | <b>Body, Chevrolet Blazer (1972), complete, blue &amp; white (painted) (includes grille, side mirrors, door handles, windshield wipers, front &amp; rear bumpers, clipless mounting) (requires #8072X inner fenders)</b> |
| <b>9130-BLUE</b> | <b>Body, Chevrolet Blazer (1972), complete, blue (painted) (includes grille, side mirrors, door handles, windshield wipers, front &amp; rear bumpers, clipless mounting) (requires #8072X inner fenders)</b>             |

- 9111X Body, Chevrolet Blazer (1972), complete, blue (painted) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, decals)
- 9130-RED Body, Chevrolet Blazer (1972), complete, red (painted) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, clipless mounting) (requires #8072X inner fenders)
- 9125 Bumper pads/ bumper guards (chrome)/ 2.5x12 BCS (4)/ 2.7mm drill bit (fits #9126 or #9127 front bumpers)
- 9126 Bumper, front (chrome)/ bumper mount/ lens (left and right) (2)/ lens mount (left and right) (2)/ 3x10 BCS (2)/ 2.6x6 BCS (4)
- 9124 Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
- 9113 Decal sheets, Chevrolet Blazer (1969 - 1972)
- 6593 Distribution block, Pro Scale® Advanced Lighting Control System
- 9115 Door handles, left, right, and rear/ retainers (3)/ windshield wipers, left & right/ retainer (1)/ fuel cap/ fuel flange/ fuel cap mount/ 1.6x5 BCS (self-tapping) (7)/ 2.6x8 BCS (1)
- 9120 Grille, Chevrolet Blazer (1972)/ grille retainers (5)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (5)/ 2.5x6 BCS (4) (fits #9111 body)
- 8091 Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Chevrolet Blazer (1969 & 1972) (includes mount, reverse lights and turn signal harnesses, hardware)
- 8090 LED light set, complete with power supply (contains headlights, tail lights, side marker lights, & distribution block) (fits #9111 or 9112 body)
- 9116 Marker light housing (4)/ marker light mount (4)/ marker light lens (red (2), amber (2))/ reverse lens (left & right)/ 1.6x5 BCS (self-tapping) (8)
- 9118 Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits #9111 body)
- 6592 Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware)
- 6591 Pro Scale® Advanced Lighting Control System (includes power module & distribution block)
- 8090X Pro Scale® LED light set, TRX-4® Chevrolet Blazer (1969 & 1972), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #9111 or 9112 body)
- 6594 Receiver communication cable, Pro Scale® Advanced Lighting Control System
- 9117 Side trim, Chevrolet Blazer (1972), left & right/ rear trim, upper & lower/ retainers, left, right & rear/ 2.6x8 BCS (23)/ 1.6x5 BCS (self-tapping) (5) (fits #9111 body)
- 9119 Tail light housing, chrome (2)/ lens (2)/ retainers (left & right)/ 2.6x8 BCS (self-tapping) (4)

**Body (1979 Chevrolet® Blazer)**

- 8130T Body, Chevrolet Blazer (1979), complete (black) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, decals)
- 8130X Body, Chevrolet Blazer (1979), complete (orange) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, decals)
- 8130R Body, Chevrolet Blazer (1979), complete (red) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, decals)
- 8131 Decal sheet, Chevrolet Blazer (1979)
- 6593 Distribution block, Pro Scale® Advanced Lighting Control System
- 8132 Door handles, left, right & rear tailgate/ windshield wipers, left & right/ retainers (2)/ 1.6x5 BCS (self-tapping) (7) (fits #8130 series bodies)
- 8134 Grille, Chevrolet Blazer or K10 Truck (1979)/ grille retainers (4)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (4)/ 2.5x6 BCS (2) (fits #8130 or 9212 series bodies)
- 8082 Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Chevrolet Blazer or K10 Truck (1979) (includes mount, reverse lights harness, hardware)
- 8039 LED light set (contains headlights, tail lights, side marker lights, & distribution block) (fits #8130 series bodies, requires #8028 power supply)
- 8038 LED light set, complete with power supply (contains headlights, tail lights, side marker lights, & distribution block) (fits #8130 series bodies)
- 8133X Mirrors, side (folding) (fits #8130 series bodies)
- 8133 Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fits #8130 series bodies)
- 6592 Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware)
- 6591 Pro Scale® Advanced Lighting Control System (includes power module & distribution block)
- 8038X Pro Scale® LED light set, TRX-4® Chevrolet Blazer or K10 Truck (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8130 or 9212 series bodies)

- 6594 Receiver communication cable, Pro Scale® Advanced Lighting Control System
- 8135 Tail lights, left & right (assembled)/ tail light retainers, left & right/ side marker lights (assembled) (2)/ side marker retainers (2)/ mounting tape (2)/ 1.6x5 BCS (self-tapping) (4)/ 2.6x8 BCS (2) (fits #8130 or 9212 series bodies)

**Body (1979 Ford® Bronco®)**

- 8010X Body, Ford Bronco, complete (black) (includes front and rear bumpers, push bar, rear body mount, grille, side mirrors, door handles, windshield wipers, spare tire mount, red and sunset decals) (requires #8072 inner fenders)
- 8078R Decal sheet, Bronco, red (fits #8010 body)
- 6593 Distribution block, Pro Scale® Advanced Lighting Control System
- 8075 Door handles, left & right/ windshield wipers, left & right/ retainers (3)/ 1.6x5 BCS (self-tapping) (4) (fits #8010 or 9230 series bodies)
- 8070 Grille, Ford Bronco or F-150/ grille retainers (6)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (6)/ 2.5x6 BCS (2) (fits #8010 or 9230 series bodies)
- 8032 Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Ford Bronco (1979) or Chevrolet K10 Truck (1979) (includes mount, reverse lights harness, hardware)
- 8036 LED light set (contains headlights, tail lights, side marker lights, and distribution block) (fits #8010 body, requires #8028 power supply)
- 8035 LED light set, complete with power supply (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 body)
- 8037 LED lights, high/low switch (for #8035 or #8036 LED light kits)
- 8073 Mirrors, side, black (left & right)/ retainers (2)/ body clips (4) (fits #8010 or 9230 series bodies)
- 8073X Mirrors, side, chrome (left & right)/ retainers (2)/ body clips (4) (fits #8010 or 9230 series bodies)
- 6592 Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware)
- 6591 Pro Scale® Advanced Lighting Control System (includes power module & distribution block)
- 8035R Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F-150 (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 or 9230 series bodies)
- 6594 Receiver communication cable, Pro Scale® Advanced Lighting Control System
- 8076 Side trim, left & right (chrome)/ retainers/ LED lens/ 2.6x8 BCS (24) (fits #8010 series bodies)
- 8074 Spare tire mount/ mounting bracket/ spare tire cover/ mounting hardware
- 8077 Tailgate panel insert (clear, requires painting)/ adhesive foam tape (2) (fits #8010 series bodies)
- 8071 Tailgate panel/ tail light lens (2) (left & right) (fits #8010 series bodies)

**Body (Mercedes-Benz® G 500®)**

- 8811 Body, Mercedes-Benz® G 500® (clear, requires painting)/ decals/ window masks (includes rear body post, grille, side mirrors, door handles, windshield wipers)
- 8812 Decals, Mercedes-Benz® G 500®
- 6593 Distribution block, Pro Scale® Advanced Lighting Control System
- 8813X Grille, Mercedes-Benz® G 500® 4x4<sup>2</sup>/grille mount & insert/lens, headlight (2 ea)/reflector (2)/bumperette & mounts, front (2 ea)/turn signal housing & lens (2 ea)/ hardware (fits #8811/8825 body)
- 8893 Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Mercedes® G 500® & G 63® (includes mount, rear bumper lens, turn signal, reverse light, & fog light harnesses, hardware)
- 8899 LED light set (contains headlights, tail lights, roof lights, and distribution block) (fits #8811 body, requires #8028 power supply)
- 8898 LED light set, complete with power supply (contains headlights, tail lights, roof lights, & distribution block) (fits #8811 body)
- 8817 Mirrors, side, black (left & right)/ o-rings (4)/ windshield wipers, left, right, & rear/ wiper retainers (2)/ body clips (4)/ 1.6x5 BCS (self-tapping) (3)
- 6592 Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware)
- 6591 Pro Scale® Advanced Lighting Control System (includes power module & distribution block)
- 8898X Pro Scale® LED light set, TRX-4® Mercedes® G 500® & G 63®, complete with power module (contains headlights, tail lights, roof lights, & distribution block) (fits #8811 or 8825 body)

- 6594 Receiver communication cable, Pro Scale® Advanced Lighting Control System
- 8822 Roof visor/ visor retainer/ visor lens (2)/ 2.6x6 BCS (3)/ 3x4 GS (4)
- 8816X Side marker light housing (2)/ mount (2)/ lens (2)/ 1.6x7 BCS (self-tapping) (2)
- 8814X Tail light lens (2)/ tail light housing (2)/ tail light housing mount (2)/ reverse lens (2)/ 1.6x5 BCS (4) (left & right)

**Body (Tactical Unit)**

- 8211X Body, Tactical Unit, night camo (painted)/ decals
- 8019 Fender brace, inner, front & rear
- 8017 Fender flares, front & rear (2 each) (fits #8011 or #8211 series bodies)
- 8018 Fenders, inner, front & rear (2 each)/ rock light covers (8)
- 8020 Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8011 series bodies)
- 8021 Spare tire mount/ mounting bracket/ screw pins (2)

**Body (TRX-4® Sport)**

- 8112 Body with camper, TRX-4® Sport (clear, trimmed, requires painting)/window masks/ decal sheet
- 8111R Body, TRX-4® Sport (clear, trimmed, die-cut for LED light kit, requires painting)/ window masks/ decal sheet
- 8111 Body, TRX-4® Sport (clear, trimmed, requires painting)/ window masks/ decal sheet
- 8113 Decal Sheet, TRX-4® Sport
- 6593 Distribution block, Pro Scale® Advanced Lighting Control System
- 8120X Expedition rack, complete (includes traction boards, shovel, axe, jack, fire extinguisher, fuel cans, & mounting hardware) (fits #8111 or #8111R body)
- 8120 Expedition rack/ mounting hardware (fits #8111 or #8111R body)
- 8422 Fire extinguisher, red (2)
- 8116 Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body)
- 8083 Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Sport (includes mount, rear lens, reverse lights and turn signal harnesses, hardware)
- 8086 LED expedition rack scene light kit (fits #8111 body, requires #8028 power supply)
- 8084 LED headlight/tail light kit (fits #8111 or #8112 body, requires #8028 power supply)
- 8088 LED light bar, front bumper (fits #8124 front bumper, requires #8028 power supply)
- 8087 LED light bar, roof lights (fits #8111 body, requires #8028 power supply)
- 8085 LED light set, complete with power supply (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body)
- 8119 Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8111 or #8112 body)
- 6592 Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware)
- 6591 Pro Scale® Advanced Lighting Control System (includes power module & distribution block)
- 8085X Pro Scale® LED light set, TRX-4® Sport, complete with power module (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body)
- 6594 Receiver communication cable, Pro Scale® Advanced Lighting Control System
- 8122 Shovel/ axe/ accessory mount/ mounting hardware
- 8118 Spare tire mount/ mounting hardware
- 8117 Tailgate panel/ tailgate retainers (2)/ tailgate mount/ tail light lens (2) (left & right)/ 2.5x8 BCS (4) (fits #8111 or #8112 body)
- 8121X Traction boards, blue/ mounting hardware
- 8121G Traction boards, green/ mounting hardware
- 8121A Traction boards, yellow/ mounting hardware
- 8121 Traction boards/ mounting hardware

**Body Accessories**

- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 1834 Body Clips (12) (standard size)
- 1834A Body clips, black (12) (standard size)
- 3934 Body clips, heavy duty (12)
- 3934A Body clips, heavy duty (black) (12)
- 8215 Body mounts & posts, front & rear (complete set)
- 8115 Body posts, front & rear
- 4915 Body washers, foam adhesive (10)
- 2514 Decal sheet, racing sponsors
- 8081 Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080 narrow inner fenders)

- 8080 Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10)
- 8072 Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flathead screws (4)
- 9288 Fenders, inner, front & rear (for clipless body mounting) (2 each)/ rock light covers (8)
- 9950 Official Team Traxxas® racing decal set(flag logo/ 6-color)

**Bumpers & Skidplates**

- 8234 Bumper D-Rings, grey (front or rear)/ 2.0x12 CS (4)
- 8234R Bumper D-rings, red (front or rear)/ 2.0x12 CS (4)
- 8067 Bumper mounts, front & rear
- 8067X Bumper mounts, front & rear/ bumper mount, rear (offset)
- 8237 Bumper mounts, front & rear/ screw pins (4)
- 8124 Bumper, front (178mm wide)/ winch/ 2.6x8 BCS (1)
- 8137 Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)
- 9126 Bumper, front (chrome)/ bumper mount/ lens (left and right) (2)/ lens mount (left and right) (2)/ 3x10 BCS (2)/ 2.6x6 BCS (4)
- 8235 Bumper, front/ winch/ 2.6x8 BCS (1)
- 8236 Bumper, rear
- 8125 Bumper, rear (176mm wide)
- 8136 Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
- 9124 Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
- 8138 Push bar, bumper, chrome (assembled) (fits #8137 bumper)
- 8238 Skidplate/ lower gear cover

**Chassis & Attachments**

- 8327 Battery hold-down/ battery clip/ hold-down post/screw pin (for 256mm wheelbase)
- 8215 Body mounts & posts, front & rear (complete set)
- 8224 Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2)
- 8058 Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inner fenders, short female half shaft, battery tray, 3x8mm FCS (4))
- 8057 Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft)
- 8220 Chassis rails, 448mm (steel) (left & right)
- 8081 Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080 narrow inner fenders)
- 8080 Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10)
- 8080X Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10) (for clipless body mounting)
- 8072X Fenders, inner (wide), front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4) (for clipless body mounting)
- 8072 Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flathead screws (4)
- 8218 Floor pans, left & right
- 8224X Receiver box cover (for use only with #8224 receiver box & #2260 BEC)/ foam pads/ seals/ silicone grease
- 8219 Rock sliders, left & right
- 8225 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
- 8240X Servo mount, 2-speed/ servo mount, T-Lock/ wire clips
- 8239 Servo mount, steering/ chassis crossmember
- 8216 Shock towers, front & rear (left & right)
- 8226 Tray, battery

**Differential Components**

- 8281 Carrier, differential/ differential slider/ T-Lock fork
- 8280A Differential cover, front or rear (black)
- 8280X Differential cover, front or rear (chrome plated)
- 8280 Differential cover, front or rear (grey)
- 8280R Differential cover, front or rear (red)
- 8195 Differential, locking, front and rear (assembled) (includes T-Lock cables and servos)
- 8282 Gear set, differential (output gears (2), spider gears (4), spider gear shaft (2))
- 8295 Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1))
- 8279 Ring gear, differential/ pinion gear, differential
- 8279R Ring gear, differential/ pinion gear, differential (machined)
- 8287 Ring gear, differential/ pinion gear, differential (overdrive, machined)
- 8288 Ring gear, differential/ pinion gear, differential (underdrive, machined)
- 8297 Spool/ differential housing plug/ e-clip/ 2.5x8mm BCS (with threadlock) (4)

**Driveline Components**

|       |   |
|-------|---|
| 8150  | Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) |
| 8250  | Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only)                                   |
| 8255A | Stub axle, extended thread (portal drive) (2)   |
| 8269  | Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)  |
| 8269X | Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ 3x10 screw pin (4)  |
| 8269A | Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-anodized) (4)/ 3x10 screw pin (4)   |
| 8269G | Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ 3x10 screw pin (4)   |
| 8269R | Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ 3x10 screw pin (4)   |

**Hardware**

|       |   |
|-------|---|
| 1552  | 3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)   |
| 1834  | <b>Body Clips (12) (standard size)</b>  |
| 1834A | Body clips, black (12) (standard size)  |
| 3934  | <b>Body clips, heavy duty (12)</b>  |
| 3934A | Body clips, heavy duty (black) (12)   |
| 4859  | CS 3x10 flathead (hex drive)  |
| 8167X | <b>Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels)</b>                           |
| 8298  | <b>Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4®)</b>                             |
| 8151  | <b>Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4® High Lift Kit)</b> |
| 5476X | Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball  |
| 1747P | <b>Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)</b>  |
| 8167  | <b>Nuts, 4mm flanged nylon locking (steel, serrated) (8)</b>  |
| 8347  | Nuts, 4mm flanged nylon locking, serrated (black) (10)  |
| 1747R | <b>Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)</b>  |
| 1747G | <b>Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)</b>   |
| 1747T | <b>Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)</b>  |
| 1747A | <b>Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)</b>   |
| 1985  | PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)  |
| 8221  | Screw pin, 3x10mm (6)   |
| 2523  | Screws, 2.5x10 countersunk machine (hex drive) (6)  |
| 3229  | Screws, 2.5x10mm cap-head machine (hex drive) (6)   |
| 3236  | Screws, 2.5x12mm cap-head machine (6)   |
| 2618  | Screws, 2.5x16mm cap-head machine (6)   |
| 3215  | Screws, 2.5x6mm cap-head machine (hex drive) (6)  |
| 2524  | Screws, 2.5x8 countersunk machine (hex drive) (6)   |
| 2617  | Screws, 2.5x8mm button-head machine (hex drive) (6)   |
| 3965  | Screws, 2.5x8mm cap-head machine (6)  |
| 8299  | Screws, 2.6x12mm button-head, self-tapping (hex drive) (6)  |
| 8167  | Screws, 2x10mm cap-head, self-tapping (hex drive) (10)  |
| 2564  | Screws, 2x8mm cap-head machine (hex drive) (6)  |
| 2577  | Screws, 3x10mm button-head machine (hex drive) (6)  |
| 2578  | Screws, 3x12mm button-head machine (hex drive) (6)  |
| 2579  | Screws, 3x15mm button-head machine (hex drive) (6)  |
| 2591  | Screws, 3x23mm button-head machine (hex drive) (6)  |
| 2581  | Screws, 3x25mm button-head machine (hex drive) (6)  |
| 2616  | Screws, 3x27mm button-head machine (hex drive) (6)  |
| 2582  | Screws, 3x30mm button-head machine (hex drive) (6)  |
| 2575  | Screws, 3x6mm button-head machine (hex drive) (6)   |
| 3932  | Screws, 3x6mm flat-head machine (hex drive) (6)   |
| 2576  | Screws, 3x8mm button-head machine (hex drive) (6)   |
| 3931  | Screws, 3x8mm flat-head machine (hex drive) (6)   |
| 3933  | Screws, 4x16mm button-head machine (hex drive) (6)  |

**LED Light Accessories**

|      |  |
|------|--|
| 8031 | <b>3-in-1 wire harness, LED light kit</b>  |
| 8089 | <b>4-in-2 wire harness, LED light kit</b>  |
| 6589 | <b>Distribution block, LED light set</b>   |
| 6593 | <b>Distribution block, Pro Scale® Advanced Lighting Control System</b>   |
| 8091 | <b>Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Chevrolet Blazer (1969 &amp; 1972) (includes mount, reverse lights and turn signal harnesses, hardware)</b> |
| 8082 | <b>Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Chevrolet Blazer or K10 Truck (1979) (includes mount, reverse lights harness, hardware)</b>                 |
| 8090 | <b>LED light set, complete with power supply (contains headlights, tail lights, side marker lights, &amp; distribution block) (fits #9111 or 9112 body)</b>                          |
| 8028 | <b>LED lights, power supply (regulated, 3V, 0.5-amp)/ 3-in-1 wire harness</b>  |

|       |   |
|-------|---|
| 8026X | <b>LED rock light kit, TRX-4®/TRX-6™ (requires #8028 power supply and #8018, #8072, or #8080 inner fenders)</b>   |
| 6592  | <b>Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware)</b>   |
| 6591  | <b>Pro Scale® Advanced Lighting Control System (includes power module &amp; distribution block)</b>   |
| 8090X | <b>Pro Scale® LED light set, TRX-4® Chevrolet Blazer (1969 &amp; 1972), complete with power module (contains headlights, tail lights, side marker lights, &amp; distribution block) (fits #9111 or 9112 body)</b> |
| 6594  | <b>Receiver communication cable, Pro Scale® Advanced Lighting Control System</b>  |

**Long Arm Lift Kit**

|       |  |
|-------|--|
| 8162X | <b>Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit)</b>   |
| 8162R | <b>Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit)</b>   |
| 8162  | Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit)  |
| 8147  | Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit)   |
| 8148  | Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit)  |
| 8150  | <b>Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit)</b>   |
| 8140  | Long arm lift kit, TRX-4®, complete  |
| 8140X | <b>Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks)</b>   |
| 8140R | <b>Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks)</b>   |
| 8149  | <b>Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit)</b>   |
| 8141  | Servo mount, steering (for use with TRX-4® Long Arm Lift Kit)  |
| 8161  | Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit)  |
| 8160X | <b>Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit)</b>  |
| 8160R | <b>Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit)</b>   |
| 8160  | Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit)   |
| 8153  | <b>Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit)</b>   |
| 8154  | <b>Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit)</b>  |
| 8155  | Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with TRX-4® Long Arm Lift Kit)   |
| 8156  | <b>Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit)</b>   |
| 8157  | <b>Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit)</b>  |
| 8146X | <b>Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard link, 5x63mm (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)</b> |
| 8146R | <b>Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard link, 5x63mm (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)</b>  |
| 8144X | <b>Suspension link, front upper, 5x68mm (1) (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)</b>                                |
| 8144R | <b>Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)</b>                                 |
| 8144  | Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)   |
| 8143  | Suspension links, front lower (2) (5x104mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)   |
| 8143X | <b>Suspension links, front lower, blue (2) (5x104mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)</b>                             |
| 8143R | <b>Suspension links, front lower, red (2) (5x104mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)</b>                              |
| 8145  | Suspension links, rear lower (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)  |
| 8145X | <b>Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)</b>                              |
| 8145R | <b>Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)</b>                               |
| 8142  | Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)  |

- 8142X Suspension links, rear upper, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)
- 8142R Suspension links, rear upper, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)
- 8172 Tires & wheels, assembled (Method Race Wheels® 105 Beadlock 2.2" black chrome beadlock wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (1 left, 1 right)
- 8184 Tires & wheels, assembled, glued (2.2" classic chrome wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (front (2), rear (2)) (requires #8255A extended thread stub axle)
- 8181 Tires & wheels, assembled, glued (TRX-4® Sport 2.2" wheels, Canyon Trail 5.3x2.2" tires) (2)
- 8170 Tires, Canyon Trail 5.3x2.2"/ foam inserts (2)
- 8171 Wheels, 2.2", Method Race Wheels® 105 Beadlock (black chrome, beadlock) (beadlock rings sold separately)
- 8171A Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately)
- 8180 Wheels, TRX-4® Sport 2.2 (2)

- 8864 Line, winch (gray)
- 8864R Line, winch (red)
- 8860 Spool shaft assembly, winch
- 8861 Spool, winch
- 8855 Winch kit with wireless controller, TRX-4® and TRX-6®
- 8856 Winch, TRX-4® and TRX-6® (requires #8857 wireless remote)
- 8857 Wireless remote, winch, TRX-4® and TRX-6®

**Radio System, Batteries & Chargers**

- 2823X 1400mah 11.1v 3-Cell 25C LiPo Battery
- 2820X 2200mah 7.4v 2-Cell 25C LiPo Battery
- 2849X 4000mah 11.1v 3-Cell 25C LiPo Battery
- 2872X 5000mah 11.1v 3-Cell 25C LiPo Battery
- 2842X 5000mah 7.4v 2-Cell 25C LiPo Battery
- 2843X 5800mah 7.4v 2-Cell 25C LiPo Battery
- 2869X 7600mah 7.4v 2-Cell 25C LiPo Battery
- 2976 AC to DC adapter
- 2938X Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 2943 Battery charge indicators, green (4), grey (4), blue (4)
- 6548 Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
- 8222 Battery strap (for use with 2200mAh 2-cell and 1400mAh 3-cell LiPo batteries)
- 2914 Battery, Power Cell AA Alkaline (4)
- 2923X Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
- 2940X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
- 2950X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
- 2960X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
- 2983 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
- 2992 Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
- 2994 Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1))
- 2991 Battery/charger completer pack (includes #2972 Dual iD charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery (2))
- 2262 BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals)
- 2975 Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
- 2972 Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
- 2973 Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
- 2970 Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
- 2971 Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
- 2981 Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
- 6525 Communication link, telemetry expander
- 6512 Cover plate, Traxxas® Link Bluetooth® module
- 2978 Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
- 2064A Gear set (for 2065A waterproof sub-micro servo)
- 2064R Gear set, metal (for 2065R waterproof sub-micro servo)
- 2072X Gear set, metal (for 2070, 2075 servos)
- 2252 Gear set, metal (for 2250, 2255 servos)
- 2272 Gear set, metal (for 2270 waterproof servo)
- 2072R Gear set, metal, high-speed (for 2070, 2075 servos)
- 2072R LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
- 2968X LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
- 2968 Mount, telemetry expander
- 6561 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
- 6535 Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
- 6533 Seal kit, expander box (includes o-ring, seals, and silicone grease)
- 6552 Sensor, auto-detectable, temperature
- 6526 Sensor, auto-detectable, voltage
- 6521 Sensor, temperature and voltage (long)
- 2254 Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
- 2253 Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
- 2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
- 2271 Servo case/ gaskets (for 2270 waterproof servo)
- 2063A Servo case/gaskets (for 2065A waterproof sub-micro servo)
- 2063R Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)

**Motors & Electronics**

- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 2262 BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals)
- 2064A Gear set (for 2065A waterproof sub-micro servo)
- 2064R Gear set, metal (for 2065R waterproof sub-micro servo)
- 2072X Gear set, metal (for 2070, 2075 servos)
- 2252 Gear set, metal (for 2250, 2255 servos)
- 2272 Gear set, metal (for 2270 waterproof servo)
- 2072R Gear set, metal, high-speed (for 2070, 2075 servos)
- 8290X Motor mount plate, 6061-T6 aluminum (blue-anodized)
- 8290A Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)
- 8290G Motor mount plate, 6061-T6 aluminum (green-anodized)
- 8290R Motor mount plate, 6061-T6 aluminum (red-anodized)
- 3975R Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1)
- 8290 Plate, motor/ upper spur gear cover
- 2254 Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
- 2253 Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
- 2251 Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
- 2271 Servo case/ gaskets (for 2270 waterproof servo)
- 2063A Servo case/gaskets (for 2065A waterproof sub-micro servo)
- 2063R Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo)
- 2063X Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)
- 5669 Servo horn (with built-in spring and hardware) (for Summit locking differential)
- 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
- 2250 Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)
- 2255 Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)
- 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
- 2270 Servo, digital high-torque, metal gear (ball bearing), waterproof
- 2065A Servo, sub-micro, waterproof
- 2065R Servo, sub-micro, waterproof, metal gear
- 3025 XL-5HV 3s Electronic Speed Control, waterproof (low-voltage detection, fwd/rev/brake)
- 2261 Y-harness, BEC

**Pro Scale® Winch & Accessories**

- 8867 Bumper, front, winch, medium (includes bumper mount, D-Rings, fairlead, hardware) (fits TRX-4® 1979 Bronco and 1979 Blazer with 8855 winch) (217mm wide)
- 8859 Fairlead, winch
- 8870X Fairlead, winch, aluminum (blue-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)
- 8870A Fairlead, winch, aluminum (gray-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)
- 8870G Fairlead, winch, aluminum (green-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)
- 8870T Fairlead, winch, aluminum (orange-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)
- 8870R Fairlead, winch, aluminum (red-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)
- 8862 Gearmotor, winch
- 8863 Hook, winch (steel)/ line retainer/ washer
- 8858 Housings (front & rear), winch/ decal
- 8864X Line, winch (blue)

|       |  |
|-------|--|
| 2063X | Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)   |
| 2075R | Servo, digital high-speed, metal gear (ball bearing), waterproof   |
| 2250  | Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)  |
| 2255  | Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) |
| 2075X | Servo, digital high-torque, metal gear (ball bearing), waterproof  |
| 2270  | Servo, digital high-torque, metal gear (ball bearing), waterproof  |
| 2065A | Servo, sub-micro, waterproof   |
| 2065R | Servo, sub-micro, waterproof, metal gear   |
| 6553X | Telemetry Expander 2.0 and GPS module 2.0, TQi radio system  |
| 6550X | Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)   |
| 6551X | Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)   |
| 6509R | TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)   |
| 6507R | TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)                                   |
| 6530  | Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)   |
| 6511  | Traxxas® Link Bluetooth® module  |
| 2261  | Y-harness, BEC   |

### Ready-To-Race Model

|         |  |
|---------|--|
| 92086-4 | TRX-4® High Trail Edition™ with 1972 Chevrolet® Blazer® Body: 4WD Electric Truck with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System |
|---------|--|

### Scale Details

|       |  |
|-------|--|
| 8120X | Expedition rack, complete (includes traction boards, shovel, axe, jack, fire extinguisher, fuel cans, & mounting hardware) (fits #8111 or #8111R body) |
| 8022T | Fuel canisters (black) (2)/ screw pin  |
| 8022R | Fuel canisters (blue) (2)/ screw pin   |
| 8022  | Fuel canisters (red) (2)/ screw pin  |
| 8022X | Fuel canisters (white) (2)/ screw pin  |
| 8022A | Fuel canisters (yellow) (2)/ screw pin   |
| 8023  | Jack (1)/ 2x8 BCS (1)  |
| 8023T | Jack (black) (1)/ 2x8 BCS (1)  |
| 8122  | Shovel/ axe/ accessory mount/ mounting hardware  |
| 8121X | Traction boards, blue/ mounting hardware   |
| 8121G | Traction boards, green/ mounting hardware  |
| 8121A | Traction boards, yellow/ mounting hardware   |
| 8121  | Traction boards/ mounting hardware   |

### Shock Oil

|       |   |
|-------|---|
| 5031  | Oil, shock (20 wt, 200 cSt, 60cc) (silicone)  |
| 5032  | Oil, shock (30 wt, 350 cSt, 60cc) (silicone)  |
| 5033  | Oil, shock (40 wt, 500 cSt, 60cc) (silicone)  |
| 5034  | Oil, shock (50 wt, 600 cSt, 60cc) (silicone)  |
| 5035  | Oil, shock (60 wt, 700 cSt, 60cc) (silicone)  |
| 5036  | Oil, shock (70 wt, 900 cSt, 60cc) (silicone)  |
| 5037  | Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)  |
| 5029  | Shock oil bottle (60cc) (for mixing shock oil)  |
| 5038X | Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) |
| 5038  | Spinning carousel rack  |

### Shocks (GTS)

|       |   |
|-------|---|
| 8266A | Body, GTS shock (aluminum, blue-anodized) (1)   |
| 8266G | Body, GTS shock (aluminum, green-anodized) (1)  |
| 8266R | Body, GTS shock (aluminum, red-anodized) (1)  |
| 8266  | Body, GTS shock (aluminum, silver-anodized) (1)   |
| 8266X | Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1)   |
| 8264  | Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) |
| 8274  | Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)   |
| 5475  | Multi-tool (plastic)  |
| 8261  | Piston, damper (red) (4)/ e-clips (8)   |
| 8262  | Rebuild kit, TRX-4® shocks (x-rings, o-rings, pistons, bushings, e clips, rod ends, and travel limiters)                      |
| 8263  | Shock shaft, 3x47mm (GTS) (2)   |
| 8263T | Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2)   |
| 8260X | Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2)                  |
| 8260A | Shocks, GTS, blue-anodized (assembled with spring retainers) (2)  |
| 8260G | Shocks, GTS, green-anodized (assembled with spring retainers) (2)   |

|       |  |
|-------|--|
| 8260R | Shocks, GTS, red-anodized (assembled with spring retainers) (2)    |
| 8260  | Shocks, GTS, silver aluminum (assembled with spring retainers) (2) |

### Slipper Clutch Components

|      |   |
|------|---|
| 8292 | Input shaft/ output shaft (transmission)  |
| 8286 | Output shafts (transfer case), front & rear   |
| 8254 | Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (2)) |
| 8249 | Slipper eliminator plate  |

### Springs

|      |  |
|------|--|
| 8040 | Springs, shock (GTS) (rear) (0.54 rate) (2)                          |
| 8042 | Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2) |
| 8043 | Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2)  |
| 8044 | Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2) |
| 8045 | Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2)   |

### Spur Gears & Pinion Gears

|       |   |
|-------|---|
| 6746  | Gear, 10-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw                                |
| 6747  | Gear, 11-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw                                |
| 3942X | Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw |
| 3943X | Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw |
| 3944X | Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw |
| 3945X | Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw |
| 3946X | Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw |
| 3947X | Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw |
| 3948X | Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw |
| 3949X | Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw |
| 3950X | Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw |
| 3951X | Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw |
| 3952X | Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw |
| 6745  | Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw                                 |
| 8052  | Spur gear, 39-tooth (32-pitch)  |
| 8053  | Spur gear, 45-tooth (32-pitch)  |

### Steering Components

|       |   |
|-------|---|
| 8232  | Caster blocks (portal drive), left & right  |
| 8232X | Caster blocks, 6061-T6 aluminum (blue-anodized), left and right   |
| 8232A | Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right  |
| 8232G | Caster blocks, 6061-T6 aluminum (green-anodized), left and right  |
| 8232R | Caster blocks, 6061-T6 aluminum (red-anodized), left and right  |
| 2072X | Gear set, metal (for 2070, 2075 servos)   |
| 2072R | Gear set, metal, high-speed (for 2070, 2075 servos)   |
| 8274  | Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)   |
| 5355  | Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) |
| 8275  | Rod end set, complete (standard (10), angled 10-degrees (8), offset (4))  |
| 8276  | Rod ends (10)   |
| 8277  | Rod ends, angled 10-degrees (8)   |
| 2742  | Rod ends, long (6)/ hollow ball connectors (8)  |
| 8278  | Rod ends, offset (4)  |
| 8247X | Servo horn, steering, metal/ 3x14 BCS (1)   |
| 2075R | Servo, digital high-speed, metal gear (ball bearing), waterproof  |
| 2250  | Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof                                  |
| 2255  | Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof                                 |
| 2075X | Servo, digital high-torque, metal gear (ball bearing), waterproof   |
| 5529  | Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)                                   |
| 8246  | Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel)  |
| 8243  | Suspension link, front, 5x100mm (lower) (steel) (2)   |
| 8244  | Suspension link, front, 5x63mm (upper) (steel) (2)  |
| 8245  | Suspension link, rear, 5x121mm (upper or lower) (steel) (2)   |

### Suspension Linkage

|      |   |
|------|---|
| 8058 | Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inner fenders, short female half shaft, battery tray, 3x8mm FCS (4)) |
|------|---|



- 8057 Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft)
- 8274 Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
- 5355 Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
- 8275 Rod end set, complete (standard (10), angled 10-degrees (8), offset (4))
- 8276 Rod ends (10)
- 8277 Rod ends, angled 10-degrees (8)
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 8278 Rod ends, offset (4)
- 5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
- 8243 Suspension link, front, 5x100mm (lower) (steel) (2)
- 8244 Suspension link, front, 5x63mm (upper) (steel) (2)
- 8248 Suspension link, rear, 5x109mm (upper or lower) (steel) (2)
- 8245 Suspension link, rear, 5x121mm (upper or lower) (steel) (2)

**Team Traxxas Items**

- 2514 Decal sheet, racing sponsors
- 6160X DVD, Maxx® Power! Full Throttle Action (sleeve)
- 9950 Official Team Traxxas® racing decal set(flag logo/ 6-color)
- 9909 Traxxas® racing banner, red & black (3x7 feet)

**Tires & Wheels**

- 8169T Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48)
- 8168T Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48)
- 8169X Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48)
- 8168X Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48)
- 8169G Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48)
- 8168G Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48)
- 8169R Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48)
- 8168R Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48)
- 8169 Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48)
- 8168 Beadlock rings, satin (2.2") (aluminum)(4)/ 2x10 CS (48)
- 8164 Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended thread stub axle)
- 8176 Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended thread stub axle)
- 8164X Center caps, wheel (chrome) (front (2), rear (2)) (requires #8255A extended stub axle)
- 1747P Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
- 1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
- 1747G Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
- 1747T Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
- 1747A Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
- 8174 Tires & wheels, assembled (Method Race Wheels® 105 Beadlock 1.9" black chrome beadlock wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right)
- 8182 Tires & wheels, assembled (Method Race Wheels® 105 Beadlock 1.9" satin black chrome, blue beadlock style wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right)
- 8166 Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle)
- 8177 Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle)
- 8166X Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle)
- 8183X Tires & wheels, assembled, glued (1.9" classic chrome wheels, Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle)
- 8184 Tires & wheels, assembled, glued (2.2" classic chrome wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (front (2), rear (2)) (requires #8255A extended thread stub axle)
- 8273 Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)
- 8272X Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2)
- 8272 Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)
- 8179 Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)
- 8172 Tires and wheels, assembled (Method 105 2.2™ black chrome beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit)
- 8181 Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ wheels, Canyon Trail 5.3x2.2™ tires) (2) (for use with TRX-4 Long Arm Lift Kit)
- 8170 Tires, Canyon Trail 5.3x2.2"/ foam inserts (2)
- 8269 Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)

- 8269X Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ 3x10 screw pin (4)
- 8269A Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-anodized) (4)/ 3x10 screw pin (4)
- 8269G Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ 3x10 screw pin (4)
- 8269R Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ 3x10 screw pin (4)
- 8175 Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle)
- 8165 Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle)
- 8173 Wheels, 1.9", Method Race Wheels® 105 Beadlock (black chrome, beadlock) (beadlock rings sold separately)
- 8173A Wheels, 1.9", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately)
- 8171 Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock rings sold separately) (for use with TRX-4 Long Arm Lift Kit)
- 8171A Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock rings sold separately) (for use with TRX-4 Long Arm Lift Kit)
- 8180 Wheels, TRX-4 Sport 2.2 (2) (for use with TRX-4 Long Arm Lift Kit)
- 8271 Wheels, TRX-4® 1.9 (2)
- 8271X Wheels, TRX-4® 1.9 (satin beadlock) (2)
- 8178 Wheels, TRX-4® Sport 1.9 (2)
- 8268 Wheels, TRX-4® Tactical 1.9 (2)

**Transmission Components**

- 8283 Cable, T-lock (front)
- 8284 Cable, T-lock (rear)
- 8195 Differential, locking, front and rear (assembled) (includes T-Lock cables and servos)
- 8289 Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage
- 8293X Gear set, transmission, metal (includes 18T, 30T input gears, 36T output gear, 2x9.8 pins (5))
- 8291 Gearbox housing (includes main housing, front housing, & cover)
- 8285 Gears, transfer case (3)
- 5041 Grease, premium high performance (20cc)
- 8292 Input shaft/ output shaft (transmission)
- 8290X Motor mount plate, 6061-T6 aluminum (blue-anodized)
- 8290A Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)
- 8290G Motor mount plate, 6061-T6 aluminum (green-anodized)
- 8290R Motor mount plate, 6061-T6 aluminum (red-anodized)
- 8295 Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1))
- 8294 Output gear, high range, 24T (metal)
- 8286 Output shafts (transfer case), front & rear
- 8290 Plate, motor/ upper spur gear cover
- 8249 Slipper eliminator plate
- 8296 Transmission gears, single speed, metal
- 8196 Two speed conversion kit

**Traxxas Tools**

- 3433X Body reamer (aluminum handle)
- 3433 Body reamer (plastic handle)
- 3436 Cap, body reamer
- 3432 Scissors, curved tip
- 3431 Scissors, straight tip
- 8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
- 8720 Speed bit handle, large (overmolded)
- 8721 Speed bit handle, medium (one piece)
- 8722 Speed bit handle, premium (rubber overmold)
- 8710 Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
- 8711 Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
- 8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
- 8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
- 8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive

- 8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8714 Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
- 2748R Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
- 3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

**TRX-4® Traxx®**

- 8889 Bearing retainers, inner (2)/ outer (2)
- 8890 Drive wheel (1)
- 8885 Shock mounts (frame, left (2), frame, right (2))/ portal mounts (1 each, front (left & right), rear (left & right))
- 8888 Spring (4)
- 8887 Stub axle (1)
- 8886 Stub axle nut (4)
- 8891 Tension wheels (6)/ road wheels (4)
- 8881 Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track)
- 8882 Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track)
- 8883 Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track)
- 8884 Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track)
- 8880 Traxx®, TRX-4® (4) (complete set, front & rear)
- 8895 Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber) (1)
- 8896 Treads, All-Terrain, TRX-4® Traxx® (rear, left or right) (rubber) (1)

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

**TRAXXAS.COM**