



## TRX-4 Mercedes-Benz G 500 4x4<sup>2</sup> (Model 82096-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

### Axle Components

8241	Axle housing, front
8242	Axle housing, rear
8227	Axle mount set (complete) (front & rear) (for suspension links)
8228	Axle shaft, front (left)/ drive pin/ cross pin
8229	Axle shaft, front (right)/ drive pin/ cross pin
<b>8060</b>	<b>Axle shaft, front, heavy duty (left &amp; right) (requires #8064 front portal drive input gear)</b>
<b>8062</b>	<b>Axle shaft, front, heavy duty (left &amp; right)/ portal drive input gear (machined) (2) (assembled)</b>
8230	Axle shaft, rear (left)
8231	Axle shaft, rear (right)
<b>8061</b>	<b>Axle shaft, rear, heavy duty (left &amp; right)/ portal drive input gear, rear (machined)</b>
<b>8063</b>	<b>Axle, rear, heavy duty (left &amp; right) (requires #8065 rear portal drive input gear)</b>
8233	Cross pin (2)/ drive pin (2) (to rebuild front axle shafts)
8256	Portal drive axle mount, rear (left & right)
<b>8256X</b>	<b>Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized) (left and right)/ 2.5x16 CS (4)</b>
<b>8256A</b>	<b>Portal drive axle mount, rear, 6061-T6 aluminum (charcoal gray-anodized) (left and right)/ 2.5x16 CS (4)</b>
<b>8256G</b>	<b>Portal drive axle mount, rear, 6061-T6 aluminum (green-anodized) (left and right)/ 2.5x16 CS (4)</b>
<b>8256R</b>	<b>Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized) (left and right)/ 2.5x16 CS (4)</b>
8252	Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6)
8253	Portal drive housing, inner, rear (left or right) (2)
8251	Portal drive housing, outer (front or rear) (2)
<b>8064</b>	<b>Portal drive input gear, front (machined) (left or right) (requires #8060 front axle shaft)</b>
8257	Portal drive input gear, front/ drive pin/ cross pin
8259	Portal drive input gear, rear
<b>8065</b>	<b>Portal drive input gear, rear (machined) (left or right) (requires #8063 rear axle)</b>
8258	Portal drive output gear, front or rear
<b>8252X</b>	<b>Portal housings, inner (front), 6061-T6 aluminum (blue-anodized) (2)/ 3x12 BCS (2)</b>
<b>8252A</b>	<b>Portal housings, inner (front), 6061-T6 aluminum (charcoal gray-anodized) (2)/ 3x12 BCS (2)</b>
<b>8252G</b>	<b>Portal housings, inner (front), 6061-T6 aluminum (green-anodized) (2)/ 3x12 BCS (2)</b>
<b>8252R</b>	<b>Portal housings, inner (front), 6061-T6 aluminum (red-anodized) (2)/ 3x12 BCS (2)</b>
<b>8253X</b>	<b>Portal housings, inner (rear), 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (2)</b>
<b>8253A</b>	<b>Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (2)</b>
<b>8253G</b>	<b>Portal housings, inner (rear), 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (2)</b>
<b>8253R</b>	<b>Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (2)</b>
<b>8251X</b>	<b>Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12)</b>
<b>8251A</b>	<b>Portal housings, outer, 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (12)</b>
<b>8251G</b>	<b>Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12)</b>
<b>8251R</b>	<b>Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12)</b>
8255A	Stub axle, extended (portal drive) (2)
<b>8267</b>	<b>Weight, portal housing, brass (34 grams) (2)/ 2.5x8 CS (6) (requires #8251X, 8251R, 8251A, or 8251G outer portal housing)</b>

### Bearings & Bushings

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5120A	Ball bearings, black rubber sealed (12x18x4mm) (2)
5104A	Ball bearings, black rubber sealed (4x10x4mm) (2)
5115A	Ball bearings, black rubber sealed (5x10x4mm) (2)
5116A	Ball bearings, black rubber sealed (5x11x4mm) (2)
5114A	Ball bearings, black rubber sealed (5x8x2.5mm) (2)
5117A	Ball bearings, black rubber sealed (6x12x4mm) (2)
5180A	Ball bearings, black rubber sealed (6x13x5mm) (2)
5103A	Ball bearings, black rubber sealed (7x14x5mm) (2)

### Body (1979 Chevrolet Blazer)

<b>8130</b>	<b>Body, Chevrolet Blazer (1979) (clear, requires painting)/ decals/ window masks</b>
<b>8130G</b>	<b>Body, Chevrolet Blazer (1979) (orange) (requires grille, side mirrors, door handles, windshield wipers, decals)</b>
<b>8130A</b>	<b>Body, Chevrolet Blazer (1979) (red) (requires grille, side mirrors, door handles, windshield wipers, decals)</b>
<b>8131</b>	<b>Decal sheet, Chevrolet Blazer (1979)</b>
<b>8132</b>	<b>Door handles, left, right &amp; rear tailgate/ windshield wipers, left &amp; right/ retainers (2)/ 1.6x5 BCS (self-tapping) (7) (fits #8130 body)</b>
<b>8134</b>	<b>Grille, Chevrolet Blazer (1979)/ grille retainers (4)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (4)/ 2.5x6 BCS (2) (fits #8130 body)</b>
<b>8133</b>	<b>Mirrors, side, chrome (left &amp; right)/ o-rings (4)/ body clips (4) (fits #8130 body)</b>
<b>8135</b>	<b>Tail lights, left &amp; right (assembled)/ tail light retainers, left &amp; right/ side marker lights (assembled) (2)/ side marker retainers (2)/ mounting tape (2)/ 1.6x5 BCS (self-tapping) (4)/ 2.6x8 BCS (2) (fits #8130 body)</b>

### Body (1979 Ford Bronco)

<b>8010</b>	<b>Body, Ford Bronco (clear, requires painting)/ decals/ window masks/ tailgate panel insert/ adhesive foam tape (2)</b>
<b>8010X</b>	<b>Body, Ford Bronco, complete (black) (includes front and rear bumpers, push bar, rear body mount, grille, side mirrors, door handles, windshield wipers, spare tire mount, red and sunset decals) (requires #8072 inner fenders)</b>
<b>8078R</b>	<b>Decal sheet, Bronco, red</b>
<b>8075</b>	<b>Door handles, left &amp; right/ windshield wipers, left &amp; right/ retainers (3)/ 1.6x5 BCS (self-tapping) (4) (fits #8010 body)</b>
<b>8070</b>	<b>Grille, Ford Bronco/ grille retainers (6)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (6)/ 2.5x6 BCS (2) (fits #8010 body)</b>
<b>8073</b>	<b>Mirrors, side, black (left &amp; right)/ retainers (2)/ body clips (4) (fits #8010 body)</b>
<b>8073X</b>	<b>Mirrors, side, chrome (left &amp; right)/ retainers (2)/ body clips (4) (fits #8010 body)</b>
<b>8074</b>	<b>Spare tire mount/ mounting bracket/ spare tire cover/ mounting hardware</b>
<b>8077</b>	<b>Tailgate panel insert (clear, requires painting)/ adhesive foam tape (2) (fits #8010 body)</b>
<b>8071</b>	<b>Tailgate panel/ tail light lens (2) (left &amp; right) (fits #8010 body)</b>

### Body (Land Rover Defender)

<b>8011</b>	<b>Body, Land Rover® Defender® (clear, trimmed, requires painting)/ window masks/ decal sheet</b>
<b>8011A</b>	<b>Body, Land Rover® Defender®, adventure orange (complete with ExoCage, inner fenders, fuel canisters, and jack)</b>
<b>8011X</b>	<b>Body, Land Rover® Defender®, graphite silver (painted)/ decals</b>
<b>8011G</b>	<b>Body, Land Rover® Defender®, green (complete with ExoCage, inner fenders, fuel canisters, and jack)</b>
<b>8011R</b>	<b>Body, Land Rover® Defender®, red (painted)/ decals</b>
<b>8012</b>	<b>Decals, Land Rover® Defender®</b>
<b>8016</b>	<b>ExoCage (complete with assembly hardware; #8015 roof basket sold separately) (fits #8011 body)</b>
<b>8019</b>	<b>Fender brace, inner, front &amp; rear</b>
<b>8017</b>	<b>Fender flares, front &amp; rear (2 each) (fits #8011 or #8211 body)</b>
<b>8018</b>	<b>Fenders, inner, front &amp; rear (2 each)/ rock light covers (8)</b>
<b>8013</b>	<b>Grille, Land Rover® Defender®/ grille mount (3)/ headlight housing (2)/ lens (2)/ headlight mount (2) (fits #8011 body)</b>
<b>8020</b>	<b>Mirrors, side (left &amp; right)/ snorkel/ mounting hardware (fits #8011 body)</b>
<b>8015</b>	<b>Roof basket (requires #8016 ExoCage) (fits #8011 body)</b>
<b>8021</b>	<b>Spare tire mount/ mounting bracket/ screw pins (2)</b>
<b>8014</b>	<b>Tail light housing (2)/ lens (2)/ decals (left &amp; right) (fits #8011 body)</b>

### Body (Mercedes-Benz G 500)

<b>8811</b>	<b>Body, Mercedes-Benz® G 500® (clear, requires painting)/ decals/ window masks</b>
<b>8811R</b>	<b>Body, Mercedes-Benz® G 500®, complete (black) (includes rear body post, grille, side mirrors, door handles, &amp; windshield wipers)</b>
<b>8811X</b>	<b>Body, Mercedes-Benz® G 500®, complete (blue) (includes rear body post, grille, side mirrors, door handles, &amp; windshield wipers)</b>
<b>8812</b>	<b>Decals, Mercedes-Benz® G 500®</b>
<b>8813</b>	<b>Grille, Mercedes-Benz® G 500®/ grille mount/ grille insert/ headlight lens (2)/ headlight reflector (2)/ reflector lens (2)/ bumperette front (2)/ bumperette mount (2)/ turn signal housing (2)/ turn signal housing retainer (2)/ turn signal lens (2)</b>

## Page 2 TRX-4 Mercedes-Benz G 500 4x4<sup>2</sup>: TQi Traxxas Link Enabled 2.4GHz Radio (Model 82096-4) Parts List

8817	Mirrors, side, black (left & right)/ o-rings (4)/ windshield wipers, left, right, & rear/ wiper retainers (2)/ body clips (4)/ 1.6x5 BCS (self-tapping) (3)
8822	Roof visor/ visor retainer/ visor lens (2)/ 2.6x6 BCS (3)/ 3x4 GS (4)
8816	Side marker light housing (2)/ mount (2)/ lens (2)/ 1.6x5 BCS (self-tapping) (2)
8815	Side trim, left & right (black)/ side trim retainers (6)/ door handles, left, right, & rear/ door handle mount/ 1.6x5 BCS (self-tapping) (35)
8814	Tail light lens (2)/ tail light housing (2)/ tail light housing mount (2)/ reverse lens (2)/ 1.6x5 BCS (4) (left & right)

### Body (Tactical Unit)

8211	Body, Tactical Unit (clear, requires painting)/ decals
8211X	Body, Tactical Unit, night camo (painted)/ decals
8019	Fender brace, inner, front & rear
8017	Fender flares, front & rear (2 each) (fits #8011 or #8211 body)
8018	Fenders, inner, front & rear (2 each)/ rock light covers (8)
8020	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8011 body)
8021	Spare tire mount/ mounting bracket/ screw pins (2)

### Body (TRX-4 Sport)

8112	Body with camper, TRX-4® Sport (clear, trimmed, requires painting)/ window masks/ decal sheet
8111R	Body, TRX-4® Sport (clear, trimmed, die-cut for LED light kit, requires painting)/ window masks/ decal sheet
8111	Body, TRX-4® Sport (clear, trimmed, requires painting)/ window masks/ decal sheet
8113	Decal sheet, TRX-4® Sport
8120X	Expedition rack, complete (includes traction boards, shovel, axe, jack, fire extinguisher, fuel cans, & mounting hardware)
8120	Expedition rack/ mounting hardware
8116	Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits #8111 or #8112 body)
8119	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8111 or #8112 body)
8122	Shovel/ axe/ accessory mount/ mounting hardware
8118	Spare tire mount/ mounting hardware
8117	Tailgate panel/ tailgate retainers (2)/ tailgate mount/ tail light lens (2) (left & right)/ 2.5x8 BCS (4) (fits #8111 or #8112 body)
8121	Traction boards/ mounting hardware

### Body Accessories

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1834	Body clips (12) (standard size)
1834A	Body clips, black (12) (standard size)
3934	Body clips, heavy duty (12)
3934A	Body clips, heavy duty (black) (12)
8215	Body mounts & posts, front & rear (complete set)
8115	Body posts, front & rear
4915	Body washers, foam adhesive (10)
2514	Decal sheet, racing sponsors
8081	Fender extensions (4)/ 3x8 flat-head screws (24) (requires #8080 narrow inner fenders)
8080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)
8072	Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)

### Bumpers & Skidplates

8234	Bumper D-Rings, grey (front or rear)/ 2x12 CS (4)
8234R	Bumper D-rings, red (front or rear)/ 2.0x12 CS (4)
8067	Bumper mounts, front & rear
8067X	Bumper mounts, front & rear/ bumper mount, rear (offset)
8237	Bumper mounts, front & rear/ screw pins (4)
8124	Bumper, front (178mm wide)/ winch/ 2.6x8 BCS (1)
8137	Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)
8235	Bumper, front/ winch
8236	Bumper, rear
8125	Bumper, rear (176mm wide)
8136	Bumper, rear (chrome)/ bumper mount/ 3x8 BCS (2)
8820	Bumpers, front & rear
8821	Skid plate/ 3x10 CCS (4)
8238	Skidplate/ lower gear cover

### Chassis & Attachments

8215	Body mounts & posts, front & rear (complete set)
8224	Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2)
8058	Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inner fenders, short female half shaft, battery tray, 3x8mm FCS (4))

8057	Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft)
8220	Chassis rails, 448mm (steel) (left & right)
8818	Exhaust pipes (left & right)
8081	Fender extensions (4)/ 3x8 flat-head screws (24) (requires #8080 narrow inner fenders)
8080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)
8072	Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)
8218	Floor pans, left & right
8819	Rock sliders/ rock slider caps (left & right)
8225	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
8240	Servo mount, 2-speed/ servo mount, T-Lock/ wire clips
8239	Servo mount, steering/ chassis crossmember
8216	Shock towers, front & rear (left & right)
8226	Tray, battery

### Differential Components

8281	Carrier, differential/ differential slider/ T-Lock fork
8280X	Differential cover, front or rear (chrome-plated)
8280	Differential cover, front or rear (grey)
8280R	Differential cover, front or rear (red)
8195	Differential, locking, front and rear (assembled) (includes T-Lock cables and servo)
8282	Gear set, differential (output gears (2), spider gears (4), spider gear shaft (2))
8295	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x11 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1))
8279	Ring gear, differential/ pinion gear, differential
8279R	Ring gear, differential/ pinion gear, differential (machined)
8287	Ring gear, differential/ pinion gear, differential (overdrive, machined)
8288	Ring gear, differential/ pinion gear, differential (underdrive, machined)
8297	Spool/ differential housing plug/ e-clip

### Driveline Components

8250	Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only)
8255A	Stub axle, extended (portal drive) (2)
8269	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) (fits TRX-4®)
8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4)
8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-anodized) (4)/ screw pin (4)
8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4)
8269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4)

### Hardware

1552	Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench
1834	Body clips (12) (standard size)
1834A	Body clips, black (12) (standard size)
3934	Body clips, heavy duty (12)
3934A	Body clips, heavy duty (black) (12)
8167X	Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels)
8298	Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4)
8151	Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4® Long Arm Lift Kit)
5476X	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
8347	Nuts, 4mm flanged nylon locking, serrated (black) (10)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)
2523	Screws, 2.5x10mm countersunk machine (hex drive) (6)
3236	Screws, 2.5x12mm cap-head machine (6)
2618	Screws, 2.5x16mm cap-head machine (6)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
2617	Screws, 2.5x8mm button-head machine (hex drive) (6)
3965	Screws, 2.5x8mm cap-head machine (6)
2524	Screws, 2.5x8mm countersunk machine (hex drive) (6)
8299	Screws, 2.6x12mm button-head, self-tapping (hex drive) (6)

**Page 3 TRX-4 Mercedes-Benz G 500 4x4<sup>2</sup>: TQi Traxxas Link Enabled 2.4GHz Radio (Model 82096-4) Parts List**

8167	Screws, 2x10mm cap-head, self-tapping (hex drive) (10)
2564	Screws, 2x8mm cap-head machine (hex drive) (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
4859	Screws, 3x10mm flat-head machine (hex drive) (4)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
2591	Screws, 3x23mm button-head machine (hex drive) (6)
2581	Screws, 3x25mm button-head machine (hex drive) (6)
2616	Screws, 3x27mm button-head machine (hex drive) (6)
2582	Screws, 3x30mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
3933	Screws, 4x16mm button-head machine (hex drive) (6)

**LED Light Accessories**

8031	3-in-1 wire harness, LED light kit, TRX-4®
8089	4-in-2 wire harness, LED light kit, TRX-4®
8028	LED lights, power supply (regulated, 3V, 0.5-amp), TRX-4®/ 3-in-1 wire harness
8026	LED rock light kit, TRX-4® (requires #8028 power supply and #8018, #8072, or #8080 inner fenders)

**LED Lights (1979 Chevrolet Blazer)**

8039	LED light set (contains headlights, tail lights, side marker lights, distribution block (fits #8130 body, requires #8028 power supply)
8038	LED light set, complete with power supply (contains headlights, tail lights, side marker lights, distribution block, and power supply) (fits #8130 body)

**LED Lights (1979 Ford Bronco)**

8036	LED light set (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 body, requires #8028 power supply)
8035	LED light set, complete with power supply (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 body)
8037	LED lights, high/low switch (for #8035 or #8036 LED light kits)

**LED Lights (Land Rover Defender)**

8027	LED headlight/tail light kit (fits #8011 body, requires #8028 power supply)
8025	LED light bar (Rigid®), TRX-4 (requires #8028 power supply)
8029	LED light bar kit (Rigid®)/power supply, TRX-4®
8030	LED light set, complete (contains rock light kit, LED light bar (Rigid®), LED headlight/tail light kit, power supply, & 3-in-1 wire harness) (fits #8011 body)

**LED Lights (TRX-4 Sport)**

8086	LED expedition rack scene light kit (fits #8111 body, requires #8028 power supply)
8084	LED headlight/tail light kit (fits #8111 or #8112 body, requires #8028 power supply)
8088	LED light bar, front bumper (fits #8124 front bumper, requires #8028 power supply)
8087	LED light bar, roof lights (fits #8111 body, requires #8028 power supply)
8085	LED light set, complete with power supply (contains headlights, tail lights, & distribution block) (fits #8111 or #8112 body)

**Long Arm Lift Kit**

8162X	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use with #8140X TRX-4® Long Arm Lift Kit)
8162R	Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit)
8162	Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit)
8148	Cable, T-lock (extra long) (for use with TRX-4® Long Arm Lift Kit)
8147	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit)
8150	Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit)
8140	Long Arm Lift Kit, TRX-4®, complete
8140X	Long Arm Lift Kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks)
8140R	Long Arm Lift Kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks)
8149	Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit)
8141	Servo mount, steering (for use with TRX-4® Long Arm Lift Kit)
8161	Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit)
8160X	Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit)

8160R	Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit)
8160	Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit)
8155	Springs, shock, long (natural finish) (GTS) (0.47 rate) (for use with TRX-4® Long Arm Lift Kit)
8156	Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit)
8157	Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit)
8146X	Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)
8146R	Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)
8144X	Suspension link, front upper, 5x68mm (1) (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)
8144R	Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)
8144	Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
8143	Suspension links, front lower (2) (5x104mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
8143X	Suspension links, front lower, blue (2) (5x104mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)
8143R	Suspension links, front lower, red (2) (5x104mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)
8145	Suspension links, rear lower (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
8145X	Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)
8145R	Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)
8142	Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
8142X	Suspension links, rear upper, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)
8142R	Suspension links, rear upper, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)
8172	Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 2.2" tires, foam inserts) (1 left, 1 right)
8181	Tires and wheels, assembled, glued (TRX-4® Sport wheels, Canyon Trail 2.2 tires) (2)
8170	Tires, Canyon Trail 2.2/ foam inserts (2)
8171	Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock rings sold separately)
8171A	Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock rings sold separately)
8180	Wheels, TRX-4® Sport 2.2 (2)

**Motors & Electronics**

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2262	BEC, complete (includes receiver box cover and seals)
2064	Gear set (for 2065 waterproof sub-micro servo)
2064X	Gear set, metal (for 2065X waterproof sub-micro servo)
2072X	Gear set, metal (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)
2072R	Gear set, metal, high speed (for 2070, 2075 servos)
8290X	Motor mount plate, TRX-4®, 6061-T6 aluminum (blue-anodized)
8290A	Motor mount plate, TRX-4®, 6061-T6 aluminum (charcoal gray-anodized)
8290G	Motor mount plate, TRX-4®, 6061-T6 aluminum (green-anodized)
8290R	Motor mount plate, TRX-4®, 6061-T6 aluminum (red-anodized)
3975R	Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1)
8290	Plate, motor/ upper spur gear cover
2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2063	Servo case/gaskets (for 2065 waterproof sub-micro servo)
2063X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)

## Page 4 TRX-4 Mercedes-Benz G 500 4x4<sup>2</sup>: TQi Traxxas Link Enabled 2.4GHz Radio (Model 82096-4) Parts List

5669	Servo horn (with built-in spring and hardware) (for Summit locking differential)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247 steel servo horn recommended for optimal performance)
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2065	Servo, sub-micro, waterproof
2065X	Servo, sub-micro, waterproof, metal gear
3025	XL-5HV 3s Electronic Speed Control, waterproof (low-voltage detection, fwd/rev/brake)
2261	Y-harness, BEC

### Radio System, Batteries & Chargers

2849X	4000mAh 11.1v 3-Cell 25C LiPo Battery
2872X	5000mAh 11.1v 3-Cell 25C LiPo Battery
2842X	5000mAh 7.4v 2-Cell 25C LiPo Battery
2843X	5800mAh 7.4v 2-Cell 25C LiPo Battery
2869X	7600mAh 7.4v 2-Cell 25C LiPo Battery
2976	AC to DC converter, 40W
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)
1726	Antenna, tube (1/2) vinyl antenna cap (1/2) wire retainer (1)
2943	Battery charge indicators (green (4), blue (4), grey (4))
6548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
8222	Battery strap, TRX-4® (for 2200 2-cell and 1400 3-cell LiPo batteries)
2914	Battery, Power Cell AA Alkaline (4)
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
2983	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH battery (1))
2992	Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))
2994	Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery (1))
2995	Battery/charger completer pack (includes #2970 iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo battery (1))
2991	Battery/charger completer pack (includes #2972 Dual iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo battery (2))
2262	BEC, complete (includes receiver box cover and seals)
2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification
6525	Communication link, telemetry expander
6512	Cover plate, Traxxas Link™ Wireless Module
2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)
2064	Gear set (for 2065 waterproof sub-micro servo)
2064X	Gear set, metal (for 2065X waterproof sub-micro servo)
2072X	Gear set, metal (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)
2072R	Gear set, metal, high speed (for 2070, 2075 servos)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6561	Mount, telemetry expander (fits TRX-4®)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526	Sensor, auto-detectable, temperature
6527	Sensor, auto-detectable, voltage
6521	Sensor, temperature and voltage (long)
2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)

2063	Servo case/gaskets (for 2065 waterproof sub-micro servo)
2063X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247 steel servo horn recommended for optimal performance)
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2065	Servo, sub-micro, waterproof
2065X	Servo, sub-micro, waterproof, metal gear
6553X	Telemetry expander 2.0 and GPS module 2.0, TQi radio system
6550X	Telemetry expander 2.0, TQi radio system (compatible only with #6551X GPS module)
6550	Telemetry expander, TQi radio system
6551X	Telemetry GPS module 2.0, TQi radio system (compatible only with #6550X telemetry expander)
6530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas Link™ Wireless Module
2261	Y-harness, BEC

### Ready-To-Race Model

82096-4	TRX-4® Scale and Trail® Crawler with Mercedes-Benz® G 500® Body: 4WD Electric Trail Truck with TQi Traxxas Link™ Enabled 2.4GHz Radio System
---------	--

### Scale Details

8120X	Expedition rack, complete (includes traction boards, shovel, axe, jack, fire extinguisher, fuel cans, & mounting hardware)
8022T	Fuel canisters (black) (2)/ 3x8 FCS (1)
8022R	Fuel canisters (blue) (2)/ 3x8 FCS (1)
8022	Fuel canisters (red) (2)/ 3x8 FCS (1)
8022X	Fuel canisters (white) (2)/ 3x8 FCS (1)
8022A	Fuel canisters (yellow) (2)/ 3x8 FCS (1)
8023T	Jack (black) (1)/ 2x8 BCS (1)
8023	Jack (red) (1)/ 2x8 BCS (1)
8122	Shovel/ axe/ accessory mount/ mounting hardware
8121	Traction boards/ mounting hardware

### Shocks (GTS)

8266	Body, GTS shock (aluminum, silver-anodized) (1)
8266X	Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1)
8266A	Body, GTS shock, aluminum (blue-anodized) (1)
8266G	Body, GTS shock, aluminum (green-anodized) (1)
8266R	Body, GTS shock, aluminum (red-anodized) (1)
8264	Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
5475	Multi-tool (plastic)
8261	Piston, damper (red) (4)/ e-clips (8)
8262	Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends)
8263	Shock shaft, 3x47mm (GTS) (2)
8263T	Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2)
8260X	Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2)
8260A	Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2)
8260G	Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2)
8260R	Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2)
8260	Shocks, GTS, silver aluminum (assembled with spring retainers) (2)
1666	Silicone shock oil (30 wt)

### Slipper Clutch Components

8292	Input shaft/ output shaft (transmission)
8286	Output shafts (transfer case), front & rear
8254	Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (4), metal washer (1))
8249	Slipper eliminator plate

### Springs

8042	Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2)
8043	Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2)
8044	Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2)
8041	Springs, shock (natural finish) (GTS) (0.45 rate) (2)
8040	Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2)
8045	Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2)

### Spur Gears & Pinion Gears

6746	Gear, 10-T pinion (32-p) (steel)/ set screw
6747	Gear, 11-T pinion (32-p) (steel)/ set screw
3942X	Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3943X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3944X	Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3945X	Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3946X	Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3947	Gear, 17-T pinion (32-p) (mach. steel)/ set screw
3947X	Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3949X	Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3950X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3952X	Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
6745	Gear, 9-T pinion (32-p) (steel)/ set screw
8052	Spur gear, 39-tooth (TRX-4®)
8053	Spur gear, 45-tooth (TRX-4®)

### Steering Components

8232	Caster blocks (portal drive), left & right/ kingpin bushings (4)
8232X	Caster blocks, 6061-T6 aluminum (blue-anodized), left and right
8232A	Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right
8232G	Caster blocks, 6061-T6 aluminum (green-anodized), left and right
8232R	Caster blocks, 6061-T6 aluminum (red-anodized), left and right
2072X	Gear set, metal (for 2070, 2075 servos)
2072R	Gear set, metal, high speed (for 2070, 2075 servos)
8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset (4))
8276	Rod ends (10)
8277	Rod ends, angled 10-degrees (8)
2742	Rod ends, long (6)/ hollow ball connectors (6)
8278	Rod ends, offset (4)
8247	Servo horn, steering
8247X	Servo horn, steering, metal/ 3x14 BCS (1)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
8246	Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel)
8243	Suspension link, front, 5x100mm (lower) (steel) (2)
8244	Suspension link, front, 5x63mm (upper) (steel) (2)
8245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)

### Suspension Linkage

8058	Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inner fenders, short female half shaft, battery tray, 3x8mm FCS (4))
8057	Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft)
8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset (4))
8276	Rod ends (10)
8277	Rod ends, angled 10-degrees (8)
2742	Rod ends, long (6)/ hollow ball connectors (6)
8278	Rod ends, offset (4)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
8243	Suspension link, front, 5x100mm (lower) (steel) (2)
8244	Suspension link, front, 5x63mm (upper) (steel) (2)
8245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)

### Team Traxxas Items

2514	Decal sheet, racing sponsors
6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

### Tires & Wheels

8169T	Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48)
8168T	Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48)
8169X	Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48)
8168X	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48)
8169G	Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48)
8168G	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48)
8169A	Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48)
8168A	Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48)
8169R	Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48)
8168R	Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48)
8169	Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48)
8168	Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48)
8873	Center caps, Mercedes-Benz® G 500® wheel (black) (4) (requires #8255A extended stub axle)
8164	Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended stub axle)
8176	Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended stub axle)
8174	Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 1.9" tires, foam inserts) (1 left, 1 right)
8172	Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 2.2" tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit)
8166	Tires and wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 1.9 tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended stub axle)
8177	Tires and wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 1.9 tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended stub axle)
8872	Tires and wheels, assembled, glued (2.6" black, satin chrome-plated Mercedes-Benz® G 500® wheels, 2.6" tires) (2)/ center caps (2) (requires #8255A extended stub axle)
8273	Tires and wheels, assembled, glued (Tactical wheels, Canyon Trail 1.9 tires) (2)
8272X	Tires and wheels, assembled, glued (TRX-4® satin beadlock wheels, Canyon Trail 1.9 tires) (2)
8179	Tires and wheels, assembled, glued (TRX-4® Sport wheels, Canyon Trail 1.9 tires) (2)
8181	Tires and wheels, assembled, glued (TRX-4 Sport wheels, Canyon Trail 2.2 tires) (2) (for use with TRX-4 Long Arm Lift Kit)
8272	Tires and wheels, assembled, glued (TRX-4® wheels, Canyon Trail 1.9 tires) (2)
8270	Tires, Canyon Trail 1.9 (S1 compound)/ foam inserts (2)
8170	Tires, Canyon Trail 2.2/ foam inserts (2) (for use with TRX-4 Long-Arm Lift Kit)
8269	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) (fits TRX-4®)
8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4)
8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-anodized) (4)/ screw pin (4)
8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4)
8269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4)
8165	Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended stub axle)
8175	Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended stub axle)
8173	Wheels, Method 105 1.9" (black chrome, beadlock) (beadlock rings sold separately)
8173A	Wheels, Method 105 1.9" (charcoal gray, beadlock) (beadlock rings sold separately)
8171	Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock rings sold separately) (for use with TRX-4 Long Arm Lift Kit)
8171A	Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock rings sold separately) (for use with TRX-4 Long Arm Lift Kit)
8268	Wheels, Tactical 1.9 (2)
8271	Wheels, TRX-4® 1.9 (2)
8271X	Wheels, TRX-4® 1.9 (satin beadlock) (2)
8178	Wheels, TRX-4® Sport 1.9 (2)
8180	Wheels, TRX-4 Sport 2.2 (2) (for use with TRX-4 Long Arm Lift Kit)

## Transmission Components

8283	Cable, T-lock (front)
8284	Cable, T-lock (rear)
8195	Differential, locking, front and rear (assembled) (includes T-Lock cables and servo)
8289	Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage
8293X	Gear set, transmission, metal (includes 18T, 30T input gears, 36T output gear, 2x10.3 pins (5))
8291	Gearbox housing (includes main housing, front housing, & cover)
8285	Gears, transfer case (3)
5041	Grease, premium high performance (20cc)
8292	Input shaft/ output shaft (transmission)
8290X	<b>Motor mount plate, TRX-4®, 6061-T6 aluminum (blue-anodized)</b>
8290A	<b>Motor mount plate, TRX-4®, 6061-T6 aluminum (charcoal gray-anodized)</b>
8290G	<b>Motor mount plate, TRX-4®, 6061-T6 aluminum (green-anodized)</b>
8290R	<b>Motor mount plate, TRX-4®, 6061-T6 aluminum (red-anodized)</b>
8295	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x11 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1))
8294	Output gear, high range, 24T (metal)
8286	Output shafts (transfer case), front & rear
8290	Plate, motor/ upper spur gear cover
8249	<b>Slipper eliminator plate</b>
8296	<b>Transmission gears, single speed, metal</b>
8196	Two speed conversion kit

## Traxxas Tools

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

**TRAXXAS.COM**